

Discharge Instructions

CHOC Children's Hospital

1201 West La Veta Avenue, Orange, CA 92868

Patient: Chase Clements

MRN#: 974388

Preferred Language: English

Weight(kg): 27.8 kg

Allergies: NKA

Date of Admission: 03/09/2026

Date of Discharge: 03/13/2026

Admitting Diagnosis: Asthma Exacerbation

Discharge Diagnosis: Asthma Exacerbation

Condition on Discharge: Good

Primary Care Physician: Dr. Best

Notable or Outside Test/Results:

Diet: Regular, Age Appropriate

Seek Medical Attention for: Persistent Temp > 100.4 F, Wheezing, Shortness of Breath, Breathing Difficulties, Persistent Cough

Special Instructions:

Please follow up with pediatrician as needed.

Follow up with pulmonology as scheduled. Use rescue inhaler as directed.

Additional RN Instructions:

Instruction Forms Given:

MEDICATION INSTRUCTIONS (Follow pharmacy instructions):

Continue the Following Home Medications:

Albuterol HFA 90 mcg inhaler

2 puffs Inhalation Every 4-6 hours PRN for wheezing, 3 refills, CVS 16722 IN TARGET

Fluticasone 44 mcg inhaler

1 puff Inhalation Twice daily, 2 refills, CVS 16722 IN TARGET

Polyethylene glycol 3350 powder

As directed Oral Once daily PRN for constipation, CVS 16722 IN TARGET

New Prescriptions:

No New Prescription

Pre-Existing Appointments: To contact scheduling call 1-888-770-CHOC (2462)

No scheduled appointments at this time.

Immunizations:

Procedures:

Chest X-ray, 2 views

Pulmonary function testing

Consulting Physicians: Dr. Barry, MD

Discharge Authenticated by: Dr. Gallegos, MD

AUTHENTICATED BY ATTENDING

How to Use Your Child's Inhaler

At today's visit, the health care provider talked with you about how to use your child's inhaler. Using the inhaler correctly helps the medicine get into your child's lungs where it's needed.

Types of Inhalers:

- **Rescue inhaler (albuterol):** Used for quick relief when your child has trouble breathing, wheezing, or coughing.
- **Controller inhaler:** Used every day to prevent asthma symptoms, even when your child feels fine.

Using an Inhaler with a Spacer:

1. Remove the cap from the inhaler and spacer.
2. Shake the inhaler well (10-15 shakes).
3. Attach the inhaler to the spacer.
4. Have your child breathe out completely.
5. Put the spacer mouthpiece in your child's mouth (or mask over nose and mouth for young children).
6. Press down on the inhaler once to release the medicine.
7. Have your child breathe in slowly and deeply.
8. Have your child hold their breath for 10 seconds (or as long as comfortable).
9. Wait 1 minute before giving a second puff if prescribed.

Important Tips:

- Always use a spacer with your child's inhaler - it helps more medicine reach the lungs.
- Rinse your child's mouth with water after using a steroid inhaler to prevent thrush.
- Keep track of how many puffs are left in the inhaler.
- Bring all inhalers to every doctor visit.

Call your health care provider if:

- Your child needs the rescue inhaler more than twice a week.
- Your child wakes up at night due to asthma symptoms.
- Asthma symptoms are not improving.

Call 911 if:

- Your child is having severe trouble breathing.
- Your child's lips or fingernails turn blue.
- The rescue inhaler is not helping.

How To Monitor, Secure, And Destroy Your Medications

Preventing prescription drug abuse starts in your home. According to the U.S. Drug Enforcement Administration, more people die from over-the-counter and prescription drug abuse than from cocaine, heroin, and ecstasy combined. Safeguard your family by following these steps.

MONITOR

Take inventory. Count your medications from the pharmacist. Count them as you use them. Take note of missing and quickly used medications.

SECURE

Lock Medications and reduce access. Don't leave them in a bathroom. Keep them away from children and youth.

DESTROY

Never dispose of medications in a sink or toilet. Dissolve unused or expired medications in a baggie with kitty litter.

How To Properly Destroy Your Expired And Unwanted Medications At Home

What You Will Need:

- Expired and unwanted medications
- Zip baggie
- Hot water (over 110°F)
- Kitty litter

Steps To Follow:

- 1) Pour unwanted/expired medications out of their original containers into a zip baggie.
- 2) Pour hot water (over 110°F - about as hot as a cup of coffee) into the baggie.
- 3) Insert kitty litter into the baggie. Seal baggie. Place in trash bin.

Shred prescription labels or use a black marker to cross out label information.

For more information, visit <http://www.choc.org/programs-services/pharmacy/>

For those living outside of Orange County, please call your county public health agency or search on the web for "[Name of County] medication or drug disposal". i.e. "Riverside county medication or drug disposal"

Adapted from Orange County RX Abuse Prevention Coalition, County of Orange Health Care Agency

How to Address Your Child's Discomfort and/or Pain While at Home

Your healthcare provider will tell you if your child will need any medication for discomfort and/or pain while at home.

There are many other ways you can help keep your child comfortable without using medications or with using less medications.

If okay with your healthcare provider, this can include:

- Use of cool and/or warm packs
- Help your child change position in bed or chair
- Encourage your child to be up in a chair or walking
- Massage your child's feet, hands, and back with lotion
- Distraction; such as art, crafts, music, TV/videos

CHOC Link and COVID-19 Resources

CHOC Link is an online tool to manage your child's medical records and communicate with your providers and clinics. If interested in getting access, please provide a valid email address to your CHOC provider office or to the Admissions Department, and we'll send you an invitation to create your account. To learn more, go to www.choc.org/choclink.

Please visit 'Coronavirus (COVID-19): A Resource for Parents' at choc.org/coronavirus for frequently asked questions and up to date information from Centers for Disease Control and Prevention, Orange County Health Care Agency, California Department of Health, and CHOC Children's including visitor information.

If you have questions about your child's health and COVID-19, call our 24/7 Nurse line at **1-844-GET-CHOC**.