

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Comprehensive CSS Guide - With Visual Outputs</title>
    <style>
/* Basic Reset */
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial,
  sans-serif;
  line-height: 1.6;
  color: #333;
  background-color: #f8f9fa;
  padding-top: 70px;
}

/* Header Section */
header {
  background: #2c3e50;
  color: #fff;
  padding: 1rem 0;
  position: fixed;
  width: 100%;
  top: 0;
  z-index: 1000;
  box-shadow: 0 2px 5px rgba(0,0,0,0.1);
}

nav ul {
  display: flex;
  justify-content: center;
  list-style: none;
  flex-wrap: wrap;
}

nav a {
```

```
color: #fff;
padding: 0.5rem 1rem;
text-decoration: none;
font-weight: 500;
transition: all 0.2s ease;
}
```

```
nav a:hover {
  background: #e74c3c;
  border-radius: 4px;
}
```

```
/* Container & Sections */
section {
  max-width: 900px;
  margin: 2rem auto;
  padding: 2rem;
  background: #fff;
  border-radius: 8px;
  box-shadow: 0 2px 10px rgba(0,0,0,0.05);
}
```

```
h2 {
  font-size: 1.8rem;
  color: #2c3e50;
  margin-bottom: 1rem;
  border-bottom: 2px solid #3498db;
  padding-bottom: 0.5rem;
}
```

```
/* Output Showcase Block Styling */
.output-preview {
  margin-top: 1rem;
  padding: 1.5rem;
  border: 2px dashed #3498db;
  background-color: #fdfdfd;
  border-radius: 6px;
}
```

```
.output-preview::before {
  content: "LIVE OUTPUT PREVIEW:";
  display: block;
  font-size: 0.75rem;
```

```
    font-weight: bold;
    color: #3498db;
    letter-spacing: 1px;
    margin-bottom: 1rem;
}

/* Hero Section */
#hero {
    text-align: center;
    background: #ecf0f1;
}

#hero h1 {
    font-size: 2.2rem;
    color: #2c3e50;
}

/* Basic Styling Examples */
.basic-styling-examples .text-color {
    color: #3498db;
    font-weight: bold;
}

.basic-styling-examples .text-alignment {
    text-align: right;
    color: #e67e22;
}

.basic-styling-examples .text-font {
    font-family: "Courier New", Courier, monospace;
    background: #eee;
    padding: 2px 6px;
    border-radius: 4px;
}

/* Layouts Section */
.flexbox-container {
    display: flex;
    justify-content: space-around;
    gap: 1rem;
    margin-bottom: 1.5rem;
}
```

```
.flexbox-item {  
  background: #3498db;  
  color: #fff;  
  padding: 1rem;  
  flex: 1;  
  text-align: center;  
  border-radius: 4px;  
  font-weight: bold;  
}
```

```
.grid-container {  
  display: grid;  
  grid-template-columns: repeat(2, 1fr);  
  gap: 1rem;  
}
```

```
.grid-item {  
  background: #2ecc71;  
  color: #fff;  
  padding: 1rem;  
  text-align: center;  
  border-radius: 4px;  
  font-weight: bold;  
}
```

```
/* Positioning Section */  
.positioning-container {  
  position: relative;  
  height: 220px;  
  border: 2px solid #bdc3c7;  
  background: #fafafa;  
  overflow: hidden;  
  border-radius: 6px;  
}
```

```
.relative-box {  
  position: relative;  
  top: 10px;  
  left: 10px;  
  background: #3498db;  
  color: #fff;  
  padding: 0.5rem 1rem;  
  display: inline-block;
```

```
border-radius: 4px;
}
```

```
.absolute-box {
  position: absolute;
  top: 10px;
  right: 10px;
  background: #e74c3c;
  color: #fff;
  padding: 0.5rem 1rem;
  border-radius: 4px;
}
```

```
.sticky-box {
  position: relative;
  background: #9b59b6;
  color: #fff;
  padding: 0.5rem 1rem;
  margin-top: 40px;
  text-align: center;
  border-radius: 4px;
}
```

```
/* Backgrounds Section */
```

```
.background-image {
  background: linear-gradient(rgba(0,0,0,0.3), rgba(0,0,0,0.3)),
  url("https://images.unsplash.com/photo-1564507592333-c60657eea523?auto=format&fit=crop&w=800&q=80") no-repeat center center/cover;
  height: 150px;
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 1.2rem;
  font-weight: bold;
  border-radius: 6px;
  margin-bottom: 1rem;
}
```

```
.background-gradient {
  background: linear-gradient(to right, #3498db, #2ecc71);
  height: 100px;
  color: white;
}
```

```
display: flex;
align-items: center;
justify-content: center;
font-size: 1.2rem;
font-weight: bold;
border-radius: 6px;
margin-bottom: 1rem;
}
```

```
.radial-gradient-component {
height: 120px;
display: flex;
align-items: center;
justify-content: center;
color: white;
font-size: 1.1rem;
font-weight: bold;
background: radial-gradient(circle, #ff7e5f, #2318ed);
border-radius: 6px;
}
```

/* Borders Section */

```
.borders-container div {
margin-bottom: 0.8rem;
padding: 0.8rem;
text-align: center;
font-weight: 500;
}
```

```
.border-solid { border: 2px solid #3498db; }
.border-dashed { border: 2px dashed #e74c3c; }
.border-dotted { border: 2px dotted #f1c40f; }
.border-radius { border: 2px solid #9b59b6; border-radius: 12px; }
```

/* Box Model Section */

```
.box-model-container div {
margin-bottom: 1rem;
padding: 1rem;
text-align: center;
color: #fff;
font-weight: bold;
border-radius: 4px;
}
```

```
.box-padding { background: #3498db; padding: 30px; }
.box-margin { background: #e74c3c; margin: 20px 0; }
.box-border { background: #f1c40f; border: 5px solid #2c3e50; color: #2c3e50; }
.box-content { background: #2ecc71; }
```

```
/* Transitions and Animations Section */
```

```
.transition-box {
  background: #3498db;
  color: #fff;
  padding: 1rem;
  text-align: center;
  border-radius: 4px;
  font-weight: bold;
  cursor: pointer;
  transition: background 0.4s ease, transform 0.2s ease;
  margin-bottom: 1rem;
}
```

```
.transition-box:hover {
  background: #2ecc71;
  transform: scale(1.02);
}
```

```
@keyframes example-animation {
  0% { background: #e74c3c; transform: translateX(0); }
  50% { background: #f1c40f; transform: translateX(30px); }
  100% { background: #3498db; transform: translateX(0); }
}
```

```
.animation-box {
  background: #e74c3c;
  color: #fff;
  padding: 1rem;
  text-align: center;
  border-radius: 4px;
  font-weight: bold;
  animation: example-animation 3s infinite ease-in-out;
}
```

```
/* Typography Section */
```

```
.typography-container p {
  margin-bottom: 0.8rem;
}
```

```
padding: 0.5rem;
background: #f8f9fa;
border-left: 3px solid #3498db;
}
```

```
.font-family { font-family: "Courier New", Courier, monospace; }
.font-size { font-size: 1.4rem; color: #2c3e50; }
.font-weight { font-weight: bold; }
.line-height { line-height: 2.2; }
.letter-spacing { letter-spacing: 3px; font-weight: bold; }
```

```
/* Display Section */
```

```
.display-container div {
  margin-bottom: 0.8rem;
  padding: 0.8rem;
  text-align: center;
  color: #fff;
  font-weight: bold;
  border-radius: 4px;
}
```

```
.display-block { display: block; background: #3498db; }
.display-inline { display: inline-block; background: #e74c3c; padding: 0.5rem 1rem; margin-right: 0.5rem; }
.display-flex { display: flex; justify-content: center; background: #2ecc71; }
.display-grid { display: grid; place-items: center; background: #f1c40f; color: #2c3e50; }
```

```
/* Footer */
```

```
footer {
  background: #2c3e50;
  color: #fff;
  text-align: center;
  padding: 1.5rem 0;
  margin-top: 3rem;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<nav>
```

```
<ul>
```

```
<li><a href="#hero">Home</a></li>
```

```
<li><a href="#basic-styling">Basic Styling</a></li>
```

```
<li><a href="#layouts">Layouts</a></li>
<li><a href="#positioning">Positioning</a></li>
<li><a href="#backgrounds">Backgrounds</a></li>
<li><a href="#borders">Borders</a></li>
<li><a href="#box-model">Box Model</a></li>
<li><a href="#transitions">Transitions</a></li>
<li><a href="#typography">Typography</a></li>
<li><a href="#display">Display</a></li>
</ul>
</nav>
</header>

<section id="hero">
  <h1>Welcome to the Comprehensive CSS Guide</h1>
  <p>Explore live rendered CSS properties and visual output demonstrations.</p>
</section>

<section id="basic-styling">
  <h2>Basic Styling</h2>
  <div class="output-preview basic-styling-examples">
    <p class="text-color">This text demonstrates colored typography (#3498db).</p>
    <p class="text-alignment">This text is aligned to the right side.</p>
    <p class="text-font">This text uses a monospace Courier font family.</p>
  </div>
</section>

<section id="layouts">
  <h2>Layouts (Flexbox & Grid)</h2>
  <div class="output-preview">
    <p style="margin-bottom: 0.5rem; font-weight: bold;">Flexbox Output:</p>
    <div class="flexbox-container">
      <div class="flexbox-item">Flexbox Item 1</div>
      <div class="flexbox-item">Flexbox Item 2</div>
      <div class="flexbox-item">Flexbox Item 3</div>
    </div>
    <p style="margin-bottom: 0.5rem; font-weight: bold;">CSS Grid Output:</p>
    <div class="grid-container">
      <div class="grid-item">Grid Item 1</div>
      <div class="grid-item">Grid Item 2</div>
      <div class="grid-item">Grid Item 3</div>
      <div class="grid-item">Grid Item 4</div>
    </div>
  </div>
</section>
```

</section>

<section id="positioning">

<h2>Positioning</h2>

<div class="output-preview">

<div class="positioning-container">

<div class="relative-box">Relative Box</div>

<div class="absolute-box">Absolute Box</div>

<div class="sticky-box">Sticky Block Example</div>

</div>

</div>

</section>

<section id="backgrounds">

<h2>Backgrounds & Gradients</h2>

<div class="output-preview backgrounds-container">

<div class="background-image">Background Image with Overlay</div>

<div class="background-gradient">Linear Gradient Preview</div>

<div class="radial-gradient-component">Radial Gradient Example</div>

</div>

</section>

<section id="borders">

<h2>Borders</h2>

<div class="output-preview borders-container">

<div class="border-solid">Solid Border</div>

<div class="border-dashed">Dashed Border</div>

<div class="border-dotted">Dotted Border</div>

<div class="border-radius">Rounded Border (12px Radius)</div>

</div>

</section>

<section id="box-model">

<h2>Box Model</h2>

<div class="output-preview box-model-container">

<div class="box-padding">Box with 30px Padding</div>

<div class="box-margin">Box with Vertical Margins</div>

<div class="box-border">Box with Dark Border</div>

<div class="box-content">Standard Content Box</div>

</div>

</section>

<section id="transitions">

```
<h2>Transitions and Animations</h2>
<div class="output-preview transitions-container">
  <div class="transition-box">Hover over me to trigger CSS transition</div>
  <div class="animation-box">Keyframe Animation Example</div>
</div>
</section>

<section id="typography">
  <h2>Typography</h2>
  <div class="output-preview typography-container">
    <p class="font-family">Courier Monospace Font Family</p>
    <p class="font-size">1.4rem Font Size Output</p>
    <p class="font-weight">Bold Font Weight Output</p>
    <p class="line-height">Increased Line Height (2.2) Example showing expanded space
between sentences.</p>
    <p class="letter-spacing">LETTER SPACING OUTPUT</p>
  </div>
</section>

<section id="display">
  <h2>Display</h2>
  <div class="output-preview display-container">
    <div class="display-block">Display Block</div>
    <div>
      <div class="display-inline">Inline 1</div>
      <div class="display-inline">Inline 2</div>
    </div>
    <div class="display-flex">Display Flex</div>
    <div class="display-grid">Display Grid</div>
  </div>
</section>

<footer>
  <p>&copy; 2026 CSS Guide Reference with Live Visual Output.</p>
</footer>
</body>
</html>
```