

Request for Budgetary Technical and Commercial Proposal No. OVE75-RFQ-11

Subject: Pusher-type filtering centrifuges, 4 off, 904L.

KVANT LLC (Russian Federation), within the Basic Engineering (FEED) stage of the construction project of a copper production plant — a roasting-leaching-electrowinning complex with a capacity of 75,000 tonnes of copper cathodes per year — kindly requests your budgetary technical and commercial proposal (budgetary quotation) for the item above. Project site: an operating metallurgical site in north-west Russia.

Brief description of the item: 2 units for copper sulphate duty (2.5 t/h), 2 units for mixed sulphate duty (1.5 t/h) with washing by primary solution. Technical requirements are given in Annex 1 to this request.

Please include in your quotation:

1. budget price, quoted separately on EXW (manufacturer's works) and DDP project site in north-west Russia terms (Incoterms 2020), stating the currency and the validity period of the offer;
2. manufacturing lead time and estimated delivery time (in weeks from the date of order / advance payment);
3. overall dimensions and weights of one equipment unit and of the largest shipping blocks (for logistics assessment);
4. reference list of similar supplies: product, process medium and parameters, year of supply, country;
5. materials of parts in contact with the process medium, and the scope of supply (instrumentation, spare parts, documentation);
6. utility consumption and installation requirements (if available).

This is a budgetary enquiry at the Basic Engineering (FEED) stage: it does not constitute an offer and creates no obligations for either party; detailed technical data sheets will be issued at the next project stage.

Reply deadline: we kindly ask you to submit your quotation within 3 (three) weeks from receipt of this request to stepan@kvantpro.com. Please confirm receipt of this request.

Confidentiality. This request and the attached technical materials are provided solely for the preparation of the quotation, are confidential, and shall not be disclosed to third parties, copied or published without the prior written consent of KVANT LLC. Submission of a quotation creates no legal obligations for either party.

Contact person: Stepan Kharkov, KVANT LLC, stepan@kvantpro.com.

Annex 1: Technical requirements for the requested item.

Annex 1. Technical Requirements

To RFQ No. OVE75-RFQ-11. Parameters are based on the Customer's input data and design assignment; Basic Engineering (FEED) stage — values may be refined at the next project stage.

RFQ item	Pusher-type filtering centrifuges, 4 off, 904L
Summary	2 units for copper sulphate duty (2.5 t/h), 2 units for mixed sulphate duty (1.5 t/h) with washing by primary solution
Specific requirements	Pusher-type discharge; material 904L; confirmation of residual crystal moisture of 4–6 %

Equipment covered by this request:

1. Pusher-type (filtering) centrifuge Copper sulphate crystallization · tag 4.1.6

Type / model	Filtering centrifuge with pusher discharge
Duty	Dewatering of copper sulphate crystals, stage I
Key parameters	Flow 1.70 t/h; design capacity 2.5 t/h
Quantity	2
Materials	Steel 904L or equivalent
Dimensions, hold-up	Safety factor 1.5

2. Pusher-type (filtering) centrifuge Mixed sulphate crystallization · tag 4.1.28

Type / model	Filtering centrifuge with pusher discharge
Duty	Dewatering and washing of mixed sulphate crystals, stage II
Key parameters	Flow 0.80 t/h; design capacity 1.5 t/h
Quantity	2
Materials	Steel 904L or equivalent
Dimensions, hold-up	Safety factor 1.9
Additional requirements	Washing by primary solution from tank tag 4.1.22; centrate routed to evaporation stage II

The quotation must confirm: process medium, temperature, pressure, materials of wetted parts, capacity, dimensions and weight, power consumption, manufacturing lead time, delivery terms.

预算性技术商务报价征询函 编号 OVE75-RFQ-11

事由：推料式过滤离心机，4 台，材质 904L。

KVANT LLC（俄罗斯联邦）正在开展铜冶炼厂建设项目（焙烧—浸出—电积联合装置，年产阴极铜 75,000 t）的基础设计（FEED），特请贵方就上述设备提交预算性技术商务报价（预算报价）。项目场地：俄罗斯西北部一处正在运营的冶金厂区。

设备简述：硫酸铜用 2 台（2.5 t/h），混合硫酸盐用 2 台（1.5 t/h），带一次溶液洗涤。技术要求见本函附件 1。

请在报价中包含以下内容：

1. 预算价格——分别按 EXW（制造厂交货）和 DDP 项目场地（俄罗斯西北部）条件（Incoterms 2020）报价，注明币种及报价有效期；
2. 制造周期及预计交货期（自订单/预付款之日起按周计）；
3. 外形尺寸及重量：单台设备及最大运输单元的尺寸和重量（用于物流分析）；
4. 类似供货业绩：产品、工艺介质及参数、供货年份、国家；
5. 与工艺介质接触部件的材质及供货范围（仪表、备件、技术文件）；
6. 能源介质消耗及安装要求（如有资料）。

本询价为预算性询价，属于基础设计（FEED）阶段：不构成要约，对双方不产生任何义务；详细询价数据表将在项目下一阶段发出。

回复期限：请自收到本函之日起 3（三）周内将报价发送至 stepan@kvantpro.com。请确认收到本函。

保密条款。本询价函及所附技术资料仅供编制报价使用，属保密信息，未经 KVANT LLC 事先书面同意，不得向第三方披露、复制或发布。提交报价不对双方构成法律义务。

联系人：Stepan Kharkov, KVANT LLC, stepan@kvantpro.com。

附件 1：询价设备技术要求。

附件 1. 技术要求

对应询价函编号 OVE75-RFQ-11 · 参数依据业主输入数据及设计任务书（基础设计/FEED 阶段），后续阶段可能进一步细化。

询价项目	推料式过滤离心机，4 台，材质 904L
简述	硫酸铜用 2 台（2.5 t/h），混合硫酸盐用 2 台（1.5 t/h），带一次溶液洗涤
特殊要求	推料式卸料；材质 904L；确认晶体残余水分 4-6 %

本询价涵盖的设备清单：

1. 推料式（过滤）离心机 硫酸铜结晶 · 位号 4.1.6

型式/型号	推料卸料式过滤离心机
用途	硫酸铜晶体脱水（第Ⅰ段）
主要参数	物料量 1.70 t/h；设计能力 2.5 t/h
数量	2
材质	904L 钢或同等材质
尺寸、持料量	安全系数 1.5

2. 推料式（过滤）离心机 混合硫酸盐结晶 · 位号 4.1.28

型式/型号	推料卸料式过滤离心机
用途	混合硫酸盐晶体脱水及洗涤（第Ⅱ段）
主要参数	物料量 0.80 t/h；设计能力 1.5 t/h
数量	2
材质	904L 钢或同等材质
尺寸、持料量	安全系数 1.9
附加要求	采用 4.1.22 号槽的一次溶液洗涤；离心母液送第Ⅱ级蒸发

报价中须确认：工艺介质、温度、压力、接触部件材质、处理能力、尺寸与重量、电耗、制造周期、交货条件。