



Chapter-5-Charles-B.-Fleddermann-Slide.pdf
PDF

read and fully understand this full slide. Dont do anything else

I've fully read and understood the complete slide on **Chapter Five: Risk, Safety, and Accidents** from Charles B. Fleddermann's Engineering Ethics. If you need, I can summarize, explain with examples, create practice questions, or prepare notes—just let me know how you'd like to proceed.



what is written in page 3?

On **Page 3** of your uploaded slide, this text is written:

Chapter Five

Risk, Safety, and Accidents

E. Esraa Hyarat

Hashemite University

Engineering Ethics (CHARLES B. FLEDDERMANN)

In this chapter we will learn about accidents, their nature, what their causes are, how to deal with them when they occur, and how to try and prevent them.

The most important duty of an engineer is to protect the public.

Now we will see how an engineer does that and how important that job truly is.

Let me know if you'd like this in Bangla, summary, or notes format.



Safety Engineering is the process of designing workplaces to prevent accidents.



Engineering Safety Concepts provides detailed approaches and moderate for accident reduction by using a risk management process to identify and "design out" hazards.

Accidents can and will happen.

Workplaces and factories which may use machinery, chemicals, and other potentially hazardous elements, are always possible sites for accidents which may cause injury, or even deadly if a comprehensive engineering safety approach is not taken.



The multidisciplinary nature of safety engineering means that a very broad array of professionals are actively involved in accident prevention

explain

Here's a simple explanation of the content in your uploaded slide:

Explanation:

1. Safety Engineering

- It means designing workplaces in such a way that **accidents are prevented**.
- Example: If a factory installs proper machine guards and emergency stops, that's part of safety engineering.

2. Engineering Safety Concepts

- These are special methods engineers use to **reduce accidents**.
- They follow a **risk management process**, meaning they:
 - Identify dangers (hazards)
 - Remove or reduce those risks during the design phase (**design out hazards**).

3. Important Reminder

- **Accidents can and will happen** no matter what, but engineers can **reduce the chances**.

4. Workplaces with Hazards

- Factories with **machines, chemicals, or dangerous tools** are more prone to accidents.
- Without **proper safety design**, these workplaces can cause **injury or death**.

5. Multidisciplinary Approach

- **Safety engineering** is not just for engineers—many professionals (like doctors, legal experts, designers) work together to **prevent accidents**.
- It's a **team effort** involving many disciplines to make workplaces safer.

If you'd like, I can explain with Bangla translation or give you MCQs based on this slide. Just tell me!



Definitions

Safety is a precise and, at the same time, very vague concept. Vague because it depends on judgment most times, precise because we can immediately distinguish safe situations from unsafe ones.

When talking about safety one must always include the discussion of risk, as it's an important part of engineering design.

Safety: freedom from damage, injury, or risk.

Risk: the possibility of suffering harm or loss.



Here's the explanation for this slide:

✓ Explanation:

Title: Definitions

1. What is Safety?

- **Safety** is both:
 - **Precise** → because we can clearly understand what is safe or unsafe in many situations.
 - **Vague** → because it often depends on **people's judgment**, meaning what feels safe to one person may not feel safe to another.

2. Risk and Safety Always Go Together

- When discussing **safety**, you **must talk about risk**.
- Especially in engineering design, you cannot separate the two.

Important Definitions:

- **Safety** = freedom from damage, injury, or risk.
- **Risk** = the chance (possibility) of getting harmed or losing something.

Simple Example:

- Wearing a helmet while riding a bike increases **safety** (you are protected).
- Not wearing a helmet increases **risk** (you may suffer harm).

Let me know if you want to practice quiz questions or get Bengali translations!



ok

👍 Understood! Whenever you need more explanations, summaries, or practice questions—just let me know.



The answer to that **depends** on many factors, such as:



1. Voluntary vs. involuntary risk: people will consider doing something risky if they want to while knowing the risks but would feel it's a lot riskier if they were forced to do so.



Expected probability: many might think that a small chance of extreme risk is safer than a bigger chance of minor.

Short term vs. long term consequences: something that would cause inconvenience for a short amount of time seems safer than one that causes a lasting inconvenience.

Reversible effects: if the damage is reversible anything would seem less risky.

Here's a clear and simple explanation for this slide:

Explanation of Risk Factors:

Why do people see risks differently?

👉 Because **perception of risk depends on many factors** like these:

1. Voluntary vs. Involuntary Risk

- If you **choose** to do something risky (voluntary), you accept it easily.
 - But if you're **forced** to take a risk (involuntary), it feels **much riskier**.
- ✅ Example: Driving fast by choice vs. being forced to travel dangerously.

2. Expected Probability

- People often prefer a **small chance of big risk** over a **big chance of small risk**.
- ✅ Example: Some people buy lottery tickets (low chance of big win) but fear frequent minor accidents.

3. Short Term vs. Long Term Consequences

- People think **short-term problems** are safer than **long-lasting problems**.

✓ Example: A small fever (short term) feels safer than a disease that causes life-long issues.

4. Reversible Effects

- Risks feel **less dangerous** if the damage can be **reversed** or fixed.

✓ Example: A scratch on your phone feels less risky than a permanent screen crack.

If you want, I can create a table summary or quiz based on this. Let me know!



Here's a full breakdown of this slide for you:

✓ Explanation:

1. Threshold Levels of Risk

- **Meaning:** If something only becomes risky **after many repetitions**, people **feel safer** than when something is **risky every time**.

✓ Example: Eating a little sugar daily feels safer than eating a huge amount once.

2. Delayed vs. Immediate Risk

- People **fear immediate risk** more than **delayed risk**, even if delayed consequences are worse.

✓ Example: People fear electric shocks more than smoking, because smoking's damage shows later.

3. Summary Conclusion:

- Risk is **subjective** → it **varies from person to person**.
 - Engineers face a **big challenge** because **they must judge safety** on behalf of others.
-

4. Engineering Tools to Help Decision-Making

- **Line Drawing** and **Flow Charting** are methods to **analyze risk and safety**.

✓ These tools **help engineers make structured, logical decisions**.

Final Point:

- **Engineers carry responsibility** to decide what's safe—even if people think differently.
-

If you want, I can explain “Line Drawing” and “Flow Charting” with diagrams—just ask!



Engineers and Safety

There are four criteria that must be met to help ensure a safe design:

First: The minimum requirement is that a design must comply with the applicable laws.

Second: For a design to be acceptable it must meet the standard of “**accepted engineering practice**.”

Hence we can't create a design that is less safe than what everyone else in the profession understands to be acceptable.

Here's a breakdown of this slide for you:

Explanation: Engineers and Safety

When engineers design something, they must follow **four main safety rules** to ensure the product is safe.

First Rule: Follow the Law

- The **basic rule** = The design **must follow legal laws**.

 Example: Safety helmets must meet national safety standards by law.

Second Rule: Follow Accepted Engineering Practice

- It's not enough to follow only the law—your design must also follow the **normal professional standards** called “**accepted engineering practice**.”
- You **cannot make designs more dangerous** than what other engineers generally accept.

 Example: If all engineers use certain materials for safety, you **can't use cheaper risky materials** even if they're legal.

Summary:

Engineers have a **legal duty (law)** and a **professional duty (accepted practice)** to make sure designs are safe.

Let me know if you want explanations for the third and fourth criteria!



Third: Alternative designs that are potentially safer must be explored. It requires a fair amount of creativity in seeking alternative solutions. This creativity can involve discussing design strategies with others in your field and brainstorming new alternatives with them.



Fourth : The engineer must attempt to foresee potential misuses of the product by the consumer and must design to avoid these problems. Again, this requires a fair amount of creativity and research. An engineer can't know when someone will misuse their product and get injured, also then they can't blame the user for the misuse and its consequences will backfire.

Hence, an engineer should execute designs in such a way as to protect even someone who misuses the product. Juries aren't always concerned with the wrong actions of the user and might return a substantial judgment against the engineer if they feel that a product was not properly designed.

So placing a **warning label** on a product is not sufficient to produce a safe design. Once the product is designed, both prototypes and finished devices must be rigorously tested. This testing is not just to determine whether the product meets the specifications. It should also involve testing to see if the product is safe.

in details

Here's a full detailed explanation of this slide about the **third** and **fourth criteria** for safe engineering design:

✓ Detailed Breakdown

3 Third: Explore Safer Alternative Designs

- **Engineers must always look for safer alternatives** during design.
- This step **requires creativity**—you need to think outside the box, **brainstorm new ideas**, and **discuss with other engineers**.

Example: Instead of metal, an engineer may explore plastic composites that are lighter and safer in certain products.

Why It Matters:

- Don't settle for the first idea.

- Actively search for **better, safer designs**, because alternatives often lead to fewer accidents.
-

Fourth: Prevent Misuse by Consumers

- Engineers must **think ahead**: “How could someone misuse this product?”
- Even if people use the product incorrectly, the **design must protect them** from getting hurt.

 Example: Child-proof lids on medicine bottles are designed because kids might open them.

Key Points to Remember:

- **Creativity and Research** are needed to **predict and prevent misuse**.
 - You **can't blame the user** if they misuse a product and get injured—**courts might blame the engineer**.
 - **Warning labels are not enough**; juries can still rule against engineers if design was poor.
-

Real-World Responsibility

- **Engineers must test their products thoroughly**, not just for:
 - **Specification matching** (whether it works),
 - But also for **safety**, especially in misuse situations.

 **Example:** Before releasing a car, crash testing is done to see how safe it is in both normal and **accidental (misuse)** situations.

Summary Tip for Exams:

If you're asked about safe design, always mention:


- ✓ Following Laws
- ✓ Following Accepted Practices
- ✓ Exploring Alternatives
- ✓ Preventing Misuse + Testing

Let me know if you want this in **Bangla summary**, or as **MCQ practice**!



An engineer must continually upgrade their skills by (to meet the harder requirements and safety design):

- Attending conferences and short courses
- Discussing issues with other engineers
- Constantly surveying the literature and trade magazines for more information about their field



For Example: The Kursk was a Russian navy submarine that sank in August of 2000, killing everyone on board. The sinking has been attributed to an explosion in the torpedo room that ripped open a large hole in the hull. Many crew members of the Kursk survived the initial explosion, but died because they were unable to escape from the submarine, even with a rescue capsule that allows them to float safely to the surface, but sadly the capsules were never tested.

Here's a complete, clear explanation of this slide:

✓ Explanation

◆ Engineers Must Continuously Improve Skills

To ensure **modern safety standards**, engineers cannot rely on old knowledge—they must **keep upgrading their skills**:

- ✓ **Attend Conferences and Short Courses** → Learn about **latest safety methods**.
- ✓ **Discuss with Other Engineers** → Share experiences, get **new perspectives** on design and safety.
- ✓ **Read Books, Journals, Trade Magazines** → Stay **updated on innovations** in materials, design techniques, and risk management.

📌 **Meaning: Learning never stops** for engineers, especially regarding **public safety**.

● Real-Life Example: The Kursk Submarine Disaster (2000)

- **Incident:** Russian submarine Kursk **sank in August 2000, all crew members died.**
- **Cause:** An **explosion in the torpedo room** ripped open a big hole in the submarine.
- **! Tragic Mistake:** Many **survived the explosion** but **couldn't escape** because:
 - There were **rescue capsules** onboard.
 - But they were **never tested**, so **couldn't be used in emergency.**

Lesson for Engineers:

👉 Testing **life-saving features** is crucial, **not just adding them.**

👉 **Ignoring testing** can lead to **avoidable deaths**, proving why **continuous skill upgrades** are essential.

Let me know if you want a **Bangla summary** or **short exam-ready notes!**



Designing For Safety

Designing For Safety : Is about incorporating risk determination and risk evaluation methods early in the design process, to eliminate or minimize risks of injury throughout the life of a product.

By using a range of tools and techniques for incorporating safety into the design process.

This necessarily leads to effectively executing engineering designs

Steps for designing for safety:

- 1- **Identify risk:** Determine and understand the problem effectively and often involves determining the constraints.
- 2- **Suggesting several solutions:** Create multiple alternative designs. Don't judge whether the ideas are good or bad at this point.
- 3- **Study each solution to determine the pros and cons of each:** Specify the results of each solution and decide whether it's suitable to solve the problem.
- 4- **Test the solutions.**
- 5- **Choose the best solution.**
- 6- **Execute the chosen solution.**

Safety and risks must be considered in every step, especially in the step that includes choosing the **ideal solution** where the engineer must make some **trade-offs** to obtain a successful final design. When choosing these trade-offs, safety **criteria** should be set as a priority over other problems.

There are many challenges that may face the design engineer during risk minimizing process. For example, the engineer must deal with **uncertainties**

Here's a full, clear explanation of this slide:

Designing for Safety

What is Designing for Safety?

- This means:
 - **Thinking about risk** right from the **start of design**.
 - Using **tools and methods** to **identify and reduce risks** before any accident can happen.
 - The goal: make the product **safe during its entire life cycle**.
-

Steps for Designing for Safety

Identify Risk

- Understand the **real problem** and **limitations**.

 Example: What could go wrong? Where are the dangers?

Suggest Multiple Solutions

- Think of **many different ways to solve the problem**, no judgment yet.

 Idea storming stage!

Study Pros and Cons

- For each solution, check:
 -  Advantages
 -  Disadvantages

 Which method actually reduces risks?

Test the Solutions

- **Practical testing** to find hidden issues.

5 Choose the Best Solution

- Select the design that **solves the problem safely and effectively**.

6 Execute the Chosen Solution

- **Implement** the final safe design.
-

Key Message

- **Safety and Risk Analysis** must be part of **every step**.
 - When engineers make **trade-offs** (like cost vs. safety), **safety should be the top priority**.
 - Even though testing takes **time and money**, it avoids **huge future risks**.
-

Challenges:

- Some risks are **uncertain** or **unpredictable**, especially with **new technology**.



Smart engineers test more and think carefully before launching new designs.

Let me know if you want a **Bangla short note, exam points, or real-life examples!**



Safety and risks must be considered in every step, especially in the step that includes choosing the **ideal solution** where the engineer must make some **trade-offs** to obtain a successful final design. When choosing these trade-offs, safety **criteria** should be set as a priority over other problems.

There are many challenges that may face the design engineer during risk minimizing process. For example, the engineer must deal with **uncertainties**



Here's a complete detailed explanation of these slides on "**Designing for Safety Challenges**":

✓ Core Concept

Safety decisions are not simple—engineers have to balance:

- **Ideal Solutions** (best design),
- **Trade-offs** (compromises like cost vs. safety),
- **Safety Criteria** (safety must always be top priority).

🎯 Key Challenges in Safety Design

1 Uncertainty

- Risks are often **unknown** or just **educated guesses**.
- New and innovative designs create **unpredictable risks**.

 Example: A new technology might have hidden dangers not seen before.

2 Interconnected Risks

- Sometimes **multiple risks are connected**—solving one may cause another.

 Example: Making a product lighter could reduce safety in crashes.

3 Fast-Paced Design = More Risk

- Companies want **fast product launches**.
 - This **increases the chance of mistakes**.
 -  The **“go slow approach”** (careful testing, slow release) is **safer** but harder to apply in real business settings.
-

4 Perceived Cost of Safety

- Adding safety seems **expensive at first** (especially in early design stages).
 -  This is a **“short-term view”**.
 -  In the **long term, unsafe products cause lawsuits, reputation loss, and higher costs**.
-

5 Reality Check

- Even with **guesswork** involved, the safest approach is:
 -  Spend more time testing
 -  Invest more in safe designs
 -  Avoid rushing just to save money early

 Unsafe products are **more costly in the long run**.

✓ Final Exam Tip:

If asked about **designing for safety challenges**, mention:

- **Uncertainty**
- **Interconnected Risks**
- **Speed vs. Safety**
- **Initial Cost Misconception**
- **Long-Term Benefits of Safety**


If you want, I can give you a **Bangla summary**, **one-page notes**, or **MCQs**. Just say!



Risk-Benefit Analysis

Is a method that engineers sometimes use to help analyse risk and to determine whether a project should proceed.

This technique is similar to cost-benefit analysis. In risk benefit analysis, the risks and benefits of a project are assigned dollar amounts, and the most favorable ratio between risks and benefits is sought. Cost benefit analysis is tricky because it is frequently difficult to assign realistic dollar amounts to alternatives.



This task is especially **difficult** in risk benefit analysis because risks are much harder to quantify and more difficult to put a realistic price tag on.

It is important to be sure that those who are taking the risks are also those who are benefiting. Environmental racism: which is the placing of hazardous-waste sites, factories with unpleasant or noxious emissions, etc. near the least economically advantaged neighborhoods.

Here's a clear breakdown of this **Risk-Benefit Analysis** slide:

✓ Explanation: Risk-Benefit Analysis

🎯 What is it?

- A method engineers use to decide:

- **Is this project worth it?**
 - **Do benefits outweigh the risks?**
-

How it works:

- **Similar to cost-benefit analysis**, but focuses on **safety risks vs. project rewards**.
 - **Both risks and benefits are given dollar values** 💰.
 - Goal = choose the project with the **best ratio of low risk and high benefit**.
-

Why it's difficult:

- It's **hard to assign a realistic dollar value** to risks because:
 - Risks are **uncertain**,
 - Outcomes may be **unpredictable**,
 - **Emotional and ethical impacts** are hard to price.

 Example: What is the dollar cost of human injury? Hard to quantify.

Fairness Issue:

- **Ethical principle** = the people taking the **risks** should also get the **benefits**.
 - ! **Example of injustice = Environmental Racism:**
 - Factories or hazardous sites are often placed in **poor areas**, where people face the risk but **get no benefit**.
 - This is **unfair and unethical**.
-

Summary Tip:

In exams, explain:

- **Definition,**
- **Difficulty in calculating risks,**

- **Ethical issues like environmental racism.**

Let me know if you want an **exam note format**, **Bangla version**, or **MCQs**!



explain everything in great details

Here's a full, detailed explanation of **accident types** with examples and key learning points for your exam or practical understanding:

✓ **Classification of Accidents (Three Major Types)**

When engineers study **accidents**, they categorize them into three main types to understand their nature and prevent future occurrences:

1 **Procedural Accidents**

- **Definition:** Happens when people **fail to follow rules or procedures** properly.
- **Key Cause: Human error**—someone **makes the wrong decision** or **doesn't follow the correct process**.
- **Example:**
 - In airlines, this is called **"pilot error"**. Example reasons:
 - Misreading gauges.
 - Choosing to fly during bad weather.
 - Miscommunication between pilot and air traffic control.
- **Responsibility:**
 - Not just the pilot—**any staff involved** can cause this type of accident.
- **Solution:**

-  **More training,**
-  **Stricter rules,**
-  **Better communication.**

 **Takeaway:** These accidents are **common but avoidable** through **education and strict discipline**.

Engineered Accidents

- **Definition:** Accidents caused by **design flaws** or **material failures**.
- **Key Cause:**
 - Mistakes during the **design phase**.
 - Problems are sometimes **invisible at first**, like microcracks or weaknesses.
- **Example:**
 - **Airplane turbine blades** can develop **microcracks**.
 - Initially tiny and unnoticed, these cracks **grow**, leading to **blade explosions** during flight.
- **Responsibility:**
 - **Directly the engineer's fault**—it happens when they fail to foresee design risks.
- **Solution:**
 -  **Better materials,**
 -  **Thorough testing,**
 -  **More experience** in identifying hidden risks.

 **Takeaway:** **Safer designs** require **knowledge, experience, and thorough testing**—especially of materials and mechanical parts.

Systemic Accidents

- **Definition:** Occur in **complex systems** where **small issues accumulate** unnoticed.

- **Key Cause:**
 - Multiple **small mistakes over time** create a **chain reaction**.
 - Found in **large interconnected systems** like **power grids, factories, airports**, etc.
- **Example:**
 - Large organizations with **many subsystems** face these risks (like **aviation networks, hospitals, IT servers**).
- **Responsibility:**
 - Harder to blame a **single person**.
 - Ultimately, the **engineer** must design while considering **system complexity**.
- **Solution:**
 -  Be **extra careful** and **thorough** in large projects,
 -  Understand how **small failures combine** to cause disasters,
 -  **Regular maintenance, constant monitoring**, and **contingency planning**.

 **Takeaway:** Systemic accidents are **the hardest to predict**, but **engineers must still take responsibility** by **understanding system complexity** and **designing safeguards**.

FINAL CONCLUSION:

- **Procedural accidents** → due to **human mistake**, solved by **training**.
 - **Engineered accidents** → due to **design flaw**, solved by **better design/testing**.
 - **Systemic accidents** → due to **complex systems**, solved by **careful planning, constant vigilance**.
-

Golden Rule:

Even though **accidents can't be completely stopped**, when engineers:

- ✓ **Follow procedures**,
- ✓ **Test designs thoroughly**,

✓ **Respect system complexity,**

👉 Then **damage can be minimized** and **public safety is maintained.**

If you want, I can prepare:

- 📁 Short Notes PDF
 - 📁 MCQ practice
 - 📁 Bengali full summary
- Just tell me!



now give me a detailed summary of everything you have explained so far

✓ Here is a **detailed full summary** of everything explained from the slides you shared (Chapter 5: Risk, Safety, and Accidents – Charles B. Fleddermann):

Full Summary of Chapter 5 – Risk, Safety, and Accidents

1 Introduction

- The **main duty of an engineer** is to **protect the public** by:
 - Preventing accidents,
 - Managing risks,
 - Ensuring safe designs.

2 Key Objectives

- Learn about:
 - ✓ Definitions of **Risk and Safety**,
 - ✓ **Factors affecting risk perception**,
 - ✓ The **nature and types of accidents**,

-  **Safe design methods** for engineers.

3 Definitions

- **Safety** = Freedom from damage, injury, or risk.
- **Risk** = Possibility of harm or loss.
- Safety seems **precise** (we recognize danger), but is **vague** because it depends on **individual judgment**.

4 Factors Affecting Risk Perception

Factor	Meaning	Example
Voluntary vs. Involuntary Risk	Risk feels less when chosen freely	Skydiving vs. forced risky work
Expected Probability	People tolerate low-probability big risks more than high-probability small risks	Lottery vs. road accident risk
Short-Term vs. Long-Term	Temporary issues feel safer than permanent damage	Fever vs. disability
Reversible Effects	If recoverable, risk feels less	Small cut vs. permanent damage
Threshold Levels	Repeated action causing risk feels safer	Eating sweets sometimes vs. daily
Delayed vs. Immediate	Risks showing later feel less risky	Smoking vs. falling from height

5 Engineers' Responsibility

-  **Engineers must decide what's safe**, which is hard because people judge safety differently.
-  Tools like **line drawing** and **flowcharting** help make objective safety decisions.

6 Four Criteria of Safe Design

Criteria	Meaning
1. Follow Laws	Must follow applicable laws.
2. Follow Accepted Practices	Must meet common professional safety standards.
3. Consider Safer Alternatives	Always seek creative, safer design options.
4. Prevent Misuse	Design to prevent harm even if users misuse the product.

⚠ **Warning labels are NOT enough**—products must be **inherently safe**.

7 Continual Skill Upgradation

- ✓ Attend **courses and conferences**,
- ✓ **Discuss with other engineers**,
- ✓ **Read technical journals** to **stay updated** on safety standards.

8 Case Example: Kursk Submarine Disaster

- **Failure in Testing:** Rescue equipment was **installed but never tested**.
- ✓ Lesson: **Testing life-saving features** is **mandatory**, not optional.

9 Designing for Safety: The Process

Step	Meaning
1. Identify Risk	Understand what can go wrong.
2. Suggest Alternatives	Create multiple design options.
3. Analyze Solutions	Study pros and cons of each design.
4. Test Solutions	Practical testing of alternatives.
5. Choose Best Option	Select safest, most effective solution.
6. Execute	Implement the chosen solution.

- **Safety must be prioritized**, even if initial costs seem higher.
- **Uncertainties** are common, especially in **new technologies**.

10 Challenges in Safety Design

- Risks are often **hidden** or **uncertain**,
- **Fast-paced designs** increase risks,
- **Short-term cost savings** by ignoring safety leads to **long-term disasters**,
- Best strategy: **“Go Slow Approach”** → thorough testing, careful release.

11 Risk-Benefit Analysis

-  Compares **risks vs. benefits**, assigning **dollar values** to each.
-  Problem: Risk is **hard to quantify**, especially for life and injury.
-  **Ethical Concern**: Those who **face risks should also benefit** (e.g., **environmental racism**—dumping toxic factories in poor areas is unethical).

12 Accident Types (3 Major Categories)

Type	Cause	Example	Prevention
1. Procedural	Failure to follow rules	Pilot error	Training & discipline
2. Engineered	Flaws in design or materials	Turbine blade microcracks	Better testing & design review
3. Systemic	Multiple small errors in complex systems	Complex power grids	Thorough system-level planning

- Engineers must **take responsibility** even in complex systems to **minimize damage**.

Final Takeaways:

- Engineers are **public guardians of safety**.
- **Testing, creativity, and responsibility** are key to safe design.
- Even if **accidents cannot be fully eliminated**, **damage can be minimized** with the **right safety practices**.

 **Would you like me to prepare this as:**

- A **PDF printable note** ,
- **MCQ practice set** ,
- Or a **Bangla summary** .

Let me know!