

Blueprint — Administrator Guide

A complete walkthrough of Blueprint for **Administrators**. Admins have the full app: the whole Kanban board (everyone's tasks), user management, email sync, and the four admin-only workspaces — **Dashboard**, **Quote Generator**, **Prospects**, and **Competitive Landscape**.

Two roles. Blueprint has **Admin** and **PM**. PMs are limited to their own tasks on the board; admins see and run everything. If you're looking for the day-to-day board basics (cards, comments, search, theme), those work the same for both roles and are covered in depth in the **PM Guide** — this guide focuses on what's **admin-only**.

1. Signing in & who is an admin

1. Open Blueprint and click  **Sign in with Microsoft** (your company account).
2. You land on the **Kanban Board** with the full sidebar and nav.

You have admin rights if **either**:

- your email is in the server's **ADMIN_EMAILS** list (these accounts are *always* admin — this is the bootstrap so the first person can provision everyone else), **or**
- an existing admin has set your role to **admin** in  **User Access**.

A signed-in person with **no role** sees a "*request access*" screen until an admin provisions them.

2. The board, as an admin

The board works the same as it does for a PM (drag the  grip to move cards, edit fields inline, everything auto-saves, the board live-refreshes ~every 2s). What's different with admin rights:

- **You see every task** — not just your own. (PMs only ever load tasks assigned to or created by them.)
- **Assign to anyone** — the card and New-Task **Assign to** lists include all provisioned **PM users** *plus* the supervisor roster. (PMs can only assign to Unassigned or a supervisor.)
- **Inbox chips** — synced cards show a  chip marking which PM mailbox the email was flagged in. Tap a store **#tag** to filter the board, same as a PM.

- **Comment moderation** — you can **edit or delete any** comment, not just your own.

Admin controls in the sidebar / toolbar

-  **Refresh now** (board toolbar) — pull flagged email right now (see §4; flagged mail also syncs on its own in the background).
-  **Access Requests** — appears only when someone has asked for access; **approve** or **dismiss** each request right here (§3).
-  **View User Activity** — pick a person to filter the board to **their** tasks; choose **All tasks** to go back. A read-only way to see any one PM's load.
-  **User Access** — add, update, and remove users, set their role, and see who's **active this week** and each person's **last-active** time (§3).
-  **Import Tasks (CSV)** — bulk-create tasks from a spreadsheet (§3).
-  **Danger Zone** → **Clear All Tasks** — bulk-delete (§9).
-  **Help & Guide** — opens this guide (the PDF) in a new tab. PMs get the PM guide from the same link.

3. Users, access requests & importing tasks

Three sidebar panels manage your people and bulk data.

User Access — add / update / remove people

Open the sidebar →  **User Access**.

To add or update someone:

1. Enter their **Email** (e.g. `person@ravesinc.com`).
2. Enter their **Display Name** —  this must **exactly match** the name shown in the task "**Assign to**" dropdown, otherwise assignment won't line up.
3. Pick a **Role** — **pm** (board, their own tasks) or **admin** (full app).
4. Click **+ Add / Update**.

To remove someone: click the **X** next to their row.

The panel also shows **adoption at a glance**: a header line — "*N of M active this week*" — plus each person's **last-active** time (e.g. *3h ago, 2d ago, never*), so you can see who's actually using Blueprint.

Roles are stored in the database. Removing a user (and not having them in `ADMIN_EMAILS`) drops them back to the "request access" screen next time they sign in.

My Work follows the login identity. A person's **My Work** view is matched to tasks by their **sign-in email**, not their display name — so renaming someone in this panel won't break their My Work. Admins listed in `ADMIN_EMAILS` are resolved to that same email identity, so their assigned tasks carry through too.

Access Requests — approve people who asked to get in

When someone signs in but hasn't been provisioned, they now land on an "**Access Pending**" screen where they can **request access** (with an optional note about who they are). Each pending request shows up in the sidebar under  **Access Requests** (with a count badge):

- **✓ Approve** — provisions them on the spot (defaulting to the **pm** role; adjust in  **User Access** afterward if they should be an admin).
- **✗ Dismiss** — clears the request without granting access.

The panel only appears while there are pending requests.

Import Tasks (CSV) — bulk-create from a spreadsheet

Open  **Import Tasks (CSV)** in the sidebar to create many tasks at once.

1. **Upload** a `.csv` file or **paste** CSV text into the box.
2. The columns mirror the board's **Export** file — `title`, `status`, `assigned_to`, `date`, `notes`, and more. Only `title` is required; unknown columns are ignored.
3. Click  **Import**. You'll get a result line like "✅ 12 created, 1 skipped."

Tip: use  **Download current tasks** (in the same panel) to grab a correctly shaped file to use as your template.

4. Email sync — how emails become tasks

Blueprint turns **flagged** messages in a shared mailbox into Kanban tasks, parsing the date, assignee, quote, and a summary with AI, and attaching any files.

- **Automatic** — the server keeps a Microsoft Graph push subscription alive and also runs a safety-net sync every ~10 minutes, so flagging an email is normally all that's needed; the task appears on its

own.

- **Manual** — click  **Refresh now** on the board to pull immediately (useful right after flagging something). It shows a short result message when done.

A newly synced task carries its **source** ( sender), the parsed fields, the  **inbox** chip, and a  **Full Email** view; attachments appear under .

Flag-time cutoff. To avoid back-importing years of old flagged mail, Blueprint only syncs messages **flagged on or after a configured cutoff date** (set at deploy time via `EMAIL_SYNC_CUTOFF` ; currently early June 2026). Anything flagged before that is ignored — so if an old flagged email never turns into a card, that's why, not a bug. (Re-flagging it doesn't move its date, since the cutoff is judged by the message's received date.)

Mailbox, Graph permissions, and the AI key are configured at deploy time — see the project **README** and `.github/DEPLOY.md` . As an admin user you don't manage those from the UI; you just flag email and (optionally) hit Refresh.

5. Dashboard

Quote insights from the RAVES quote log plus quoted tasks from the board. Everything reacts live to the filter bar at the top.

Filters (shareable): Years, Deal size, Months, **Min decided** (the sample threshold for the win-rate charts), **Estimator**, and **Work type**. Use:

-  **Copy link** — copies the URL *with your current filters* so you can share or bookmark the exact view.
-  **Export CSV** — exports the currently filtered quotes.
- **Reset** — clears filters back to defaults.

 **Quote Summary** — headline metrics: **Win Rate**, **Won Value**, **Open Pipeline**, **Expected** (open × win rate), **Total Quoted**, **Quotes**, and the current-year **Projected (FY)**.

 **Insights** — charts: Win Rate by Estimator, Win Rate by Work Type, Won vs Lost by Deal Size, Quote Pipeline by Stage, Growth (Quoted vs Won by Year with a win-rate line), Value Concentration by Estimator (Pareto), Top Stores by Value, Quotes by Month (seasonality), and Total Quote Value by Type.

 **Estimator Scorecards** — per-estimator quotes, win %, average deal, top work type, and total value.

 **Account Intelligence** — per-store quote count, value, win %, and last quoted, with  **at-risk** flags (≥3 decided and winning under 40%) and a repeat-vs-first-time win-rate summary.

 **Needs Review** — quotes that have a **PO but aren't marked Won** yet — your follow-up list.

 **Quote Tracker** — the working list. Flip each quote between **open / won / lost**; the change saves immediately and every chart and metric above updates with it. Filter the list by **open / won / lost / all**.

 **Raw Task Data** — the underlying task rows.

6. 💰 Quote Generator

Create a professional **proposal PDF** matching the RAVES Construction template. Each one you generate is **auto-logged** (with a sequential Quote #/year) into the quote log, so it immediately feeds the **Dashboard** analytics above.

1. **Client & Job** — **Customer Name** (*the only required field*), Store #, Point of Contact (with suggestions), Work Type (with suggestions), and Amount (shows a live formatted preview).
 2. **Timeline & PO** — Date Sent, Bid Due Date (warns if it's before the send date), PO, and a **Sitefolio** checkbox.
 3. **Scope of Work** — Description (prints on the PDF) and optional Notes.
 4. Click  **Generate Proposal PDF**, then  **Download PDF**. Use **Regenerate** after edits, or **Clear** to start over.
-

7. 🏭 Prospects

A warehouse **lead pipeline** that pulls **live, key-less** data near the configured search center. It now uses a free hybrid source — **OpenStreetMap** (Overpass) for warehouse/industrial buildings (size is estimated from the building footprint), plus **Oakland County's public parcel GIS** for assessed/market value and property use. No API key is required. If `USE MOCK DATA=true` is set, it runs on realistic demo data instead and shows a "**Demo data**" badge.

- **Pull controls** — set **Radius (mi)**, **Min size (sf)**, **Max size (sf)**, then  **Pull prospects**. A result line reports how many were pulled / new / updated.

- **Filters** — search (address / owner / city), City, Status, and sliders for Size, Year built, and Distance. Shows the filtered count, a **Reset**, and a **↓ CSV** export.
- **Summary cards** — Showing, Avg size, Closest, Qualified.
- **Charts** — Size distribution, Top cities, Year built by decade, Distance bands, and a Pipeline status doughnut.
- **Map** — a Leaflet map with the search-radius circle and **status-colored markers**; click a marker or a row to open the detail modal.
- **Table** — sortable by any column; set each prospect's **Status** and **Assignee** inline.
- **Detail modal** — property facts (size, year, owner, use, assessed/market value), editable **status / assignee / notes**, quick links to 📍 **Google Maps** and 📁 **County records**, and ➕ **Add to Kanban board** to turn a lead into a task.

Pipeline stages: New → Contacted → Qualified → Dead.

What the free sources can and can't give you. The county layer covers **Oakland County, MI only** and **withholds legal owner names** (the **Owner** you see is the OSM occupant/operator name when present, otherwise blank). Neither source has a reliable **year built**, so that column is often —. Values come from the county (market is assessed × 2 per Michigan SEV law). Outside Oakland County you'll still get buildings and sizes from OSM, just without the parcel enrichment.

8. 🗺️ Competitive Landscape

A self-contained, blueprint-themed **market sheet** embedded in the page (read-only). Use it for the at-a-glance competitive/market picture; there's nothing to edit here.

9. Global search & the danger zone

Global search (⌘K / Ctrl+K) — as an admin, search spans **tasks, quotes, and prospects** (PMs only get their own tasks). Match by store #, PO, vendor, assignee, customer, address, and more; ↑/↓ to move, **Enter** to open, **Esc** to close. A task result jumps to it on the board and flashes the card.

⚠️ **Danger Zone** → **Clear All Tasks** — in the sidebar. This **permanently deletes every task** on the board. You must tick the confirmation checkbox before the button enables. Use with care — there's no undo.

10. Shared basics (same as PM)

These behave identically for both roles — see the [PM Guide](#) for the details:

- **Task cards** — statuses/colors, drag-to-move, inline editing, store filters, delete, and a bottom **tool-chip bar** ( full email ·  note ·  attachments ·  comments) that opens one panel at a time. **Attachments** can now be **uploaded and removed**, not just downloaded — email-sourced files are purged after **30 days** (the entry stays, marked *expired*), while uploaded files are kept. Assigning a real person to a **To Do** task **auto-advances it to In Progress**.
- **Comments** — @mentions, replies, reactions, ⌘/Ctrl+Enter to post (admins can moderate any comment).
- **Theme** —  Light /  Dark /  System.
- **Mobile** — ☰ menu, column pills, bottom-sheet dialogs.
- **Saving & offline** — auto-save, ~2s live refresh, offline banner with re-sync on reconnect.
- **Help & first run** — a 📖 **Help & Guide** link in the sidebar opens this guide (PDF). On a brand-new, empty board you'll see a **"No tasks yet"** prompt with  **New Task**,  **Refresh now**, and a link to the guide instead of six empty columns.

Quick reference

Admin-only surfaces

Area	What it's for
 Refresh now	Pull flagged email on demand
 Access Requests	Approve / dismiss people asking for access
 View User Activity	Filter the board to one person's tasks
 User Access	Add / update / remove users + roles; last-active & WAU
 Import Tasks (CSV)	Bulk-create tasks from a spreadsheet
 Clear All Tasks	Permanently delete all tasks
 Dashboard	Quote analytics, win rates, pipeline
 Quote Generator	Proposal PDFs (auto-logged to analytics)
 Prospects	Warehouse lead pipeline + map (live OSM + county data)
 Competitive Landscape	Embedded market sheet

Admin extras on the board

- See **all** tasks; **assign to anyone**; see 📁 **inbox** chips.
- **Search** covers tasks + quotes + prospects.
- **Edit / delete any** comment.

Keyboard shortcuts — `⌘K / Ctrl+K` search · `↑↓` move · `Enter` open · `Esc` close · `⌘/Ctrl+Enter` post a comment.

Admin responsibilities & troubleshooting

- **Provisioning** — keep 👤 **User Access** current; make sure each person's **Display Name** matches their **Assign to** name. Clear the 🔔 **Access Requests** queue so nobody's left waiting.
- **Sync looks stale?** — flagged mail auto-syncs, but you can always hit 🔄 **Refresh now**. If nothing comes in at all, it's usually a deploy-side config issue (mailbox / Graph permissions / keys) — see the README & DEPLOY doc.
- **An old flagged email never became a task** — expected: only mail flagged on or after the `EMAIL_SYNC_CUTOFF` date syncs (§4).
- **Prospects shows "Demo data"** — `USE MOCK DATA=true` is set; the live OSM + county source needs no key, so unset it for real results.
- **Error screen with an ID** — that reference id is logged server-side; capture it when reporting an issue so it can be traced.