

TUGAS 1



**UNIVERSITAS
DUTA BANGSA
SURAKARTA**

Mata Kuliah :

Pemrograman Web 2

Oleh :

240103240

Muhammad Adzkia Adi Syahputra

Kelas :

TI24B1

Dosen :

Triyono, S.Kom

**PROGRAM S-I TEKNIK INFORMATIKA
FAKULTAS ILMU KOMPUTER UNIVERSITAS DUTA BANGSA
SURAKARTA
TAHUN AJARAN 2025/2026**

1. Test API di Postman

The screenshot shows the Postman application interface with two separate requests displayed.

Request 1: GET http://127.0.0.1:8000/api/todos

- Method:** GET
- URL:** http://127.0.0.1:8000/api/todos
- Params:** Authorization, Headers (8), Body, Pre-request Script, Tests, Settings
- Query Params:** Key, Value
- Body:** JSON
- Response:** Status: 200 OK, Time: 131 ms, Size: 337 B

```
1 {
2   "id": 1,
3   "title": "Sholat Shubuh",
4   "completed": false,
5   "created_at": "2028-10-14T02:57:29.000000Z",
6   "updated_at": "2028-10-14T02:57:29.000000Z"
7 }
```

Request 2: POST http://127.0.0.1:8000/api/todos

- Method:** POST
- URL:** http://127.0.0.1:8000/api/todos
- Params:** Authorization, Headers (9), Body, Pre-request Script, Tests, Settings
- Body:** JSON
- Response:** Status: 201 Created, Time: 267 ms, Size: 328 B

```
1 {
2   "title": "Belajar Laravel"
}
```

Create collections in Postman
Use collections to save your requests and share them with others.
[Create a Collection](#)

Console Not connected to a Postman account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

PATCH http://127.0.0.1:8000/api/todos/1

Params Authorization Headers (9) Body Pre-request Script Tests Settings

None form-data x-www-form-urlencoded raw binary JSON

```
1 "completed": true
```

Body Cookies Headers Test Results Status: 200 OK Time: 158 ms Size: 338 B Save Response

POST http://127.0.0.1:8000/api/todos/1

Params Authorization Headers (8) Body Pre-request Script Tests Settings

None form-data x-www-form-urlencoded raw binary

This request does not have a body

Body Cookies Headers Test Results Status: 404 Not Found Time: 365 ms Size: 6.66 KB Save Response

1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="utf-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6 <title>Not Found</title>
7
8 <style>
9 @import normalize.css v0.0.1 | MIT License | github.com/necolas/normalize.css /
10 html {
11 line-height: 1.15;
12 -webkit-text-size-adjust: 100%
13 }
14 </style>

The screenshot shows the phpMyAdmin interface connected to the 'db_laravel' database. The left sidebar lists databases (New, apotik, db_laravel, information_schema, mysql, performance_schema, phpmyadmin, test) and tables (cache, cache_locks, failed_jobs, jobs, job_batches, migrations, password_reset_tokens, sessions, todos, users). The 'todos' table is selected, displaying a single row of data:

	Edit	Copy	Delete	Edit	Copy	Delete	Export
	Edit	Copy	Delete	Edit	Copy	Delete	Export
1	2	Belajar Laravel	0	2025-10-21 04:09:34	2025-10-21 04:09:34		

Below the table, there are buttons for Print, Copy to clipboard, Export, Display chart, and Create view. A 'Query results operations' section includes a 'Bookmark this SQL query' button. At the bottom, there is a 'Console' input field.

2. Tampilan Website

The screenshot shows the 'Todos' application running at localhost:5173. The page title is 'Todos'. It features a search bar labeled 'Add todo...' and an 'Add' button. Below the search bar is a list of todos:

- Belajar Laravel

3. Link Github

https://github.com/skill-tzy/project_web2.git