

Skillprint Portal – API Reference

Base path: `/api/portal/`

Authentication

Most endpoints require **Knox token** authentication. Pass the token in the `Authorization` header:

```
Authorization: Token <knox_token>
```

Public endpoints (marked ⓘ) only require a valid partner API key or SPA origin header:

```
X-API-Key: <partner_api_key>
```

M0 – Reference & Settings

ⓘ GET `/reference/dimensions/`

Returns the canonical slug → display-name → about mapping for moods (9), skills (14), and personality traits (5).

Headers: X-API-Key or SPA origin

Response:

```
{
  "moods": [
    { "slug": "relax", "display_name": "Relax", "about": "A state of calm and low arousal..." },
    { "slug": "focus", "display_name": "Focus", "about": "Deep, single-pointed concentration..." }
  ],
  "skills": [
    { "slug": "attention", "display_name": "Attention", "about": "Sustained focus on relevant stimuli..." },
    { "slug": "memory", "display_name": "Memory", "about": "Working memory capacity..." }
  ],
  "personality_traits": [
    { "slug": "openness", "display_name": "Openness", "about": "Openness reflects a willingness to explore..." },
    { "slug": "conscientiousness", "display_name": "Conscientiousness", "about": "..." },
    { "slug": "extraversion", "display_name": "Extraversion", "about": "..." },
    { "slug": "agreeableness", "display_name": "Agreeableness", "about": "..." },
    { "slug": "emotional-stability", "display_name": "Emotional Stability", "about": "..." }
  ]
}
```

ⓘ GET `/reference/insight-categories/`

Returns the 6 insight card categories with icon mappings.

Headers: X-API-Key or SPA origin

Response:

```
[
  { "slug": "improvement", "display_name": "Improvement", "icon": "trending_up", "description": "Score increased over a meaningful w" },
  { "slug": "peak", "display_name": "Personal Best", "icon": "emoji_events", "description": "A new all-time or period high was reach" },
  { "slug": "streak", "display_name": "Streak", "icon": "local_fire_department", "description": "Consistent activity or score stabil" },
  { "slug": "comparative", "display_name": "Comparative", "icon": "compare_arrows", "description": "Performance in a recent window v" },
  { "slug": "pattern", "display_name": "Pattern", "icon": "insights", "description": "Recurring behaviour or score pattern detected." },
  { "slug": "recommendation", "display_name": "Recommendation", "icon": "lightbulb", "description": "Actionable suggestion based on" }
]
```

🔑 GET /profile/settings/

Returns user portal preferences. Auto-creates defaults if none exist.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "display_units": "percent",
  "confidence_floor": 0.3,
  "weekly_email_opt_in": true
}
```

🔑 PATCH /profile/settings/

Update user portal preferences (partial update).

Headers: Authorization: Token <knox_token>

Request body:

```
{
  "confidence_floor": 0.5,
  "weekly_email_opt_in": false
}
```

Response:

```
{
  "display_units": "percent",
  "confidence_floor": 0.5,
  "weekly_email_opt_in": false
}
```

M1 — Sessions, Metrics & Profile

🔑 GET /sessions/{session_id}/

Full latitudinal breakdown of a single session: all 9 mood scores, all cognition scores, and personality snapshot.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "session_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "game": { "id": 42, "name": "Hextris", "slug": "hextris" },
  "started_at": "2026-05-04T10:00:00Z",
  "ended_at": "2026-05-04T10:05:30Z",
  "duration_seconds": 330,
  "mood": {
    "target_mood": "focus",
    "target_score": 72,
    "target_confidence": 0.85,
    "all_moods": [
      { "slug": "focus", "score": 72, "confidence": 0.85, "is_target": true },
      { "slug": "relax", "score": 58, "confidence": 0.71, "is_target": false },
      { "slug": "joy", "score": 65, "confidence": 0.80, "is_target": false }
    ]
  },
  "cognition": [
    { "slug": "attention", "score": 81, "confidence": 0.90, "is_exercised_by_game": true },
    { "slug": "pattern-matching", "score": 75, "confidence": 0.88, "is_exercised_by_game": true },
    { "slug": "memory", "score": 44, "confidence": 0.55, "is_exercised_by_game": false }
  ],
  "personality": [
    { "trait": "openness", "score": 68, "confidence": 0.72 },
    { "trait": "conscientiousness", "score": 74, "confidence": 0.78 },
    { "trait": "extraversion", "score": 55, "confidence": 0.65 },
    { "trait": "agreeableness", "score": 60, "confidence": 0.60 },
    { "trait": "emotional-stability", "score": 71, "confidence": 0.70 }
  ]
}
```

🔗 GET /sessions/

Paginated session log. Supports cursor pagination and filters.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
cursor	string	—	Pagination cursor
limit	int	20	Page size (max 50)
game_slug	string	—	Filter by game
mood	string	—	Filter by target mood

Response:

```
{
  "next": "http://api.example.com/api/portal/sessions/?cursor=cD0yMDI2...",
  "previous": null,
  "results": [
    {
      "session_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
      "game_name": "Hextris",
      "game_slug": "hextris",
      "played_at": "2026-05-04T10:00:00Z",
      "duration_seconds": 330,
      "primary_mood": "focus",
      "primary_score": 72
    }
  ]
}
```

GET /metrics/{pillar}/{dimension}/

Longitudinal metric detail with time-bucketed chart data. Supports D/W/M/6M/Y ranges.

Headers: Authorization: Token <knox_token>

Path params: pillar = mood | cognition | personality, dimension = slug (e.g. focus, attention, openness)

Query params:

Param	Type	Default	Description
range	string	W	One of D, W, M, 6M, Y

Response:

```
{
  "pillar": "mood",
  "dimension": "focus",
  "display_name": "Focus",
  "about": "Deep, single-pointed concentration...",
  "range": "W",
  "period": { "start": "2026-04-27", "end": "2026-05-04" },
  "average": 68,
  "buckets": [
    { "label": "Mon", "date": "2026-04-28", "score": 72, "session_count": 2, "is_empty": false },
    { "label": "Tue", "date": "2026-04-29", "score": null, "session_count": 0, "is_empty": true },
    { "label": "Wed", "date": "2026-04-30", "score": 65, "session_count": 1, "is_empty": false }
  ],
  "trend": { "direction": "improving", "magnitude_pct": 8, "label": "Up 8%" },
  "comparison": {
    "this_period": { "label": "Recent", "score": 72 },
    "prior_period": { "label": "Prior", "score": 64 },
    "delta": 8,
    "delta_pct": 12
  },
  "stats": { "sessions": 5, "total_play_seconds": 1650, "peak_score": 81, "consistency": null },
  "percentile": null,
  "games_that_train_this": [
    { "id": 42, "name": "Hextris", "slug": "hextris" }
  ]
}
```

GET /metrics/{pillar}/{dimension}/about/

Static "About" copy for a dimension. Cacheable.

Headers: X-Api-Key or SPA origin

Response:

```
{
  "pillar": "cognition",
  "dimension": "attention",
  "display_name": "Attention",
  "about": "Sustained focus on relevant stimuli while filtering distractions..."
}
```

🔑 GET /metrics/{pillar}/{dimension}/leaderboard/

Top-N users for a dimension.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
limit	int	10	Max entries (capped at 50)

Response:

```
{
  "pillar": "cognition",
  "dimension": "attention",
  "entries": [
    { "rank": 1, "user_display": "Alice", "score": 92, "is_you": false },
    { "rank": 2, "user_display": "Bob", "score": 88, "is_you": true },
    { "rank": 3, "user_display": "Carol", "score": 85, "is_you": false }
  ]
}
```

🔑 GET /metrics/{pillar}/{dimension}/distribution/

Histogram of population scores for a dimension.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "pillar": "cognition",
  "dimension": "attention",
  "histogram": [
    { "range": "0-10", "count": 2 },
    { "range": "10-20", "count": 5 },
    { "range": "20-30", "count": 12 },
    { "range": "30-40", "count": 28 },
    { "range": "40-50", "count": 45 },
    { "range": "50-60", "count": 67 },
    { "range": "60-70", "count": 82 },
    { "range": "70-80", "count": 54 },
    { "range": "80-90", "count": 21 },
    { "range": "90-100", "count": 8 }
  ],
  "total_users": 324,
  "your_score": 75
}
```

🔗 GET /profile/

Lifetime aggregate profile: totals, top dimensions across all 3 pillars, percentiles, and weekly activity grid.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "user": {
    "first_name": "Gabriel",
    "joined_at": "2025-11-15T00:00:00Z"
  },
  "totals": {
    "sessions": 142,
    "total_play_seconds": 47520,
    "active_days": 38
  },
  "top_dimensions": {
    "mood": [
      { "slug": "focus", "score": 74, "sessions": 80 },
      { "slug": "relax", "score": 68, "sessions": 45 }
    ],
    "cognition": [
      { "slug": "attention", "score": 81, "sessions": 92 },
      { "slug": "pattern-matching", "score": 76, "sessions": 88 }
    ],
    "personality": [
      { "slug": "conscientiousness", "score": 72, "sessions": 50 },
      { "slug": "openness", "score": 68, "sessions": 50 }
    ]
  },
  "percentiles": {
    "mood": [
      { "slug": "focus", "percentile": 78 },
      { "slug": "relax", "percentile": 62 }
    ],
    "cognition": [
      { "slug": "attention", "percentile": 85 }
    ],
    "personality": [
      { "slug": "openness", "percentile": 70 }
    ]
  },
  "weekly_grid": [
    { "date": "2026-04-28", "mood_score": 72, "cognition_score": 68, "session_count": 3 },
    { "date": "2026-04-29", "mood_score": null, "cognition_score": null, "session_count": 0 },
    { "date": "2026-04-30", "mood_score": 65, "cognition_score": 70, "session_count": 2 }
  ]
}
```

🔗 GET /profile/percentiles/

Percentile ranks across all three pillars.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "mood": [
    { "slug": "focus", "display_name": "Focus", "score": 74, "percentile": 78 },
    { "slug": "relax", "display_name": "Relax", "score": 68, "percentile": 62 }
  ],
  "cognition": [
    { "slug": "attention", "display_name": "Attention", "score": 81, "percentile": 85 }
  ],
  "personality": [
    { "slug": "openness", "display_name": "Openness", "score": 68, "percentile": 70 }
  ]
}
```

M2 — Home, Trends & Insights

🔑 GET /home/summary/

Home screen summary: greeting, pillar averages (last 7 days), play streak.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "greeting": "Welcome back, Gabriel",
  "total_sessions": 142,
  "sessions_this_week": 8,
  "pillar_averages": {
    "mood": 68,
    "cognition": 72,
    "personality": 65
  },
  "streak_days": 4
}
```

🔑 GET /home/footprint/

Radar chart axes across all three pillars.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "axes": [
    { "pillar": "cognition", "slug": "attention", "label": "Attention", "score": 81 },
    { "pillar": "cognition", "slug": "memory", "label": "Memory", "score": 65 },
    { "pillar": "mood", "slug": "focus", "label": "Focus", "score": 74 },
    { "pillar": "mood", "slug": "relax", "label": "Relax", "score": 68 },
    { "pillar": "personality", "slug": "openness", "label": "Openness", "score": 68 },
    { "pillar": "personality", "slug": "conscientiousness", "label": "Conscientiousness", "score": 72 }
  ]
}
```

🔑 GET /home/just-played/

Last completed session summary.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "session_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "game": { "name": "Hextris", "slug": "hextris" },
  "played_at": "2026-05-04T10:00:00Z",
  "duration_seconds": 330,
  "target_mood": "focus",
  "target_score": 72
}
```

🔗 GET /home/recent-sessions/

Recent session list for the home screen.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
limit	int	5	Max entries (capped at 10)

Response:

```
[
  {
    "session_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "game_name": "Hextris",
    "game_slug": "hextris",
    "played_at": "2026-05-04T10:00:00Z",
    "duration_seconds": 330,
    "primary_mood": "focus",
    "primary_score": 72
  }
]
```

🔗 GET /trends/

Aggregated dimension-level averages across a time range for mood, cognition, and personality.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
range	string	W	One of D, W, M, 6M, Y

Response:

```
{
  "range": "W",
  "pillars": {
    "mood": [
      { "slug": "focus", "avg_score": 72, "sessions": 5 },
      { "slug": "relax", "avg_score": 65, "sessions": 3 }
    ],
    "cognition": [
      { "slug": "attention", "avg_score": 78, "sessions": 5 }
    ],
    "personality": [
      { "slug": "openness", "avg_score": 68, "sessions": 5 }
    ]
  }
}
```

🔗 GET /trends/long-range/

Full time-series for a single dimension.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Required	Description
pillar	string	No (default mood)	mood, cognition, or personality
dimension	string	Yes	Dimension slug

Response:

```
{
  "pillar": "mood",
  "dimension": "focus",
  "data_points": [
    { "date": "2026-04-20", "score": 65, "sessions": 2 },
    { "date": "2026-04-21", "score": 70, "sessions": 1 },
    { "date": "2026-04-23", "score": 72, "sessions": 3 }
  ]
}
```

🔗 GET /trends/daily-summary/

All dimension scores for a specific date.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
date	string (ISO)	today	Target date

Response:

```
{
  "date": "2026-05-04",
  "dimensions": [
    { "pillar": "mood", "slug": "focus", "avg_score": 72, "sessions": 2, "duration_seconds": 600 },
    { "pillar": "cognition", "slug": "attention", "avg_score": 78, "sessions": 2, "duration_seconds": 600 }
  ]
}
```

🔗 GET /insights/

Active (non-dismissed) insights for the user.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Default	Description
category	string	—	Filter: improvement, peak, streak, comparative, pattern, recommendation

Response:

```
[
  {
    "id": 17,
    "category": "improvement",
    "title": "Rising Star",
    "body": "Your Attention has improved by 12% recently. Keep up the great work!",
    "icon": "trending_up",
    "pillar": "cognition",
    "dimension": "",
    "created_at": "2026-05-04T04:00:00Z"
  }
]
```

🔗 POST /insights/{insight_id}/dismiss/

Dismiss an insight card.

Headers: Authorization: Token <knox_token>

Request body: *(none)*

Response:

```
{ "status": "dismissed" }
```

M4 — Recommendations & Library

🔗 GET /recommendations/next-game/

Personalized next-game recommendations.

Headers: Authorization: Token <knox_token>

Response:

```
[
  {
    "game": { "name": "Sweet Memory", "slug": "sweet-memory" },
    "reason_code": "GENERAL",
    "reason_text": "Recommended based on your profile"
  }
]
```

🔗 GET /recommendations/mood-matched/

Games that match a target mood.

Headers: Authorization: Token <knox_token>

Query params:

Param	Type	Required	Description
mood	string	Yes	Mood slug (e.g. focus, relax)

Response:

```
[
  {
    "game": { "id": 42, "name": "Hextris", "slug": "hextris" },
    "reason_code": "MOOD_MATCH_FOCUS",
    "reason_text": "Good for focus"
  }
]
```

🔗 GET /recommendations/playbook/

Actionable focus areas based on weakest dimensions.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "focus_areas": [
    { "pillar": "cognition", "slug": "verbal", "score": 35, "action": "IMPROVE" },
    { "pillar": "cognition", "slug": "timing", "score": 42, "action": "IMPROVE" },
    { "pillar": "mood", "slug": "grit", "score": 38, "action": "IMPROVE" }
  ]
}
```

🔗 POST /recommendations/feedback/

Record user feedback on a recommended game.

Headers: Authorization: Token <knox_token>

Request body:

```
{
  "game_slug": "hextris",
  "feedback": "liked"
}
```

feedback values: played | skipped | liked | disliked

Response:

```
{ "status": "recorded" }
```

🔗 GET /library/games/

Browse all active games. Supports skill/mood filtering.

Headers: X-Api-Key or SPA origin

Query params:

Param	Type	Default	Description
skill	string	—	Filter by skill slug
mood	string	—	Filter by mood slug

Response:

```
[
  {
    "id": 42,
    "name": "Hextris",
    "slug": "hextris",
    "short_description": "A fast-paced hexagonal puzzle game",
    "skills": ["attention", "pattern-matching", "task-switching"],
    "moods": ["focus", "grit"]
  }
]
```

🔗 GET /library/games/{slug}/

Detailed game info.

Headers: X-Api-Key or SPA origin

Response:

```
{
  "id": 42,
  "name": "Hextris",
  "slug": "hextris",
  "short_description": "A fast-paced hexagonal puzzle game",
  "long_description": "Hextris challenges players to rotate a hexagon...",
  "skills": [
    { "slug": "attention", "name": "Attention" },
    { "slug": "pattern-matching", "name": "Pattern Matching" }
  ],
  "moods": [
    { "slug": "focus", "name": "Focus" }
  ],
  "orientation": "portrait",
  "url": "https://cdn.example.com/media/hextris_web/game/index.html"
}
```

🔗 GET /library/personal-stats/{slug}/

Personal play stats for a specific game.

Headers: Authorization: Token <knox_token>

Response:

```
{
  "game_slug": "hextris",
  "sessions_played": 24,
  "total_play_seconds": 7920
}
```

🔗 **GET** /library/community-stats/{slug}/

Community-wide stats for a game.

Headers: X-Api-Key or SPA origin

Response:

```
{
  "game_slug": "hextris",
  "total_sessions": 1847,
  "unique_players": 312,
  "avg_duration_seconds": 198
}
```