

.NET 10 App Dev Hands-On Lab

MVC Lab 2b – Configuration for Commons Services

Before starting this lab, you must have completed Razor Pages/MVC Lab 2a.

Part 1: Update the Settings

Step 1: Update the Root AppSettings.json file

- Update the appsettings.json in the AutoLot.Mvc project to the following:

```
{  
  "AllowedHosts": "*",  
  "DealerInfo": {  
    "DealerName": "Skimedic's Used Cars",  
    "City": "West Chester",  
    "State": "Ohio"  
  }  
}
```

Step 2: Update the Development App Settings

- Update the appsettings.Development.json in the AutoLot.Mvc project to the following (adjust the connection string as needed):

```
{
  "AppLoggerSettings": {
    "MSSqlServer": {
      "TableName": "SeriLogs",
      "Schema": "Logging",
      "ConnectionStringName": "AutoLot"
    },
    "File": {
      "Drive": "c",
      "FilePath": "temp",
      "FileName": "log_AutoLot_Development.txt"
    },
    "General": {
      "RestrictedToMinimumLevel": "Information"
    }
  },
  "AppName": "AutoLot.Mvc - Dev",
  "RebuildDataBase": true,
  "ConnectionStrings": {
    "AutoLot": "Server=(localdb)\\MSSQLLocalDB;Database=AutoLot_Hol;Trusted_Connection=True;"
  },
  "DealerInfo": {
    "DealerName": "Skimedic's Used Cars Development MVC Site",
    "City": "West Chester",
    "State": "Ohio"
  }
}
```

Step 3: Add the Staging App Settings File

- Add a new JSON file to the AutoLot.Mvc project named appsettings.Staging.json and update the file to the following (adjust the connection string as needed):

```
{
  "AppLoggerSettings": {
    "MSSqlServer": {
      "TableName": "SerilogLogs",
      "Schema": "Logging",
      "ConnectionStringName": "AutoLot"
    },
    "File": {
      "Drive": "c",
      "FilePath": "temp",
      "FileName": "log_AutoLot_Staging.txt"
    },
    "General": {
      "RestrictedToMinimumLevel": "Error"
    }
  },
  "AppName": "AutoLot.Mvc - Staging",
  "RebuildDataBase": false,
  "ConnectionStrings": {
    "AutoLot": "Server=(localdb)\\MSSQLLocalDB;Database=AutoLot_Hol;Trusted_Connection=True;"
  },
  "DealerInfo": {
    "DealerName": "Skimedic's Used Cars Staging MVC Site",
    "City": "West Chester",
    "State": "Ohio"
  }
}
```

Step 4: Add the Production App Settings File

- Add a new JSON file to the AutoLot.Mvc project named appsettings.Production.json and update the file to the following:

```
{
  "AppLoggerSettings": {
    "MSSqlServer": {
      "TableName": "SeriLogs",
      "Schema": "Logging",
      "ConnectionStringName": "AutoLot"
    },
    "File": {
      "Drive": "c",
      "FilePath": "temp",
      "FileName": "log_AutoLot.txt"
    },
    "General": {
      "RestrictedToMinimumLevel": "Error"
    }
  },
  "AppName": "AutoLot.Mvc",
  "RebuildDataBase": false,
  "ConnectionStrings": {
    "AutoLot": "[its-a-secret]"
  },
  "DealerInfo": {
    "DealerName": "Skimedic's Used Cars MVC Site",
    "City": "West Chester",
    "State": "Ohio"
  }
}
```

Summary

This lab updated the settings in the ASP.NET Core MVC project to support the common services.

Next steps

In the next part of this tutorial series, you will start working with ASP.NET Core.