System

Home directory

By default, Jenkins stores all of its data in this directory on the file system

    /var/lib/jenkins

System Message

This message will be displayed at the top of the Jenkins main page. This can be useful for posting notifications to your users

Plain text   Preview

# of executors

2

Labels

Usage

Use this node as much as possible

Computer Retention Check Interval

60

Quiet period

5

SCM checkout retry count

<div style="border:1px solid #000; border-radius:8px; padding:8px;">0</div>

☐ Restrict project naming

Jenkins Location

Jenkins URL

http://localhost:8090/

Please set a valid host name, instead of localhost

System Admin e-mail address

address not configured yet <nobody@nowhere>

Serve resource files from another domain

Resource Root URL

Without a resource root URL, resources will be served from the Jenkins URL with Content-Security-Policy set.

Global properties

☐ Disable deferred wipeout on this node

☐ Disk Space Monitoring Thresholds

☐ Environment variables

☐ Tool Locations

Metrics

Access keys

Add new access key

Pipeline Speed / Durability

Default Speed / Durability Level

None: use pipeline default (Maximum survivability/durability but slowest)

Writes data with every step, using atomic writes for integrity. Provides maximum ability to retain running pipeline data and resume in the event of a Jenkins failure.

Usage Statistics

Help make Jenkins better by sending anonymous usage statistics and crash reports to the Jenkins project

Folder

Health Metrics

List of default health metrics for Folders

Add ⌄

HTTP Proxy Configuration

Setup ⌄

Global Build Time Out

☐ Enable Global Time Out

Develocity Build Scans

☐ Enable enriched summary

Develocity integration

Develocity Access Key credential ID

⑦ The access key must be in the **\<server host name>=\<access key>** format. For more details please refer to the documentation.

- none -

╋   Add

Develocity short-lived access tokens expiry

☐   Enable auto-injection

Timestamper

System clock time format

'\'HH:mm:ss'\ '

Elapsed time format

'\'HH:mm:ss.S'\ '

☐   Enabled for all Pipeline builds

Fingerprints

☐   Disable Fingerprint Cleanup

Administrative monitors

Administrative monitors are warnings shown to Jenkins administrators about the state of the Jenkins instance. It is generally strongly recommended to keep all administrative monitors enabled, but if you are not interested in specific warnings, uncheck them here to permanently hide them.

Administrative monitors ⌄

Global Build Discarders

Project Build Discarder   ✕

Build discarders configured for a job are only run after a build finishes. This option
runs jobs' configured build discarders periodically, applying configuration changes
even when no new builds are run. This option has no effect if there is no build
discarder configured for a job.

Add ⌄

Default notification URL

Notification URL

Default

GitHub

GitHub Servers

Add GitHub Server ⌄

Advanced ⌄   ✎ Edited

GitHub API usage

Github API usage rate limiting strategy

Normalize API requests

GitHub Enterprise Servers

Add

Global Trusted Pipeline Libraries

Sharable libraries available to any Pipeline jobs running on this system. These libraries will be trusted, meaning they run without "sandbox" restrictions and may use @Grab.

Add

Global Untrusted Pipeline Libraries

Sharable libraries available to any Pipeline jobs running on this system. These libraries will be untrusted, meaning they run with "sandbox" restrictions and cannot use @Grab.

Add

Build-timeout Plugin > BuildStep Action

☐ Enable BuildStep Action

Git plugin

Global Config user.name Value

[   ]

Global Config user.email Value

[   ]

☐ Create new accounts based on author/committer's email

☐ Use existing account with same email if found

☐ Show the entire commit summary in changes

☐ Hide credential usage in job output

☐ Disable performance enhancements

☐ Preserve second fetch during checkout

☐ Add git tag action to jobs

Shell

Shell executable

Extended E-mail Notification

SMTP server

SMTP Port

25

Advanced ⌄

Default user e-mail suffix

Advanced ⌄   ✎ Edited

Default Content Type

Plain Text (text/plain)

List ID

☐ Add 'Precedence: bulk' E-mail Header

Default Recipients

Reply To List

Emergency reroute

Allowed Domains

Excluded Recipients

Default Subject

$PROJECT_NAME - Build # $BUILD_NUMBER - $BUILD_STATUS!

Maximum Attachment Size

-1

Default Content

$PROJECT_NAME - Build # $BUILD_NUMBER - $BUILD_STATUS:

Check console output at $BUILD_URL to view the results.

Default Pre-send Script

Default Post-send Script

Additional groovy classpath

Add

☐ Enable Throttling

☐ Enable Debug Mode

☐ Require Administrator for Template Testing

☐ Enable watching for jobs

☐ Allow sending to unregistered users

Default Triggers ⌄

Content Token Reference

E-mail Notification

SMTP server

┌───┐
│ smtp.gmail.com   │
└───┘

Default user e-mail suffix

┌───┐
│ @jenkinstest.com   │
└───┘

Advanced ⌃   🖉 Edited

Save   Apply

┌───┐
│ XXXXXXXX@gmail.com   │
└───┘

For security when using authentication it is recommended to enable either TLS or SSL

Password

┌───────────────────────────────┐
│ 🔒 Concealed   │   Change Password
└───────────────────────────────┘

Use SSL

☐ Use TLS

SMTP Port

465

Reply-To Address

Charset

UTF-8

Test configuration by sending test e-mail

Test e-mail recipient

XXXXXXXX@gmail.com

Test configuration

Manage Jenkins   System