



I got my dataset from Kaggle. The dataset has 17 columns and 11,162 rows. Hence, I made the dataset requirements.



Business problem

The financial institution wants to evaluate the effectiveness of its previous marketing campaign to identify the customers' characteristics and campaign factors that influence term deposit subscription. The goal is to develop data- driven strategies that improve the success rate of the future marketing campaign.

Importing the dataset



Navigator

Display Options ▾

bank.xlsx [1]

☒ bank

bank

duration	campaign	pdays	previous	poutcome	deposit
1042	1	-1	0	unknown	yes
1467	1	-1	0	unknown	yes
1389	1	-1	0	unknown	yes
579	1	-1	0	unknown	yes
673	2	-1	0	unknown	yes
562	2	-1	0	unknown	yes
1201	1	-1	0	unknown	yes
1030	1	-1	0	unknown	yes
608	1	-1	0	unknown	yes
1297	3	-1	0	unknown	yes
786	1	-1	0	unknown	yes
1574	2	-1	0	unknown	yes
1689	4	-1	0	unknown	yes
1102	2	-1	0	unknown	yes
943	2	-1	0	unknown	yes
1084	1	-1	0	unknown	yes
541	3	-1	0	unknown	yes
1119	1	-1	0	unknown	yes
1120	2	-1	0	unknown	yes
513	1	-1	0	unknown	yes
442	2	-1	0	unknown	yes
756	1	-1	0	unknown	yes
2087	2	-1	0	unknown	yes

Load

Transform Data

Cancel

Untitled - Power Query Editor

Home Transform Add Column View Tools Help

☐ Formula Bar
☐ Monospaced
☐ Column distribution
☐ Show whitespace
☐ Column profile
☐ Column quality

☐ Always allow
☐ Go to Column Columns

Advanced Editor
Query Dependencies

Layout Data Preview

	age	job	marital	education	default	balance	housing	loan
1	59	admin.	married	secondary	no	2943	yes	no
2	56	admin.	married	secondary	no	45	no	no
3	41	technician	married	secondary	no	2270	yes	no
4	55	services	married	secondary	no	2476	yes	no
5	54	admin.	married	tertiary	no	184	no	no
6	42	management	single	tertiary	no	0	yes	yes
7	56	management	married	tertiary	no	830	yes	yes
8	60	retired	divorced	secondary	no	545	yes	no
9	37	technician	married	secondary	no	1	yes	no
10	28	services	single	secondary	no	5090	yes	no
11	38	admin.	single	secondary	no	100	yes	no
12	30	blue-collar	married	secondary	no	309	yes	no
13	29	management	married	tertiary	no	199	yes	yes
14	46	blue-collar	single	tertiary	no	460	yes	no
15	31	technician	single	tertiary	no	703	yes	no
16	35	management	divorced	tertiary	no	3837	yes	no
17	32	blue-collar	single	primary	no	611	yes	no
18	49	services	married	secondary	no	-8	yes	no

Query Settings

PROPERTIES
Name
bank
All Properties

APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type

Question 1: Advanced Power Query Data Preparation — 60 Marks

A. Basic Data Cleaning — 15 Marks

1) Rename unclear columns

A ^B	C poutcome
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown
0	unknown

Query Settings

- Copy
- Remove
- Remove Other Columns
- Duplicate Column
- Add Column From Examples...
- Remove Duplicates
- Remove Errors
- Change Type
- Transform
- Replace Values... 1 → 2
- Replace Errors...
- Split Column
- Group By...
- Fill
- Unpivot Columns
- Unpivot Other Columns
- Unpivot Only Selected Columns
- Rename...

A ^B C Previous Campaign Outcome	A ^B C Subscription Status
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes
0 unknown	yes

Query Settings

PROPERTIES

Name
bank

All Properties

APPLIED STEPS

- Source
- Navigation
- Promoted Headers
- Changed Type
- Renamed Columns

There were 3 unclear columns.

Pdays: change to Days Since Previous Contact

Outcome: change to Previous Campaign Outcome

Deposit: change to subscription status

2) Change data type

The age, duration, campaign, previous, and day since previous contact columns were all changed to whole numbers. Also, I ensured the balance was in decimal

	1.2 balance	A ^B _C housing	A ^B _C loan	A ^B _C contact
1		2343 yes	no	unknown
2		45 no	no	unknown
3		1270 yes	no	unknown
4		2476 yes	no	unknown
5		184 no	no	unknown
6		0 yes	yes	unknown
7		830 yes	yes	unknown
8		545 yes	no	unknown
9		1 yes	no	unknown
10		5090 yes	no	unknown
11		100 yes	no	unknown
12		309 yes	no	unknown
13		199 yes	yes	unknown

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

	1.2 age	A ^B _C job	A ^B _C marital	A ^B _C education	A ^B _C d
1	Decimal Number		married	secondary	nc
2	\$ Fixed decimal number		married	secondary	nc
3	1.2 Whole Number		married	secondary	nc
4	% Percentage		married	secondary	nc
5	Date/Time		married	tertiary	nc
6	Date		single	tertiary	nc
7	Time		married	tertiary	nc
8	Date/Time/Timezone		divorced	secondary	nc
9	Duration		married	secondary	nc
10			single	secondary	nc
11	A ^B _C Text		single	secondary	nc
12	True/False		married	secondary	nc
13			married	tertiary	nc
14	Binary		single	tertiary	nc
15	Using Locale...		single	tertiary	nc

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

3) Remove Duplicate Records

	1.2 age	A ^B _C job	A ^B _C marital	A ^B _C education	A ^B _C d
1			married	secondary	nc
2			married	secondary	nc
3			married	secondary	nc
4			married	secondary	nc
5			married	tertiary	nc
6			single	tertiary	nc
7			divorced	secondary	nc
8			married	secondary	nc
9			single	secondary	nc
10			single	secondary	nc
11			married	secondary	nc
12			married	tertiary	nc
13			single	tertiary	nc
14			single	tertiary	nc
15			divorced	tertiary	nc
16			single	primary	nc
17			married	secondary	nc
18			single	tertiary	nc
19			single	secondary	nc
20			married	secondary	nc
21			divorced	primary	nc
22			single	primary	nc
23			married	tertiary	nc

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

Removed Duplicates

4) Remove Blank Rows

Query Settings

PROPERTIES

- Remove Top Rows
- Remove Bottom Rows
- Remove Alternates Rows
- Remove Duplicates
- Remove Blank Rows
- Remove Errors

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

Removed Duplicates

5) Trim and Clean Text Columns

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

- Source
- Navigation
- Promoted Headers
- Changed Type

lowercase

UPPERCASE

Capitalize Each Word

Trim

Clean

Length

JSON

XML

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

- Source
- Navigation
- Promoted Headers
- Changed Type

lowercase

UPPERCASE

Capitalize Each Word

Trim

Clean

Length

JSON

XML

6) Replace Inconsistent Values

Query Settings

7. Hover over: 8. Click Clear

Two steps applied

6. Replace Inconsistent Values

Replace Values

Replace one value with another in the selected columns.

Value To Find: unknown

Replace With: unknown

Advanced options

OK Cancel

age	job	marital	education	de
1	59 admin.	married	secondary	no
2	56 admin.	married	secondary	no
3	41 technician	married	secondary	no
4	55 services	married	secondary	no
5	54 admin.	married	tertiary	no
6	42 management	single	tertiary	no
7	60 retired	divorced	secondary	no
8	37 technician	married	secondary	no
9	28 services	single	secondary	no
10	38 admin.	single		
11	30 blue-collar	married		
12	29 management	married		
13	46 blue-collar	single		
14	31 technician	single		
15	35 management	divorced		
16	32 blue-collar	single		
17	49 services	married		
18	43 management	single		
19	26 blue-collar	single		
20	40 blue-collar	married		
21	33 blue-collar	divorced		
22	23 entrepreneur	single		
23	48 management	married		
24	45 entrepreneur	divorced	tertiary	no

Query Settings

Replace Values

Replace one value with another in the selected columns.

Value To Find: admin.

Replace With: Administrative

Advanced options

age	job	marital	education	de
1	59 admin.	married	secondary	no
2	56 admin.	married	secondary	no
3	41 technician	married	secondary	no
4	55 services	married	secondary	no
5	54 admin.	married	tertiary	no
6	42 management	single	tertiary	no
7	60 retired	divorced	secondary	no
8	37 technician	married	secondary	no
9	28 services	single	secondary	no
10	38 admin.	single		
11	30 blue-collar	married		
12	29 management	married		
13	46 blue-collar	single		
14	31 technician	single		
15	35 management	divorced		
16	32 blue-collar	single		
17	49 services	married		
18	43 management	single		
19	26 blue-collar	single		
20	40 blue-collar	married		
21	33 blue-collar	divorced		
22	23 entrepreneur	single		
23	48 management	married		
24	45 entrepreneur	divorced	tertiary	no

59	Administrative	married	secondary	no
56	Administrative	married	secondary	no
41	technician	married	secondary	no
55	services	married	secondary	no
54	Administrative	married	tertiary	no
42	management	single	tertiary	no
60	retired	divorced	secondary	no
37	technician	married	secondary	no
28	services	single	secondary	no
38	Administrative	single	secondary	no
30	blue-collar	married	secondary	no
29	management	married	tertiary	no
46	blue-collar	single	tertiary	no
31	technician	single	tertiary	no
35	management	divorced	tertiary	no
32	blue-collar	single	primary	no
49	services	married	secondary	no
43	management	single	tertiary	no

PROPERTIES
Name
bank
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Renamed Columns
Changed Type1
Removed Duplicates
Removed Blank Rows
Trimmed Text
Cleaned Text
Replaced Value
X Replaced Value1

7) Remove Unnecessary Columns

Enter Data
Data source settings
Manage Parameters
Export query results
Refresh Preview
Properties
Advanced Editor
Manage
Choose Columns
Remove Columns
Reduce Rows
Sort
Split Column
Group By
Data Type: Whole Number
Use First Row as
Replace Values
Transform

contact	day	month	duration	ca
1 unknown			1042	
2 unknown			1467	
3 unknown			1389	
4 unknown			579	
5 unknown			673	
6 unknown			562	
7 unknown			1030	
8 unknown			608	
9 unknown			1297	
10 unknown			786	
11 unknown			1574	
12 unknown			1689	
13 unknown			1102	
may		943	2	
may		1084	1	
may		541	3	
may		1119	1	
may		756	1	
may		654	1	
may		1692	2	
may		665	2	
may		395	2	
may		683	2	
may		470	1	

Query Settings
PROPERTIES
Name
bank
All Properties
APPLIED STEPS
Source
Navigation
Promoted Headers
Changed Type
Renamed Columns
Changed Type1
Removed Duplicates
Removed Blank Rows
Trimmed Text
Cleaned Text
Replaced Value
Replaced Value1
X Removed Columns

B. Intermediate Transformations — 20 Marks

1. Split one column into multiple columns. (2 Marks)

Replace Values

Replace one value with another in the selected columns.

Value To Find

Replace With

▷ Advanced options

OK

Replace Values

Replace one value with another in the selected columns.

Value To Find

Replace With

▷ Advanced options

OK

Replace Values

Replace one value with another in the selected columns.

Value To Find

Replace With

▷ Advanced options

OK

2. Merge Columns

	A ^B C job	A ^B C marit
47	blue-collar	married
25	blue-collar	married
58	entrepreneur	married
61	retired	married
68	retired	divorced
75	retired	divorced
22	Administrative	single
69	retired	married
66	technician	married
85	retired	married
72	retired	married
90	retired	divorced
67	retired	married
71	retired	married
21	blue-collar	single
74	retired	married
65	retired	married
85	retired	married
72	retired	married
90	retired	divorced
67	retired	married
71	retired	married
21	blue-collar	single
74	retired	married
65	retired	married
62	housemaid	married
83	retired	divorced
70	retired	married
76	retired	divorced
77	retired	married
19	student	single
73	retired	divorced

 Copy

 Remove Columns

Remove Other Columns

 Add Column From Examples...

Remove Duplicates

Remove Errors

 Replace Values...

Fill

Change Type

Transform

Merge Columns

 Group By...

 Unpivot Columns

Unpivot Other Columns

Unpivot Only Selected Columns

Move

Merge Columns

Choose how to merge the selected columns.

Separator

--Custom--

-

New column name (optional)

Customer Profile

OK

	A ^B C Customer Profile
59	Administrative-married
56	Administrative-married
41	technician-married
55	services-married
54	Administrative-married
42	management-single
60	retired-divorced
37	technician-married
28	services-single
38	Administrative-single
30	blue-collar-married
29	management-married
46	blue-collar-single
31	technician-single
35	management-divorced
32	blue-collar-single
49	services-married

3. Create a Custom Column

Custom Column

Add a column that is computed from the other columns.

New column name

Balance Per Campaign

Custom column formula ⓘ

= [balance]/[campaign]

Available columns

housing

loan

Contact Type

month

duration

campaign

Days Since Previous Contact

previous

<< Insert

Learn about Power Query formulas

✓ No syntax errors have been detected.

OK

Cancel

ABC 123

Balance Per Campaign

2343
45
1270
2476
92
0
545
1
1696.666667
100
154.5
49.75
230
351.5
3837
203.6666667
-8
2067
82
5
195
2
974.5
-395
291.25
2240
1443
517
-0.5
7180
146

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

Removed Duplicates

Removed Blank Rows

Trimmed Text

Cleaned Text

Replaced Value

Replaced Value1

Removed Columns

Duplicated Column

Renamed Columns1

Replaced Value2

Replaced Value3

Replaced Value4

Duplicated Column1

Duplicated Column2

Renamed Columns2

Merged Columns

Added Custom

4. Create a Conditional Column

×

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Balance Category

	Column Name	Operator	Value ①		Output ①
If	balance	is greater than	ABC 123 5000	Then	ABC 123 High Balance
Else If	balance	is greater than	ABC 123 1000	Then	ABC 123 Medium Balance ...

Add Clause

Else ①

ABC 123 Low Balance

OK

Cancel

ABC 123 Balance Category

13	Medium Balance
15	Low Balance
70	Medium Balance
76	Medium Balance
12	Low Balance
0	Low Balance
15	Low Balance
1	Low Balance
17	High Balance
10	Low Balance
5	Low Balance
75	Low Balance
10	Low Balance
5	Low Balance
17	Medium Balance
17	Low Balance
8	Low Balance
17	Medium Balance
12	Low Balance
5	Low Balance
15	Low Balance
2	Low Balance
5	Medium Balance
15	Low Balance
15	Medium Balance
10	Medium Balance
13	Medium Balance
17	Low Balance
5	Low Balance
10	High Balance

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

Removed Duplicates

Removed Blank Rows

Trimmed Text

Cleaned Text

Replaced Value

Replaced Value1

Removed Columns

Duplicated Column

Renamed Columns1

Replaced Value2

Replaced Value3

Replaced Value4

Duplicated Column1

Duplicated Column2

Renamed Columns2

Merged Columns

Added Custom

Added Conditional Column

5. Extract year, month, quarter, and day from a date column.

×

Custom Column

Add a column that is computed from the other columns.

New column name

Campaign Date

Custom column formula ⓘ

= #date([2024, 1, 1])

Available columns

- age
- Customer profile
- education
- default
- balance
- housing
- loan
- ...

<< Insert

[Learn about Power Query formulas](#)

✓ No syntax errors have been detected.

OK

Cancel

[illegible]

Sort	1.2 balance	housing	loan
Sort Ascending		yes	no
Sort Descending		no	no
Clear Sort		yes	no
Clear Filter		yes	no
Remove Empty		no	no
Number Filters		yes	yes
Search			
(Select All)			
-395			
-39			
-8			
-1			
0			
1			
4			
10			

Filter Rows

Apply one or more filter conditions to the rows in this table.

☒ Basic ☐ Advanced

Keep rows where 'balance'

is greater than 1000

☒ And ☐ Or

Enter or select a valu...

OK

Cancel

1.2 balance	▼	A
2343	y	
1270	y	
2476	y	
5090	y	
3837	y	
2067	y	
1949	y	
1165	y	
2240	y	
1443	y	
7180	y	
3706	y	
3881	y	
12114	n	
1341	n	
4657	n	
2265	n	
1714	n	
2416	n	
2021	n	
1097	n	
6422	n	
3049	n	
9601	n	
2308	n	
1819	n	
2282	n	
5966	y	
8603	n	
6746	n	

[illegible]

7. Sort data meaningfully

ABC

default

▼

1.2 balance

▼

↕

Sort Ascending

↕

Sort Descending

Clear Sort

Clear Filter

Remove Empty

Number Filters

▶

Search

☒ (Select All)

☒ -395

☒ -39

☒ -8

☒ -1

☒ 0

☒ 1

☒ 4

☒ 10

☒ 45

☒ 77

☒ 82

☒ 97

☒ 100

☒ 108

☒ 134

☒ 146

☒ 104

^


▼

OK

Cancel

1.2 balance	↓	A
12114	n	
9601	n	
8603	n	
7180	y	
6746	n	
6422	n	
5966	y	
5090	y	
4657	n	
3881	y	
3837	y	
3706	y	
3049	n	
2476	y	
2416	n	
2343	y	
2308	n	
2282	n	
2265	n	
2240	y	
2067	y	
2021	n	
1949	y	
1819	n	
1714	n	
1443	y	
1341	n	
1270	y	
1165	y	
1097	n	
997	n	
897	y	
863	y	
853	n	
775	n	
775	n	
703	y	
695	y	
668	n	
611	y	
553	n	


8. Add an index column.



123 Index
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

C. Advanced Power Query Tasks — 25 Marks

- l) Create a date table in Power Query.



Queries [2]

bank

Query1

<

Queries [2] ✕ ✓ fx = Table.AddColumn("#Inserted Date", "Quarter", each Date.QuarterOfYear([Date]), Int64.Type)

	Column1	Date	Quarter
1	01/01/2020	01/01/2020	1
2	02/01/2020	02/01/2020	1
3	03/01/2020	03/01/2020	1
4	04/01/2020	04/01/2020	1
5	05/01/2020	05/01/2020	1
6	06/01/2020	06/01/2020	1
7	07/01/2020	07/01/2020	1
8	08/01/2020	08/01/2020	1
9	09/01/2020	09/01/2020	1
10	10/01/2020	10/01/2020	1
11	11/01/2020	11/01/2020	1
12	12/01/2020	12/01/2020	1
13	13/01/2020	13/01/2020	1
14	14/01/2020	14/01/2020	1
15	15/01/2020	15/01/2020	1
16	16/01/2020	16/01/2020	1
17	17/01/2020	17/01/2020	1
18	18/01/2020	18/01/2020	1
19	19/01/2020	19/01/2020	1
20	20/01/2020	20/01/2020	1
21	21/01/2020	21/01/2020	1
22	22/01/2020	22/01/2020	1
23	23/01/2020	23/01/2020	1
24	24/01/2020	24/01/2020	1
25	25/01/2020	25/01/2020	1
26	26/01/2020	26/01/2020	1
27	27/01/2020	27/01/2020	1
28	28/01/2020	28/01/2020	1

II) Use Group By with multiple aggregations.

Group By

Specify the columns to group by and one or more outputs.

☐ Basic ☒ Advanced

job backup

Add grouping

New column name

Customer Count

Operation

Count Rows

Column

Average Balance

Average

balance

Maximum Balance

Max

balance

Add aggregation


OK

Cancel

= Table.Group("#Added Index", {"job backup"}, {"Customer Count", each Table.RowCount(_), Int64.Type}, {"Average

	job backup	Customer Count	Average Balance	Maximum Balance
1	retired	30	2602.6	12114
2	blue-collar	13	1097.923077	7180
3	services	3	2519.333333	5090
4	management	7	1544.142857	3837
5	technician	8	941.375	3706
6	Administrative	6	655.3333333	2343
7	housemaid	1	2021	2021
8	student	3	687	1819
9	entrepreneur	4	115.5	853
10	self-employed	1	-39	-39

III) Remove or handle errors in a column.



Replace Errors

Enter the value which will replace errors in the selected columns.

Value

OK

Cancel

```
balance , 0))
```

1.2 balance
703
695
668
611
553
545
517
460
433
409
390
363
324
309
250
243
240
199
184
146
134
108
100
97
82
77
45
10
4
1
1
0
0
0
0
0
-1
-8
-39

IV) Create business categories using nested conditional logic.

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Customer tier

	Column Name	Operator	Value ①		Output ①
If	balance	is greater than	ABC 123 5000	Then	ABC 123 Premium Customer
Else If	balance	is greater than	ABC 123 1000	Then	ABC 123 Standard Customers ...

Add Clause

Else ①

ABC 123

Basic customer



OK

Cancel

ABC 123	Custmer tier
1	Premiun Customer
2	Premiun Customer
3	Premiun Customer
4	Premiun Customer
5	Premiun Customer
6	Premiun Customer
7	Premiun Customer
8	Premiun Customer
9	Standard Customers
0	Standard Customers
1	Standard Customers
2	Standard Customers
3	Standard Customers
4	Standard Customers
5	Standard Customers
6	Standard Customers
7	Standard Customers
8	Standard Customers
9	Standard Customers
0	Standard Customers
1	Standard Customers
2	Standard Customers
3	Standard Customers
4	Standard Customers
5	Standard Customers
6	Standard Customers
7	Standard Customers
8	Standard Customers
9	Standard Customers
0	Standard Customers
1	Basic customer
2	Basic customer
3	Basic customer
4	Basic customer
5	Basic customer
6	Basic customer
7	Basic customer
8	Basic customer
9	Basic customer

V) Create a summarized query using Reference Query.

1.2 balance

A^B job backup

1	12114	retired
2	9601	retired
3	8603	retired
4	7180	blue-collar
5	6746	retired
6	6422	retired
7	5966	retired
8	5090	services
9	4657	retired
10	3881	retired
11	3837	management
12	3706	technician
13	3049	retired
14	2476	services
15	2416	retired
16	2343	Administrative
17	2308	retired
18	2282	retired
19	2265	blue-collar
20	2240	management
21	2067	management
22	2021	housemaid
23	1949	management
24	1819	student

PROPERTIES

Name

Job Summary

All Properties

APPLIED STEPS

Source

Reordered Columns

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

job backup

New column name

Average Balance

Operation

Average

Column

balance

OK

Cancel

Queries [3]

bank

Date Table

Job Summary

Table.Group(#"Removed Columns", {"job backup"}, {{ "Average Balance", each List.Average([balance]), type nullable

A ^B job backup	1.2 Average Balance
1 retired	2602.6
2 blue-collar	1097.923077
3 services	2519.333333
4 management	1544.142857
5 technician	941.375
6 Administrative	655.333333
7 housemaid	2021
8 student	687
9 entrepreneur	115.5
10 self-employed	-39

Column Profiling

Column quality

Data Preview

Go to Column

Columns

Parameters

Advanced Editor

Advanced

Query Dependencies

Dependencies

Table.AddColumn(#"Replaced Errors", "Customer tier", each if [balance] > 5000 then "Premium Customer" else if [balance]

age	A ^B Customer profile	A ^B education	A ^B default	1.2 balance	A ^B housing
Valid 100%	Valid 100%	Valid 100%	Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%	Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%	Empty 0%	Empty 0%	Empty 0%
1	85 married-retired	primary	no	12114	no

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Column Distribution

Monospaced

Column distribution

Show whitespace

Column profile

Column quality

Data Preview

Go to Column

Columns

Parameters

Advanced Editor

Advanced

Query Dependencies

Dependencies

Table.AddColumn(#"Replaced Errors", "Customer tier", each if [balance] > 5000 then "Premium Customer" else if [balance]

age	A ^B Customer profile	A ^B education	A ^B default	1.2 balance	A ^B housing
Valid 100%	Valid 100%	Valid 100%	Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%	Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%	Empty 0%	Empty 0%	Empty 0%
1	85 married-retired	primary	no	12114	no
2	77 married-retired	secondary	no	9601	no
3	82 married-retired	primary	no	8603	no
4	51 married-blue-collar	secondary	no	7180	yes

Query Settings

PROPERTIES

Name

bank

All Properties

APPLIED STEPS

Source

Navigation

Promoted Headers

Changed Type

Renamed Columns

Changed Type1

Column Profile

