Feeder Configuration



Feeder Configuration

From the name itself “Feeder Configuration”, this is the part of the platform that is responsible for configuring the set-up of all the available Feed/Feeders. The main purpose of this is to enable automation of the “Mapping” process in different aspects and circumstances. As could be seen in the Feeder Configuration, There are 3 filters that could be used to be more specific with setting up the automation of the mapping process from different feeds for specific leagues in different categories.



Configuration	PIN	UFS	RBL	SWSH	ODD GG	BRU	BRL	IBC TX	188 TX	ISN TX
Automapping enabled	(No) Yes	Not set	(Yes) Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Automapping teams enabled	(Yes) No	Not set	(Yes) Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Automapping start time threshold (in hours)	24	Not set	(24) Not set	Not set	Not set	24	24	24	24	24
Auto live offer	Yes	Not set	(No) Not set	Not set	Not set	Yes	(No) Yes	Yes	Yes	Yes
Automap neutral grounds	Not set	Not set	Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Auto update start time rank	(8) 10	Not set	(7) Not set	Not set	Not set	(18) 12	(10) Not set	Not set	Not set	Not set
Market mapping behavior	(AtLeastOneActive) Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
Auto create domain event	Not set	Not set	(No) Not set	Not set	Not set	No	(No) Not set	Not set	Not set	Not set
Auto create domain player	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Automap market type enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Auto create market type enabled	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
Settlement enabled	No	No	No	Not set	Not set	Yes	No	Yes	Yes	Yes
Resettlement enabled	Not set	Not set	No	Not set	Not set	Yes	No	No	No	No
Bet void enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Bet void rollback enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Auto map one to many enabled	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
External trading service enabled	Not set	Not set	Not set	No	Not set	No	Not set	Not set	Not set	Not set

Feed Source	Score	Time	Live State	Incident	Stats	Podcast	Weather	Pitch	Surface	Video
Bet Radar Unified	Yes	Yes	Yes	No	No	No	No	No	No	No

Feeder Configuration on top has a Filter, which can be used by admin to filter feeder configuration by sport, category, and league:

- **Sport** - is where admin can choose which sports feeder configuration will be filtered below. Only one sport can be selected from the filter list. List is dynamic and expands how new sports are added by feeder providers.
- **Category** - is where admin can choose which category (under chosen sport) feeder configuration will be filtered below. To be able to choose a category, admins need to select a sport from the Sport filter. Only one category can be selected from the filter list. List is dynamic and expands how new categories under sport are mapped.
- **League** - is where admin can choose which league (under chosen category) feeder configuration will be filtered below. To be able to choose a league, admins need to select a category from the Category filter. Only one league can be selected from the filter list. List is dynamic and expands how new leagues under category and sport are mapped.



Configuration	PIN	UFS	RBL	SWSH	ODD GG	BRU	BRL	IBC TX	188 TX	ISN TX
Automapping enabled	(No) Yes	Not set	(Yes) Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Automapping teams enabled	(Yes) No	Not set	(Yes) Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Automapping start time threshold (in hours)	24	Not set	(24) Not set	Not set	Not set	24	24	24	24	24
Auto live offer	Yes	Not set	(No) Not set	Not set	Not set	Yes	(No) Yes	Yes	Yes	Yes
Automap neutral grounds	Not set	Not set	Not set	Not set	Not set	Yes	Yes	Yes	Yes	Yes
Auto update start time rank	(8) 10	Not set	(7) Not set	Not set	Not set	(18) 12	(10) Not set	Not set	Not set	Not set
Market mapping behavior	(AtLeastOneActive) Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
Auto create domain event	Not set	Not set	(No) Not set	Not set	Not set	No	(No) Not set	Not set	Not set	Not set
Auto create domain player	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Automap market type enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Auto create market type enabled	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
Settlement enabled	No	No	No	Not set	Not set	Yes	No	Yes	Yes	Yes
Resettlement enabled	Not set	Not set	No	Not set	Not set	Yes	No	No	No	No
Bet void enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Bet void rollback enabled	Not set	Not set	Not set	Not set	Not set	Yes	Not set	Not set	Not set	Not set
Auto map one to many enabled	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set	Not set
External trading service enabled	Not set	Not set	Not set	No	Not set	No	Not set	Not set	Not set	Not set

Feed Source	Score	Time	Live State	Incident	Stats	Podcast	Weather	Pitch	Surface	Video
Bet Radar Unified	Yes	Yes	Yes	No	No	No	No	No	No	No
Bet Radar Live Data	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No

Feeder Configuration Feeder Incidents Configuration could only be seen once a specific kind of Sport is selected. It will appear at the bottom of the Feeder Configuration. While certain incidents that are provided by different feeds could be set up. It could be done specifically for each League or Category of a certain Sport. On top is a list of Feeder providers, where for each of them configuration for a different system action can be configured.

NOTE: Setting that is set on a higher level is showing inside a ( ), for example, if "Automapping enabled" is set as "Yes" for Soccer sport, but inside Category "England" admin sets it to "No" setting will show as "(Yes) No". Higher level configuration will show just for 1 level above, so for Category configuration it will show setting for Sport and for League it will show for Category. If any setting for feeder configuration system action is "Not set", setting from higher level will apply. If the higher-level setting is "Not set" then it will be considered as feeder configuration system action is set to "No" or disabled.

Feeder configuration system actions that feeder configuration can be applied to:

- **Automapping enabled** - if set to:
  - Yes - will enable automapping of events that already have been mapped in the system: sport, category, league, and teams, in already created events.
  - No - will disable automapping of events that already have been mapped in the system: sport, category, league, and teams, in already created events.
- **Automapping teams enabled** - if set to:
  - Yes - will enable automapping of teams that are already mapped in the system.
  - No - will disable automappin ⓘ teams that are already mapped in the system.
- **Automapping start time threshold (in hours)** - setting is where admin can set event start

time threshold in hours. This setting will allow a new event (that can be automapped by the system) to automap an already created event if the start time difference/threshold is not longer than set here.

- **Auto live offer** - if set to:
  - Yes - will enable the auto-live offer to be set by feeder for the event.
  - No - will disable the auto-live offer to be set by feeder for the event.
- **Automap neutral grounds** - if set to:
  - Yes - will enable automapping of events that are set as neutral ground in already created events.
  - No - will disable automapping of events that are set as neutral ground in already created events.
- **Auto update start time rank** - setting is where admin can set priority between feeders. Feeders with a higher number set have a higher priority, feeders with a higher number will auto-set the start time of the event, if more feeders are mapped at the same time for the event.
- **Market mapping behavior** - if set to:
  - At Least One Active - will enable automapping of events with at least one active market in an event that is already created in the system.
  - All Active - will enable automapping of events only if all markets are active in an event that is already created in the system.
- **Auto create domain event** - if set to:
  - Yes - will enable the auto-create of events that are already mapped in the system.
  - No - will disable the auto-create of events that are already mapped in the system.
- **Auto create domain player** - if set to:
  - Yes - will enable the auto-create of player/team that is not already mapped in the system.
  - No - will disable the auto-create of player/team that are not already mapped in the system.
- **Automap market type enabled** - if set to:
  - Yes - will enable automapping of market types that are already mapped in the system.
  - No - will disable automapping of market types that are already mapped in the system.
- **Auto create market type enabled** - if set to:
  - Yes - will enable the create of a market type that is not already mapped in the system.
  - No - will disable the create of a market type that is not already mapped in the system.
- **Settlement enabled** - if set to:
  - Yes - will enable auto-settlement of event markets by the feeder.

    - No - will disable auto-settlement of event markets by the feeder.
- **Resettlement enabled** - if set to:
    - Yes - will enable auto-resettlement of event markets by the feeder.
    - No - will disable auto-resettlement of event markets by the feeder.
- **Bet void enabled** - if set to:
    - Yes - will enable auto settlement to void the status of event markets by the feeder.
    - No - will disable auto settlement to void the status of event markets by the feeder.
- **Bet void rollback enabled** - if set to:
    - Yes - will enable autovoid status settlement rollback to initial settlement of event markets by the feeder.
    - No - will disable autovoid status settlement rollback to initial settlement of event markets by the feeder.
- **Auto map one to many enabled** - if set to:
    - Yes - will enable automapping of events that are already mapped in the system to already created events with the same opponents but with different start times for the same event.
    - No - will disable automapping of events that are already mapped in the system to already created events with the same opponents but with different start times for the same event.
- **External trading service enabled** - if set to:
    - Yes - will enable external trading service.
    - No - will disable external trading services.



Feeder Incidents Configuration could only be seen once a specific kind of Sport is selected. It will appear at the bottom of the Feeder Configuration. While certain incidents that are provided by different feeds could be set up. It could be done specifically for each League or Category of a certain Sport. On top is a list of Feeder providers, where for each of them configuration for a different system action can be configured.

Feeder Incidents Configuration setting can be applied for:

- **Score** - it will load score data if the feeder provides it and if the setting is set to Yes.
- **Time** - it will load time data if the feeder provides it and if the setting is set to Yes.
- **Live State** - it will load live state if the feeder provides it and if the setting is set to Yes.
- **Incidents** - it will load incident data if the feeder provides it and if the setting is set to Yes.
- **Stats** - it will load stats data if the feeder provides it and if the setting is set to Yes.
- **Podcast** - it will load podcast data if the feeder provides it and if the setting is set to Yes.
- **Weather** - it will load weather data if the feeder provides it and if the setting is set to Yes.
- **Pitch** - it will load pitch information data if the feeder provides it and if the setting is set to Yes.
- **Surface** - it will load surface information data if the feeder provides it and if the setting is set to Yes.
- **Video** - it will load the video URL if the feeder provides it and if the setting is set to Yes.
- **Sort** - button allows admin to sort Feed Sources. Feed Source that is placed higher will be prioritized if the system receives the same data from 2 or more feed sources.
- **Add "+"** - button allows admin to add new Feed Source in Feeder Incidents Configuration list.
- **Switch** - button allows admin to Enable/Disable Feed Source

- **Switch** - button allows admin to Enable/ Disable Feed Source.
- **Edit** - button allows admins to configure which data Feed Source will provide.
  - Save - button will save changes in Feeder Incidents Configuration setting.
  - Cancel - button will cancel changes in Feeder Incidents Configuration setting and close it.

QNX Admin

QNX Admin Stage

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

Copyright © 2024

QNX Manual v.25092025