

# Nextcloud User Manual

**version latest**

**The Nextcloud developers**

June 13, 2025



# Contents

<b>Table of contents</b>	<b>1</b>
Nextcloud latest user manual introduction	1
What's new for users in Nextcloud latest	1
The Nextcloud Web interface	3
Web browser requirements	3
Navigating the main user interface	3
Files & synchronization	5
Accessing your files using the Nextcloud Web interface	5
Tagging files	5
Comments	6
Video player	6
File controls	7
Previewing files	8
Navigating inside your Nextcloud	8
Sharing status icons	8
Creating or uploading files and directories	8
Selecting files or folders	9
Filtering the files view	9
Moving files	9
Creating or connecting to a Federation Share link	9
Accessing Nextcloud files using WebDAV	9
Official Nextcloud desktop and mobile clients	10
Third-party WebDAV clients	10
Accessing files using Linux	10
Nautilus file manager	11
Accessing files with KDE and Dolphin file manager	11
Creating WebDAV mounts on the Linux command line	12
Known issues	13
Problem	13
Solution	13
Problem	13
Solution	13
Accessing files using macOS	13
Accessing files using Microsoft Windows	14
Mapping drives with the command line	14
Mapping drives with Windows Explorer	15
Accessing files using Cyberduck	15
Accessing public shares over WebDAV	16
Known problems	16
Problem	16
Solution 1	16
Solution 2	16
Problem	16
Solution	17

Problem	17
Answer	17
Problem	17
Solution	17
Problem	17
Solution	17
Accessing files using cURL	18
Accessing files using WinSCP	19
Managing deleted files	19
Quotas	20
What happens when shared files are deleted	20
How the deleted files app manages storage space	20
Desktop and mobile synchronization	20
Mobile clients	20
Encrypting your Nextcloud files on the server	21
Encryption FAQ	21
How can encryption be disabled?	21
Is it possible to disable encryption with the recovery key?	21
Can encryption be disabled without the user's password?	21
Is it planned to move this to the next user login or a background job?	21
Is group Sharing possible with the recovery key?	21
Using encryption	21
Sharing encrypted files	22
Recovery key password	22
Files not encrypted	22
Change private key password	23
File Sharing	23
Public link shares	23
Internal shares with users and groups	24
Others with access	25
Federated Shares	26
Creating a new Federation Share	26
Adding a public share to your Nextcloud	26
Making anonymous uploads	27
Setting up your own file drop	27
Uploading files	27
Large file uploads	28
Storage quota	28
Version control	29
Naming a version	29
Deleting a version	29
Projects	29
Create a new project	30
Adding more entries to a project	31
Visibility of projects	31
Transfer Ownership	32

Using Federation Shares	32
Creating a new Federation Share	32
Creating a new Federated Cloud Share via email	33
Groupware	34
Using the Contacts app	34
Adding Contacts	34
Importing Virtual Contacts	34
Adding Contacts Manually	35
Edit or Remove Contact Information	36
Contact Picture	36
Adding and Managing Address Books	36
Circles	37
Create a circle	37
Circle roles	37
Add members to a circle	38
Circle options	38
Shared items	38
Using the Calendar app	38
Managing your calendars	39
Create a new Calendar	39
Import a Calendar	40
Edit, Export or Delete a Calendar	40
Sharing calendars	41
Publishing a calendar	41
Subscribe to a Calendar	42
Subscribe to a Holiday Calendar	42
Managing Events	42
Create a new event	42
Edit, duplicate or delete an event	43
Invite attendees to an event	44
Assign rooms and resources to an event	45
Add attachments to events	45
Set up reminders	46
Add recurring options	47
Trash bin	47
Automated User Status	48
Responding to invitations	48
Availability (Working Hours)	48
Birthday calendar	49
Appointments	49
Creating an appointment configuration	49
Booking an appointment	51
Working with the booked appointment	53
Create Talk room for booked appointments	54
Using the Mail app	54
Managing your mail account	54

Switch layout	54
Add a new mail account	55
Change sort order	55
Scheduled messages	55
Priority inbox	56
All inboxes	56
Account settings	56
Move messages to Junk folder	56
Enable mail body search	57
Account delegation	57
Automatic trash deletion	57
Compose messages	58
Minimize the composer modal	58
Outbox	58
Mailbox actions	58
Add a mailbox	58
Add a submailbox	59
Shared mailbox	59
Envelope actions	59
Create an event	59
Create a task	59
Edit tags	59
Message actions	60
Unsubscribe from a mailing list	60
Snooze	60
Smart replies	60
Filtering and autoresponder	60
Autoresponders	60
Setting out-of-office messages	60
Synchronizing with Android	61
Files and notifications	61
Contacts and Calendar	61
With the Nextcloud mobile app	61
Without the Nextcloud mobile app	61
Synchronizing with iOS	62
Calendar	62
Contacts	63
Synchronizing with macOS	63
Setup your Accounts	63
Troubleshooting	65
Synchronizing with Thunderbird	65
Recommended method	65
Contacts	65
Calendars	65
Alternative: Using the TbSync addon	65
Alternative: Using the CardBook add-on (Contacts only)	66

Synchronizing with KDE Kontact	67
Synchronizing with the GNOME desktop	76
Synchronizing with Windows 10	77
Calendar	77
Contacts	77
Troubleshooting	78
Contacts	78
Talk	78
Basics of Nextcloud Talk	79
Creating a chat	79
View all open conversations	80
Filter your conversations	80
Sharing files in a chat	81
Inserting emoji	82
Using Markdown	82
Setting reminder on messages	83
Replying to messages and more	83
Managing a conversation	84
Messages expiration	84
Starting a call	85
Starting a screen share	86
Changing view in a call	86
Advanced Talk features	87
Matterbridge	87
Lobby	88
Commands	88
Talk from Files	89
Create tasks from chat or share tasks in chat	90
Breakout rooms	91
Configure breakout rooms	91
Manage breakout rooms	93
Call recording	95
Manage a recording	95
Recording consent	96
Join a call or chat as guest	97
Joining a chat	97
Joining a call	97
Starting a screen share	98
More settings	98
Setting your preferences	98
Sharing your data in the global address book	99
Universal access	100
Zoom and responsiveness	100
Navigating via keyboard	100
Included themes	101
Using two-factor authentication	101

Configuring two-factor authentication	101
Recovery codes in case you lost your 2nd factor	102
Logging in with two-factor authentication	102
Using two-factor authentication with hardware tokens	103
Using client applications with two-factor authentication	103
Considerations	103
Manage connected browsers and devices	103
Managing connected browsers	103
Managing devices	104
Device-specific passwords and password changes	105
External Storage	105
Configuring External Storage	105

# Table of contents

## Nextcloud latest user manual introduction

### Welcome to Nextcloud: A safe home for all your data.

Nextcloud is open source file sync and share software for everyone from individuals operating the free Nextcloud Server in the privacy of their own home, to large enterprises and service providers supported by the Nextcloud Enterprise Subscription. Nextcloud provides a safe, secure, and compliant file synchronization and sharing solution on servers that you control.


You can share one or more files and folders on your computer, and synchronize them with your Nextcloud server. Place files in your local shared directories, and those files are immediately synchronized to the server and to other devices using the Nextcloud Desktop Sync Client, Android app, or iOS app. To learn more about the Nextcloud desktop client, please refer to:

- [Nextcloud Desktop Client](#)


[Help translate.](#)

## What's new for users in Nextcloud latest

### 1. Easier way to select a new app:




### 2. New Contacts menu to reach your colleagues or friends easier:




## Table of contents

3 . A contact popup menu over avatars everywhere:




4 . Ability to send multiple unique sharing links each with their own settings, by entering email addresses (the recipient will receive an email):



- 5 . Many other improvements and new apps, like screensharing in Video calls, new Circles app for user defined groups, push notifications, notifications of file changes even when shared to another server, undo removal of files from a shared folder even if the removal was done by a recipient, directly sharing to social media and much more.

## The Nextcloud Web interface

You can connect to your Nextcloud server using any Web browser. Just point it to your Nextcloud server URL (e.g. cloud.example.com) and enter your username and password:



## Web browser requirements

For the best experience with the Nextcloud web interface, we recommend that you use the latest and supported version of a browser from this list:

- Google **Chrome**/Chromium (Desktop and Android)
- Mozilla **Firefox** (Desktop and Android)
- Apple **Safari** (Desktop and iOS)
- Microsoft **Edge**

### Note

Not all versions are supported. Nextcloud is tested and built to work with [these versions only](#).

### Note

If you want to use Nextcloud Talk you need to run Mozilla **Firefox** 52+ or Google **Chrome**/Chromium 49+ to have the full experience with video calls and screensharing.


### Warning

Microsoft **Internet Explorer** is **NOT** supported.

## Navigating the main user interface

By default, the Nextcloud Web interface opens to your Dashboard or Files page:

## The Nextcloud Web interface



In Files you can add, remove, and share files, and the server administrator can change access privileges.

The Nextcloud user interface contains the following fields and functions:

- **Apps Selection Menu (1)**: Located in the upper left corner, you'll find all your apps which are available on your instance of Nextcloud. Clicking on an app icon will redirect you to the app.
- **Apps Information field (2)**: Located in the left sidebar, this provides filters and tasks associated with your selected app. For example, when you are using the Files app you have a special set of filters for quickly finding your files, such as files that have been shared with you, and files that you have shared with others. You'll see different items for other apps.
- **Application View (3)**: The main central field in the Nextcloud user interface. This field displays the contents or user features of your selected app.
- **Navigation Bar (4)**: Located over the main viewing window (the Application View), this bar provides a type of breadcrumbs navigation that enables you to migrate to higher levels of the folder hierarchy up to the root level (home).
- **New button (5)**: Located in the Navigation Bar, the New button enables you to create new files, new folders, or upload files.

### Note

You can also drag and drop files from your file manager into the Files Application View to upload them to your instance.

- **Search field (6)**: Click on the Magnifier in the upper right corner to search for files and entries of the current app.
- **Contacts Menu (7)**: Gives you an overview about your contacts and users on your server. Dependent on the given details and available apps, you can directly start a video call with them or send emails.
- **Grid view button (8)**: This looks like four little squares, which toggles the grid view for folders and files.
- **Settings menu (9)**: Click on your profile picture, located to the right of the Search field, to open your Settings dropdown menu. Your Settings page provides the following settings and features:
  - Links to download desktop and mobile apps
  - Server usage and space availability
  - Password management

## Files & synchronization


- Name, email, and profile picture settings
- Manage connected browsers and devices
- Group memberships
- Interface language settings
- Manage notifications
- Federated Cloud ID and social media-sharing buttons
- SSL/TLS certificate manager for external storages
- Your Two-factor Settings
- Nextcloud Version information

See Setting your preferences section to learn more about these settings.

## Files & synchronization


### Accessing your files using the Nextcloud Web interface

You can access your Nextcloud files with the Nextcloud Web interface and create, preview, edit, delete, share, and re-share files. Your Nextcloud administrator has the option to disable these features, so if any of them are missing on your system ask your server administrator.



### Tagging files


You can assign tags to files. To create tags, open a file to the Details view. Then type your tags. To enter more than one tag press the return key after creating each tag. All tags are system tags, and are shared by all users on your Nextcloud server.



Then use the Tags filter on the left sidebar to filter files by tags:


### Comments

Use the Details view to add and read comments on any file or folder. Comments are visible to everyone who has access to the file:



### Video player

You can play videos in Nextcloud with the Video Player app by simply clicking on the file. Video streaming by the native Nextcloud video player depends on your Web browser and the video format. If your Nextcloud administrator has enabled video streaming, and it doesn't work in your Web browser, it may be a browser issue. See [https://developer.mozilla.org/en-US/docs/Web/HTML/Supported\\_media\\_formats#Browser\\_compatibility](https://developer.mozilla.org/en-US/docs/Web/HTML/Supported_media_formats#Browser_compatibility) for supported multimedia formats in Web browsers.




## File controls

Nextcloud can display thumbnail previews for image files, MP3 covers, and text files, if this enabled by your server administrator. Hover your cursor over a file or folder to expose the controls for the following operations:

### Favorites


Click the star to the left of the file icon to mark it as a favorite:




You can also quickly find all of your favorites with the Favorites filter on the left sidebar.

### Overflow Menu

The Overflow menu (three dots) displays file details, and allows you to rename, download, or delete files:




The Details view shows Activities, Sharing, and Versions information:



## Files & synchronization

The **Settings** gear icon at the lower left allows you to show or hide hidden files in your Nextcloud Web interface. These are also called dotfiles, because they are prefixed with a dot, e.g. `.mailfile`. The dot tells your operating system to hide these files in your file browsers, unless you choose to display them. Usually these are configuration files, so having the option to hide them reduces clutter.



Settings

Show hidden files

### Previewing files


You can display uncompressed text files, OpenDocument files, videos, and image files in the Nextcloud embedded viewers by clicking on the file name. There may be other file types you can preview if your Nextcloud administrator has enabled them. If Nextcloud cannot display a file, it starts a download process and downloads the file to your computer.

### Navigating inside your Nextcloud

Navigating through folders in Nextcloud is as simple as clicking on a folder to open it and using the back button on your browser to move to a previous level. Nextcloud also provides a navigation bar at the top of the Files field for quick navigation.


### Sharing status icons

Any folder that has been shared is marked with the Shared overlay icon. Public link shares are marked with a chain link. Unshared folders are not marked:



### Creating or uploading files and directories

Upload or create new files or folders directly in a Nextcloud folder by clicking on the *New* button in the Files app:



The *New* button provides the following options:

#### Up arrow

Upload files from your computer into Nextcloud. You can also upload files by dragging and dropping them from your file manager.

### Text file

Creates a new text file and adds the file to your current folder.

### Folder

Creates a new folder in the current folder.

## Selecting files or folders

You can select one or more files or folders by clicking on their checkboxes. To select all files in the current directory, click on the checkbox located at the top of the files listing.

When you select multiple files, you can delete all of them, or download them as a ZIP file by using the Delete or Download buttons that appear at the top.

### Note

If the Download button is not visible, the administrator has disabled this feature.

## Filtering the files view

The left sidebar on the Files page contains several filters for quickly sorting and managing your files.

### All files

The default view; displays all files that you have access to.

### Favorites

Files or folders marked with the yellow star.

### Shared with you

Displays all files shared with you by another user or group.

### Shared with others

Displays all files that you have shared with other users or groups.

### Shared by link

Displays all files that are shared by you via public link.

### External Storage (optional)

Files that you have access to on external storage devices and services such as Amazon S3, SMB/CIFS, FTP...

## Moving files

You can move files and folders by dragging and dropping them into any directory.

## Creating or connecting to a Federation Share link

Federated Cloud Sharing allows you to mount file shares from remote Nextcloud servers, and manage them just like a local share. See Using Federation Shares to learn to how to create and connect to new Federated Cloud shares.

## Accessing Nextcloud files using WebDAV

Nextcloud fully supports the WebDAV protocol, and you can connect and synchronize with Nextcloud Files over WebDAV. In this chapter, you will learn how to connect Linux, macOS, Windows, and mobile devices to your Nextcloud server.

WebDAV stands for Distributed Authoring and Versioning. It is an HTTP extension that makes it easy to create, read, and edit files hosted on remote Web servers. With a WebDAV client, you can access your Nextcloud Files (including shares) on Linux, macOS and Windows in a similar way as any remote network share, and stay synchronized.

Before we get into configuring WebDAV, let's take a quick look at the recommended way of connecting client devices to Nextcloud.

## Official Nextcloud desktop and mobile clients

The recommended way to synchronize a computer with a Nextcloud server is by using the [official Nextcloud sync clients](#). You can configure the client to save files in any local directory and you can choose which directories on the Nextcloud server to sync with. The client displays the current connection status and logs all activity, so you always know which remote files have been downloaded to your PC and you can verify that files created and updated on your local PC are properly synchronized with the server.

The recommended way to synchronize Android and Apple iOS devices is by using the [official Nextcloud mobile apps](#).

To connect the official Nextcloud apps to a Nextcloud server use the same URL you use to access Nextcloud from your web browser - e.g.:

`https://cloud.example.com`

`https://example.com/nextcloud` (if Nextcloud is installed in a subdirectory called "nextcloud")

## Third-party WebDAV clients

If you prefer, you may also connect your computer to your Nextcloud server by using any third-party client that supports the WebDAV protocol (including what may be built into your operating system).

You can also use third-party WebDAV capable apps to connect your mobile device to Nextcloud.

When using third-party clients, keep in mind that they may not be optimized for use with Nextcloud or implement capabilities you consider important to your use case.

Mobile clients that Nextcloud community members have reported using include:

- [FolderSync \(Android\)](#)
- [WebDAV Navigator \(iPhone\)](#)

The URL to use when configuring third-party apps to connect to Nextcloud is a bit lengthier than the one for official clients:

`https://cloud.example.com/remote.php/dav/files/USERNAME/`

`https://example.com/nextcloud/remote.php/dav/files/USERNAME/` (if Nextcloud is installed in a subdirectory called "nextcloud")

### Note

When using a third-party WebDAV client (including your operating system's built-in client), you should use an application password for login rather than your regular password. In addition improved security, this [increases performance significantly](#). To configure an application password, log into the Nextcloud Web interface, click on the avatar in the top right and choose *Personal settings*. Then choose *Security* in the left sidebar and scroll to the very bottom. There you can create an app password (which can also be revoked in the future without changing your main user password).

### Note

In the following examples, you should replace **example.com/nextcloud** with the URL of your Nextcloud server (omit the directory part if the installation is in the root of your domain), and **USERNAME** with the username of the connecting user.

See the WebDAV URL (bottom left in settings) on your Nextcloud.

## Accessing files using Linux

You can access files in Linux operating systems using the following methods.

## Nautilus file manager


When you configure your Nextcloud account in the GNOME Control Center, your files will automatically be mounted by Nautilus as a WebDAV share, unless you deselect file access.

You can also mount your Nextcloud files manually. Use the `davs://` protocol to connect the Nautilus file manager to your Nextcloud share:

```
davs://example.com/nextcloud/remote.php/dav/files/USERNAME/
```

### Note

If your server connection is not HTTPS-secured, use `dav://` instead of `davs://`:




### Note

The same method works for other file managers that use GVFS, such as MATE's Caja and Cinnamon's Nemo.

## Accessing files with KDE and Dolphin file manager

To access your Nextcloud files using the Dolphin file manager in KDE, use the `webdav://` protocol:

```
webdav://example.com/nextcloud/remote.php/dav/files/USERNAME/
```



You can create a permanent link to your Nextcloud server:

- 1 . Open Dolphin and click “Network” in the left-hand “Places” column.
- 2 . Click on the icon labeled **Add a Network Folder**. The resulting dialog should appear with WebDAV already selected.
- 3 . If WebDAV is not selected, select it.
- 4 . Click **Next**.
- 5 . Enter the following settings:
  - Name: the name you want to see in the **Places** bookmark, for example, Nextcloud.
  - User: the Nextcloud username you used to log in, for example, admin.
  - Server: the Nextcloud domain name, for example, **example.com** (without **http://** before or directories afterwards).
  - Folder – Enter the path `nextcloud/remote.php/dav/files/USERNAME/`.
- 6 . (Optional) Check the “Create icon” checkbox for a bookmark to appear in the Places column.
- 7 . (Optional) Provide any special settings or an SSL certificate in the “Port & Encrypted” checkbox.

### Creating WebDAV mounts on the Linux command line

You can create WebDAV mounts from the Linux command line. This is useful if you prefer to access Nextcloud the same way as any other remote filesystem mount. The following example shows how to create a personal mount and have it mounted automatically every time you log in to your Linux computer.

- 1 . Install the `davfs2` WebDAV filesystem driver, which allows you to mount WebDAV shares just like any other remote filesystem. Use this command to install it on Debian/Ubuntu:

```
apt-get install davfs2
```

- 2 . Use this command to install it on CentOS, Fedora, and openSUSE:

```
yum install davfs2
```

- 3 . Add yourself to the `davfs2` group:

```
usermod -aG davfs2 <username>
```

- 4 . Then create a `nextcloud` directory in your home directory for the mount point, and `.davfs2/` for your personal configuration file:

```
mkdir ~/nextcloud  
mkdir ~/.davfs2
```

- 5 . Copy `/etc/davfs2/secrets` to `~/.davfs2/`:

```
cp /etc/davfs2/secrets ~/.davfs2/secrets
```

- 6 . Set yourself as the owner and make the permissions read-write owner only:

```
chown <linux_username>:<linux_username> ~/.davfs2/secrets  
chmod 600 ~/.davfs2/secrets
```

- 7 . Add your Nextcloud login credentials to the end of the `secrets` file, using your Nextcloud server URL and your Nextcloud username and password:

```
https://example.com/nextcloud/remote.php/dav/files/USERNAME/ <username> <password>  
or  
$PathToMountPoint $USERNAME $PASSWORD  
for example  
/home/user/nextcloud john 1234
```

mount information to `/etc/fstab`:

```
//example.com/nextcloud/remote.php/dav/files/USERNAME/ /home/<linux_username>/nextcloud davfs user,
```

- 9 . Then test that it mounts and authenticates by running the following command. If you set it up correctly you won't need root permissions:

```
mount ~/nextcloud
```

- 10 You should also be able to unmount it:

```
umount ~/nextcloud
```

Now every time you login to your Linux system your Nextcloud share should automatically mount via WebDAV in your `~/nextcloud` directory. If you prefer to mount it manually, change `auto` to `noauto` in `/etc/fstab`.

## Known issues

### Problem

Resource temporarily unavailable

### Solution

If you experience trouble when you create a file in the directory, edit `/etc/davfs2/davfs2.conf` and add:

```
use_locks 0
```

### Problem

Certificate warnings

### Solution

If you use a self-signed certificate, you will get a warning. To change this, you need to configure `davfs2` to recognize your certificate. Copy `mycertificate.pem` to `/etc/davfs2/certs/`. Then edit `/etc/davfs2/davfs2.conf` and uncomment the line `servercert`. Now add the path of your certificate as in this example:

```
servercert /etc/davfs2/certs/mycertificate.pem
```

## Accessing files using macOS

### Note

The macOS Finder suffers from a [series of implementation problems](#) and should only be used if the Nextcloud server runs on **Apache** and **mod\_php**, or **Nginx 1.3.8+**. Alternative macOS-compatible clients capable of accessing WebDAV shares include open source apps like [Cyberduck](#) (see instructions [here](#)) and [Filezilla](#). Commercial clients include [Mountain Duck](#), [Forklift](#), [Transmit](#), and [Commander One](#).

To access files through the macOS Finder:

- 1 . From the Finder's top menu bar, choose **Go > Connect to Server...**:



- When the **Connect to Server...** window opens, enter your Nextcloud server's WebDAV address in the **Server Address:** field, i.e.:

`https://cloud.YOURDOMAIN.com/remote.php/dav/files/USERNAME/`



- Click **Connect**. Your WebDAV server should appear on the Desktop as a shared disk drive.

## Accessing files using Microsoft Windows

If you use the native Windows implementation of WebDAV, you can map Nextcloud to a new drive using Windows Explorer. Mapping to a drive enables you to browse files stored on a Nextcloud server the way you would browse files stored in a mapped network drive.

Using this feature requires network connectivity. If you want to store your files offline, use the Desktop Client to sync all files on your Nextcloud to one or more directories of your local hard drive.

### Note

Windows 10 now defaults to allow Basic Authentication if HTTPS is enabled before mapping your drive.

On older versions of Windows, you must permit the use of Basic Authentication in the Windows Registry:

- launch `regedit` and navigate to `HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\WebClient\Parameters`.
- Create or edit the `BasicAuthLevel` (Windows Vista, 7 and 8), or `UseBasicAuth` (Windows XP and Windows Server 2003), `DWORD` value and set its value data to 1 for SSL connections. A value of 0 means that Basic Authentication is disabled, and a value of 2 allows both SSL and non-SSL connections (not recommended).
- Then exit Registry Editor, and restart the computer.

## Mapping drives with the command line

The following example shows how to map a drive using the command line. To map the drive:

- Open a command prompt in Windows.

- Enter the following line in the command prompt to map to the computer Z drive:

```
net use Z: https://<drive_path>/remote.php/dav/files/USERNAME/ /user:youruser yourpassword
```

with `<drive_path>` as the URL to your Nextcloud server. For example:

```
net use Z: https://example.com/nextcloud/remote.php/dav/files/USERNAME/ /user:youruser yourpassword
```

The computer maps the files of your Nextcloud account to the drive letter Z.

### Note

If you get the following error System error 67 has occurred. The network name cannot be found., open the **Services** app and make sure that the `WebClient` service is running and started automatically at startup.

## Note

Though not recommended, you can also mount the Nextcloud server using HTTP, leaving the connection unencrypted.

If you plan to use HTTP connections on devices while in a public place, we strongly recommend using a VPN tunnel to provide the necessary security.

An alternative command syntax is:

```
net use Z: \\example.com@ssl\nextcloud\remote.php\dav /user:youruser  
yourpassword
```

## Mapping drives with Windows Explorer

To map a drive using Microsoft Windows Explorer:


1. Open Windows Explorer on your MS Windows computer.
2. Right-click on **Computer** entry and select **Map network drive...** from the drop-down menu.
3. Choose a local network drive to which you want to map Nextcloud.
4. Specify the address to your Nextcloud instance, followed by **/remote.php/dav/files/USERNAME/**.

For example:

```
https://example.com/nextcloud/remote.php/dav/files/USERNAME/
```

## Note

For SSL-protected servers, check **Reconnect at sign-in** to ensure that the mapping is persistent upon subsequent reboots. If you want to connect to the Nextcloud server as a different user, check **Connect using different credentials**.



5. Click the **Finish** button.

Windows Explorer maps the network drive, making your Nextcloud instance available.

## Accessing files using Cyberduck

[Cyberduck](#) is an open source FTP, SFTP, WebDAV, OpenStack Swift, and Amazon S3 browser designed for file transfers on macOS and Windows.

## Note

This example uses Cyberduck version 4.2.1.

To use Cyberduck:

1. Specify a server without any leading protocol information.

For example: example.com

### 2. Specify the appropriate port.

The port you choose depends on whether or not your Nextcloud server supports SSL. Cyberduck requires that you select a different connection type if you plan to use SSL.

**For example:**

- 80 for unencrypted WebDAV
- 443 for secure WebDAV (HTTPS/SSL)

### 3. Use the 'More Options' drop-down menu to add the rest of your WebDAV URL into the 'Path' field.

For example: remote.php/dav/files/USERNAME/

Now Cyberduck enables file access to the Nextcloud server.

## Accessing public shares over WebDAV

Nextcloud provides the possibility to access public shares anonymously over WebDAV.

To access the public share, open:

`https://example.com/nextcloud/public.php/webdav`

in a WebDAV client, use the share token as username and the (optional) share password as the password. For example, with a share link <https://example.com/s/kFy9Lek5sm928xP>, kFy9Lek5sm928xP will be the username.

## Note

**Settings → Administration → Sharing → Allow users on this server to send shares to other servers.** This option also allows WebDAV access to public shares and needs to be enabled to make this feature work, except if CURL is being used (see below).

## Known problems

### Problem

Windows does not connect using HTTPS.

### Solution 1

The Windows WebDAV Client might not support Server Name Indication (SNI) on encrypted connections. If you encounter an error mounting an SSL-encrypted Nextcloud instance, contact your provider about assigning a dedicated IP address for your SSL-based server.

### Solution 2

The Windows WebDAV Client might not support TLSv1.1 and TLSv1.2 connections. If you have restricted your server config to only provide TLSv1.1 and above the connection to your server might fail. Please refer to the [WinHTTP](#) documentation for further information.

### Problem

You receive the following error message: **Error 0x800700DF: The file size exceeds the limit allowed and cannot be saved.**

## Solution

Windows limits the maximum size a file transferred from or to a WebDAV share may have. You can increase the value **FileSizeLimitInBytes** in **HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\WebClient\Parameters** by clicking on **Modify**.

To increase the limit to the maximum value of 4GB, select **Decimal**, enter a value of **4294967295**, and reboot Windows or restart the **WebClient** service.

## Problem

Adding a WebDAV drive on Windows via the above described steps does not display the correct size of in Nextcloud available space and instead shows the size of the C: drive with its available space.

## Answer

Unfortunately is this a limitation of WebDAV itself, because it does not provide a way for the client to get the available free space from the server. Windows automatically falls back to show the size of the C: drive with its available space instead. So unfortunately there is no real solution to this problem.

## Problem

Accessing your files from Microsoft Office via WebDAV fails.

## Solution

Known problems and their solutions are documented in the [KB2123563](#) article.

## Problem

Cannot map Nextcloud as a WebDAV drive in Windows using a self-signed certificate.

## Solution

- 1 . Access to your Nextcloud instance via your favorite Web browser.
- 2 . Click through until you get to the certificate error in the browser status line.
- 3 . View the certificate, then from the Details tab, select 'Copy to File'.
- 4 . Save the file to your desktop with an arbitrary name, for example `myNextcloud.pem`.
- 5 . Go to Start menu > Run, type MMC, and click 'OK' to open Microsoft Management Console.
- 6 . Go to File > Add/Remove Snap-In.
- 7 . Select Certificates, Click 'Add', choose 'My User Account', then 'Finish', and finally 'OK'.
- 8 . Dig down to Trust Root Certification Authorities, Certificates.
- 9 . Right-Click Certificate, Select All Tasks, and Import.
- 10 Select the saved certificate from the Desktop.  
.
- 11 Select Place all Certificates in the following Store, and click Browse.  
.
- 12 Check the Box that says Show Physical Stores, expand out Trusted Root Certification Authorities, select Local Computer there, click 'OK', and Complete the Import.
- 13 Check the list to make sure the certificate shows up. You will probably need to Refresh before you see it.  
.
- 14 Exit MMC.

For Firefox users:

- 1 . Launch your browser, go to Application menu > History > Clear recent history...
- 2 . Select 'Everything' in the 'Time range to clear' dropdown menu
- 3 . Select the 'Active Logins' check box
- 4 . Click the 'Clear now' button
- 5 . Close the browser, then re-open and test.

For Chrome-based browsers (Chrome, Chromium, Microsoft Edge) users:

- 1 . Open Windows Control Panel, navigate down to Internet Options
- 2 . In the Content tab, click the Clear SSL State button.
- 3 . Close the browser, then re-open and test.

## Accessing files using cURL

Since WebDAV is an extension of HTTP, cURL can be used to script file operations.

### Note

**Settings → Administration → Sharing → Allow users on this server to send shares to other servers.** If this option is disabled, the option --header "X-Requested-With: XMLHttpRequest" needs to be passed to cURL.

To create a folder with the current date as name:

```
$ curl -u user:pass -X MKCOL "https://example.com/nextcloud/remote.php/dav/files/USERNAME/$()
```

To upload a file error.log into that directory:

```
$ curl -u user:pass -T error.log "https://example.com/nextcloud/remote.php/dav/files/USERNAME/$(date +%
```

To move a file:

```
$ curl -u user:pass -X MOVE --header 'Destination: https://example.com/nextcloud/remote.php/dav/files/
```

To get the properties of files in the root folder:

```
$ curl -X PROPFIND -H "Depth: 1" -u user:pass https://example.com/nextcloud/remote.php/dav/files/USERNAME/..<?xml version="1.0" encoding="utf-8"?><d:multistatus xmlns:d="DAV:" xmlns:oc="http://nextcloud.org/ns" xmlns:s="http://sabredav.org/ns"><d:response><d:href>/nextcloud/remote.php/dav/files/USERNAME/</d:href><d:propstat><d:prop><d:getlastmodified>Tue, 13 Oct 2015 17:07:45 GMT</d:getlastmodified><d:resourcetype><d:collection/></d:resourcetype><d:quota-used-bytes>163</d:quota-used-bytes><d:quota-available-bytes>11802275840</d:quota-available-bytes><d:getetag>"561d3a6139d05"</d:getetag></d:prop><d:status>HTTP/1.1 200 OK</d:status></d:propstat></d:response><d:response><d:href>/nextcloud/remote.php/dav/files/USERNAME/welcome.txt</d:href><d:propstat><d:prop><d:getlastmodified>Tue, 13 Oct 2015 17:07:35 GMT</d:getlastmodified>
```

```
<d:getcontentlength>163</d:getcontentlength>
<d:resourcetype/>
<d:getetag> "47465fae667b2d0fee154f5e17d1f0f1" </d:getetag>
<d:getcontenttype>text/plain</d:getcontenttype>
</d:prop>
<d:status>HTTP/1.1 200 OK</d:status>
</d:propstat>
</d:response>
</d:multistatus>
```

## Accessing files using WinSCP

WinSCP is an open source free SFTP, FTP, WebDAV, S3, and SCP client for Windows. Its main function is file transfer between a local and a remote computer. Beyond this, WinSCP offers scripting and basic file management functionality.

You can [download](#) the portable version of WinSCP and run it on Linux through [Wine](#).

To run WinSCP on Linux, download wine through your distribution's package manager, then run it with the command: wine WinSCP.exe.

To connect to Nextcloud:

- Start WinSCP
- Press 'Session' in the menu
- Press the 'New Session' menu option
- Set the 'File protocol' dropdown to WebDAV
- Set the 'Encryption' dropdown to TLS/SSL Implicit encryption
- Fill in the hostname field: example.com
- Fill in the username field: NEXTCLOUDUSERNAME
- Fill in the password field: NEXTCLOUDPASSWORD
- Press the 'Advanced...' button
- Navigate to 'Environment', 'Directories' on the left side
- Fill in the 'Remote directory' field with the following:  
/nextcloud/remote.php/dav/files/NEXTCLOUDUSERNAME/
- Press the 'OK' button
- Press the 'Save' button
- Select the desired options and press the 'OK' button
- Press the 'Login' button to connect to Nextcloud

### Note

It is recommended to use an app password for the password if you use TOTP as WinSCP does not understand TOTP with Nextcloud at the time of writing (2022-11-07).

## Managing deleted files

When you delete a file in Nextcloud, it is not immediately deleted permanently, only moved into the trash bin. It is not permanently deleted until you manually delete it, or when the Deleted Files app deletes it to make room for new files.

Find your deleted files by clicking on the **Deleted files** button on the Files page of the Nextcloud Web interface. You'll have options to either restore or permanently delete files.

## Quotas

Deleted files are not counted against your storage quota. Only your personal files count against your quota, not files which were shared with you. (See Storage quota to learn more about quotas.)

### What happens when shared files are deleted

Deleting files gets a little complicated when they are shared files, as this scenario illustrates:

- 1 . User1 shares a folder “test” with User2 and User3
- 2 . User2 (the recipient) deletes a file/folder “sub” inside of “test”
- 3 . The folder “sub” will be moved to the trash bin of both User1 (owner) and User2 (recipient)
- 4 . But User3 will not have a copy of “sub” in their trash bin

When User1 deletes “sub” then it is moved to User1’s trash bin. It is deleted from User2 and User3, but not placed in their trash bins.

When you share files, other users may copy, rename, move, and share them with other people, just as they can for any computer files; Nextcloud does not have magic powers to prevent this.

### How the deleted files app manages storage space

To ensure that users do not run over their storage quotas, the Deleted Files app allocates a maximum of 50% of their currently available free space to deleted files. If your deleted files exceed this limit, Nextcloud deletes the oldest files (files with the oldest timestamps from when they were deleted) until it meets the memory usage limit again.

Nextcloud checks the age of deleted files every time new files are added to the deleted files. By default, deleted files stay in the trash bin for 30 days. The Nextcloud server administrator can adjust this value in the `config.php` file by setting the `trashbin_retention_obligation` value. Files older than the `trashbin_retention_obligation` value will be deleted permanently. Additionally, Nextcloud calculates the maximum available space every time a new file is added. If the deleted files exceed the new maximum allowed space Nextcloud will permanently delete those trashed files with the soonest expiration until the space limit is met again.

#### Note

Your administrator may have configured the trash bin retention period to override the storage space management. See [admin documentation](#) for more details.

### Desktop and mobile synchronization

For synchronizing files with your desktop computer, we recommend using the [Nextcloud Sync Client](#) for Windows, macOS and Linux.

The Nextcloud Desktop Sync Client enables you to connect to your Nextcloud Server. You can create folders in your home directory, and keep the contents of those folders synced with your Nextcloud server. Simply copy a file into the directory and the Nextcloud desktop client does the rest. Make a change to the files on one computer, it will flow across the others using these desktop sync clients. You will always have your latest files with you wherever you are.

Its usage is documented separately in the [Nextcloud Desktop Client Manual](#).

### Mobile clients

Visit your Personal page in your Nextcloud Web interface to find download links for Android and iOS mobile sync clients. Or, visit the [Nextcloud download page](#).

Unfortunately, 2-way-sync, a.k.a bidirectional sync, isn’t fully implemented in the Android client yet. See [this issue on GitHub](#) for the current feature’s status.

## Encrypting your Nextcloud files on the server

Nextcloud includes a server side Encryption app, and when it is enabled by your Nextcloud administrator all of your Nextcloud data files are automatically encrypted on the server. Encryption is server-wide, so when it is enabled you cannot choose to keep your files unencrypted. You don't have to do anything special, as it uses your Nextcloud login as the password for your unique private encryption key. Just log out and in and manage and share your files as you normally do, and you can still change your password whenever you want.

Its main purpose is to encrypt files on remote storage services that are connected to your Nextcloud server. This is an easy and seamless way to protect your files on remote storage. You can share your remote files through Nextcloud in the usual way, however you cannot share your encrypted files directly from the remote service you are using, because the encryption keys are stored on your Nextcloud server, and are never exposed to outside service providers.

If your Nextcloud server is not connected to any remote storage services, then it is better to use some other form of encryption such as file-level or whole disk encryption. Because the keys are kept on your Nextcloud server, it is possible for your Nextcloud administrator to snoop in your files, and if the server is compromised the intruder may get access to your files. (Read [Encryption in Nextcloud](#) to learn more.)

## Encryption FAQ

### How can encryption be disabled?

The only way to disable encryption is to run the “decrypt all” script, which decrypts all files and disables encryption.

### Is it possible to disable encryption with the recovery key?

Yes, if every user uses the [file recovery key](#), “decrypt all” will use it to decrypt all files.

### Can encryption be disabled without the user's password?

If you don't have the users password or [file recovery key](#), then there is no way to decrypt all files. What's more, running it on login would be dangerous, because you would most likely run into timeouts.

### Is it planned to move this to the next user login or a background job?

If we did that, then we would need to store your login password in the database. This could be seen as a security issue, so nothing like that is planned.

### Is group Sharing possible with the recovery key?

If you mean adding users to groups and make it magically work? No. This only works with the master key.


## Using encryption

Nextcloud encryption is pretty much set it and forget it, but you have a few options you can use.

When your Nextcloud administrator enables encryption for the first time, you must log out and then log back in to create your encryption keys and encrypt your files. When encryption has been enabled on your Nextcloud server you will see a yellow banner on your Files page warning you to log out and then log back in:

Encryption App is enabled but your keys are not initialized, please log-out and log-in again

When you log back in it takes a few minutes to work, depending on how many files you have, and then you are returned to your default Nextcloud page.



## Note

You must never lose your Nextcloud password, because you will lose access to your files. Though there is an optional recovery option that your Nextcloud administrator may enable; see the Recovery Key Password section (below) to learn about this.

## Sharing encrypted files

Only users who have private encryption keys have access to shared encrypted files and folders. Users who have not yet created their private encryption keys will not have access to encrypted shared files; they will see folders and filenames, but will not be able to open or download the files. They will see a yellow warning banner that says "Encryption App is enabled but your keys are not initialized, please log-out and log-in again."

Share owners may need to re-share files after encryption is enabled; users trying to access the share will see a message advising them to ask the share owner to re-share the file with them. For individual shares, un-share and re-share the file. For group shares, share with any individuals who can't access the share. This updates the encryption, and then the share owner can remove the individual shares.

## Recovery key password

If your Nextcloud administrator has enabled the recovery key feature, you can choose to use this feature for your account. If you enable "Password recovery" the administrator can read your data with a special password. This feature enables the administrator to recover your files in the event you lose your Nextcloud password. If the recovery key is not enabled, then there is no way to restore your files if you lose your login password.

## Encryption

Enable recovery key (allow to recover users files in case of password loss):

.....	Recovery key password
.....	Repeat Recovery key password
<input checked="" type="radio"/> Enabled	
<input type="radio"/> Disabled	

## Files not encrypted

Only the data in your files is encrypted, and not the filenames or folder structures. These files are never encrypted:

- Old files in the trash bin.
- Image thumbnails from the Gallery app.
- Previews from the Files app.
- The search index from the full text search app.
- Third-party app data

Only those files that are shared with third-party storage providers can be encrypted, the rest of the files may not be encrypted.

## Change private key password

This option is only available if the encryption password has not been changed by the administrator, but only the log-in password. This can occur if your Nextcloud provider uses an external user back-end (for example, LDAP) and changed your login password using that back-end configuration. In this case, you can set your encryption password to your new login password by providing your old and new login password. The Encryption app works only if your login password and your encryption password are identical.

## File Sharing

Nextcloud users can share files and folders. Possible targets are:

- public links
- users
- groups
- circles
- talk conversations
- users or groups on federated Nextcloud servers

### Note


Some options may not be available due to administrative configuration. See [administrator documentation](#) for details.

## Public link shares

You can share files and folders via public links.


A random 15-digit token will be created. The link will look like  
<https://cloud.example.com/s/yxcFKRWBqYYzp4>.

A number of options are available for public *folder* shares:



- **Read only** to allow viewing and downloading
- **Allow upload and editing**
- With **File drop**, the sharee can only upload files to a folder without seeing the files that are already in that folder.
- **Hide download** hides the download buttons and the default browser right-click options in order to make downloading for the sharee harder
- **Password protect**
- **Set expiration date** will automatically disable the share
- **Note to recipient**
- **Unshare** to revert the share
- **Add another link** to create multiple public links with different rights

For public *file* shares, you may allow editing the file with one of Nextcloud's collaborative editing solutions:



### Note


Password protection as well as file expiration are also propagated using Federated File Sharing since Nextcloud 22.

### Internal shares with users and groups

When sharing with users, groups, circles or members of a Talk conversation, rights for the files or folder contents are adjustable:



As a sharee, you can configure if you automatically want to accept all incoming shares and have them added to your root folder, or if you want to be asked each time if you want to accept or decline the share.



For adjusting the acceptance setting, go to **Settings > Personal > Sharing**:

## Sharing

Accept user and group shares by default

### Others with access

In order to find out if a file or folder is accessible to others through sharing of a superior folder hierarchy level, click on **Others with access** in the sharing tab:

A screenshot of a software interface with a navigation bar at the top featuring tabs: Activity, Chat, Comments, Sharing (which is highlighted in blue), and Versions. Below the tabs is a search bar with placeholder text "Name, federated cloud ID or email address ...". Under the search bar, there are four options: "Share link" (blue icon), "Others with access" (gray icon with three dots), "Internal link" (gray icon with a document), and "Add to a project" (gray icon with a folder). A large red arrow points from the text "The list shows all users, groups, chats etc. that the current object has been given access to through sharing of a superior folder in the hierarchy:" down to the "Others with access" option, which is also highlighted with a red border.

The list shows all users, groups, chats etc. that the current object has been given access to through sharing of a superior folder in the hierarchy:

A screenshot of a "Sharing" tab interface. At the top, there are tabs: Activity, Chat, Comments, Sharing (selected), and Versions. Below the tabs is a search bar with placeholder text "Name, federated cloud ID or email address ...". The main area displays a list of users and groups with their status: "Share link" (blue), "Others with access" (gray), "Marketing" (orange), "Conversychat" (green), "Peter" (purple), and "Internal link" (gray). To the right of the list, there are icons for "Added by Jim" (blue), "Via 'Company'" (blue), and "Unshare" (gray). A small tooltip for "Internal link" says "Only works for users with access to this file".

Click on the three dots to:

- see who initiated the share
- see where the share was initiated (click to navigate to the folder, as far as you have access there)
- unshare the initial share (only accessible for the share owner)

### Note

This information is only visible to the owner of a file/folder or sharees with resharing rights.


## Federated Shares

Federation Sharing allows you to mount file shares from remote Nextcloud servers, in effect creating your own cloud of Nextclouds. You can create direct share links with users on other Nextcloud servers.


### Creating a new Federation Share

Federation sharing is enabled by default. Follow these steps to create a new share with other Nextcloud or ownCloud servers:

Go to your `Files` page and click the Share icon on the file or directory you want to share. In the sidebar enter the username and URL of the remote user in this form: `<username>@<nc-server-url>`. In this example, that is `bob@cloud.example.com`:




The sharee is receiving a notification in their Nextcloud, allowing them to either accept or decline the incoming share:



### Adding a public share to your Nextcloud

Nextcloud public link share pages offer an option to add that file or folder as a federated share into your own Nextcloud instance. Just enter your `<username>@<nc-server-url>` just like shown for outbound shares above:




## Making anonymous uploads

You may create your own special upload directories so that other people can upload files to you without having to log in to the server, and without being a Nextcloud user. They will not be allowed to see the contents of this directory, or to make any changes. This is an excellent alternative to sending large attachments via email, using an FTP server, or using commercial file-sharing services.

### Setting up your own file drop

Go to Files and create or choose the folder, the anonymous upload should be made to:




Check Share Link, Allow editing, Hide file listing:

A screenshot of the sharing settings for the 'test' folder. The folder icon has a chain symbol, indicating it's shared. The folder name 'test' and its creation date '0 KB, 5 minutes ago' are displayed. Below the folder details, there's a 'Collaborative tags' section. Under the 'Sharing' tab, there are several checkboxes: 'Share link' (checked), 'Allow editing' (checked), 'Hide file listing' (checked), and 'Password protect' (unchecked). A text input field shows a generated shareable link: [https://\[REDACTED\]/cloud/s/qcPnp6tlrmfJ](https://[REDACTED]/cloud/s/qcPnp6tlrmfJ).

Now you can send the link to the upload folder manually or by using the Nextcloud send function, if your administrator has enabled it.

## Uploading files

Using the anonymous upload function is simple. You receive a link to the upload folder, click the link, and then you'll see a Nextcloud page with a “Click to upload” button:



## Files & synchronization

This opens a file picker, and you select the file or directory you want to upload. You're also able to just drop files into the window.

When your upload is completed, the filenames are listed:

 Select or drop files

Uploaded files:

 2013-10-21\_18...

 anonym\_upload...

## Large file uploads

When uploading files through the web client, Nextcloud is limited by PHP and Apache configurations. By default, PHP is configured for only 2 megabyte uploads. As this default upload limit is not entirely useful, we recommend that your Nextcloud administrator increase the Nextcloud variables to sizes appropriate for users.

Modifying certain Nextcloud variables requires administrative access. If you require larger upload limits than have been provided by the default (or already set by your administrator):

- Contact your administrator to request an increase in these variables
- Refer to the section in the [Administration Documentation](#) that describes how to manage file upload size limits.

## Storage quota

Your Nextcloud administrator has the option to set a storage quota on users. Look at your the Personal page to see what your quota is, and how much you have used.

You are using 7.2 MB of 5 GB (0.14 %)

It may be helpful to understand how your quota is calculated.

Metadata (thumbnails, temporary files, cache, and encryption keys) takes up about 10% of disk space, but is not counted against user quotas. Some apps store information in the database, such as the Calendar and Contacts apps. This data is excluded from your quota.

When other users share files with you, the shared files count against the original share owner's quota. When you share a folder and allow other users or groups to upload files to it, all uploaded and edited files count against your quota. When you re-share files shared with you, the re-share still counts against the quota of the original share owner.

Encrypted files are a little larger than unencrypted files; the unencrypted size is calculated against your quota.

Deleted files that are still in the trash bin do not count against quotas. The trash bin is set at 50% of quota. Deleted file aging is set at 30 days. When deleted files exceed 50% of quota then the oldest files are removed until the total is below 50%.

## Note


Your administrator may have configured the trash bin retention period to override the storage space management. See [administrator documentation](#) for more details.

When version control is enabled, the older file versions are not counted against quotas.

If you create a public share via URL and allow uploads, any uploaded files count against your quota.

## Version control

Nextcloud supports simple version control system for files. Versioning creates backups of files which are accessible via the Versions tab on the Details sidebar. This tab contains the history of the file where you can roll back a file to any previous version. Changes made at intervals greater than two minutes are saved in `data/[user]/files_versions`.



To restore a specific version of a file, click the circular arrow to the right. Click on the timestamp to download it.

The versioning app expires old versions automatically to make sure that the user doesn't run out of space. This pattern is used to delete old versions:


- For the first second we keep one version
- For the first 10 seconds Nextcloud keeps one version every 2 seconds
- For the first minute Nextcloud keeps one version every 10 seconds
- For the first hour Nextcloud keeps one version every minute
- For the first 24 hours Nextcloud keeps one version every hour
- For the first 30 days Nextcloud keeps one version every day
- After the first 30 days Nextcloud keeps one version every week

The versions are adjusted along this pattern every time a new version gets created.

The version app never uses more than 50% of the user's currently available free space. If the stored versions exceed this limit, Nextcloud deletes the oldest versions until it meets the disk space limit again.

## Naming a version

You can give a name to a version.



When a version has a name, it will be excluded from the automatic expiration process.

## Deleting a version

You can also manually delete a version without waiting for the automatic expiration process.

## Projects

*Deprecated since version 25:* This feature was replaced by the shipped related resources app.


Users can associate files, chats and other items with each other in projects. The various apps will present these items in a list, allowing users to immediately jump to them. Projects are Nextcloud wide. When a user shares a file that is part of a project, the share recipient can see that project, too. A click on any of the items in a project leads right to it, be it a chat, a file or a task.

### Create a new project


A new project can be created by linking two items together. Start off by opening a file or folders sharing sidebar.

The screenshot shows the sharing sidebar for a folder named "Media". At the top, there's a blue folder icon, a close button (X), and a "Media" label. Below that is a star icon, "11.2 MB, 23 days ago", and a "Tags" section. At the bottom, there are three tabs: "Activity", "Comments", and "Sharing" (which is currently selected). A search bar at the top of the sidebar contains the placeholder "Name, federated cloud ID or email address...". Below the search bar are two buttons: "Share link" (with a link icon) and "Add to a project" (with a folder icon). A dropdown menu for "Add to a project" is open, showing "Link to a file" and "Link to a conversation". There is also a text input field with the placeholder "Type to search for existing projects".

Click *Add to a project* and select the type of item you want to link with the current file/folder. A selector will open that allows you selecting a Talk conversation for example.



Once the item has been selected a new project is being created and listed in the sharing tab of the sidebar. The same project will also appear in the sharing sidebar of the linked items.



The list entry shows quick links to a limited number of items. By opening the context menu, the project can be renamed and the full list of items can be expanded.

### Adding more entries to a project

If another item should be added to an already existing project this can be done by searching for the project name in the *Add to a project* picker.

A screenshot of the Nextcloud interface focusing on the 'Sharing' tab. At the top, there's a file entry for 'Nextcloud\_Server\_Administration\_Manual.pdf' with a size of '8.4 MB' and a timestamp of '23 days ago'. Below it are buttons for 'Chat', 'Activity', 'Comments', 'Sharing' (which is underlined and bolded), and 'Versions'. Underneath these is a search bar with the placeholder 'Name, federated cloud ID or email address...' and a right-pointing arrow. Below the search bar is a 'Share link' button (with a blue circular icon) and an 'Add to a project' button (with a blue circular icon). A dropdown menu for 'Add to a project' is open, showing three options: 'Link to a file' (with a folder icon), 'Link to a conversation' (with a magnifying glass icon), and 'Media' (with a green 'M' icon). The 'Media' option is highlighted with a gray background.

### Visibility of projects

Projects do not influence the access and visibility of the different items. Users will only see projects of other users if they have access to all contained items.

## Transfer Ownership


Users can transfer the ownership of files and folders to other users. Sharing ownerships of those transferred files/folders will also be transferred.

- 1 . Navigate to *Settings* (top-right menu) > *Sharing*.
- 2 . In the *Files* section, click on *Choose file or folder to transfer*. A file picker opens, showing all files and folders in the user's account.
- 3 . Pick a file or folder and click on *Choose*. The chosen file or folder name gets displayed.
- 4 . Click on *Change* to change the choice if necessary.
- 5 . Pick a new owner by typing their name into the search field next to *New owner*.
- 6 . Click on *Transfer*.

### Note

The username autocomplete or listing may be limited due to administrative visibility configuration. See [administrator documentation](#) for details.

- 1 . The target user receives a notification where they are being asked whether to accept or reject the incoming transfer.



- 2 . If accepted, the target user finds the transferred files and folders in their root under a folder *Transferred from [user] on [timestamp]*.
- 3 . The source user gets informed about the acceptance or rejection by a notification.

## Using Federation Shares


Federation Sharing allows you to mount file shares from remote Nextcloud servers, in effect creating your own cloud of Nextclouds. You can create direct share links with users on other Nextcloud servers.

### Creating a new Federation Share

Federation sharing is enabled on new or upgraded Nextcloud installations by default. Follow these steps to create a new share with other Nextcloud or ownCloud 9+ servers:

## Files & synchronization

1. Go to your **Files** page and click the **Share** icon on the file or directory you want to share. In the sidebar enter the username and URL of the remote user in this form: <username>@<oc-server-url>. The form automatically confirms the address that you type and labels it as "remote". Click on the label.



2. When your local Nextcloud server makes a successful connection with the remote Nextcloud server you'll see a confirmation. Your only share option is **Can edit**.

Click the Share button anytime to see who you have shared your file with. Remove your linked share anytime by clicking the trash can icon. This only unlinks the share, and does not delete any files.


### Creating a new Federated Cloud Share via email

Use this method when you are sharing with users on ownCloud 8.x and older.


What if you do not know the username or URL? Then you can have Nextcloud create the link for you and email it to your recipient.

A screenshot of a "Share link" dialog box. It contains several input fields and checkboxes. At the top is a checked checkbox labeled "Share link" with a corresponding URL field below it containing "http://ubuntu2/owncloud/index.php/s/ujh7VbEFuvjXIGu". Below this is an unchecked checkbox labeled "Password protect" with a text input field containing "friend@example.com" and a "Send" button to its right. At the bottom is another unchecked checkbox labeled "Set expiration date".

When your recipient receives your email they will have to take a number of steps to complete the share link. First they must open the link you sent them in a Web browser, and then click the **Add to your Nextcloud** button.



The **Add to your Nextcloud** button changes to a form field, and your recipient needs to enter the URL of their Nextcloud or ownCloud server in this field and press the return key, or click the arrow.



## Groupware

Next, they will see a dialog asking to confirm. All they have to do is click the **Add remote share** button and they're finished.

Remove your linked share anytime by clicking the trash can icon. This only unlinks the share, and does not delete any files.

## Groupware

Nextcloud Groupware is a bundle of apps which is consisting of an **Mail**-client (IMAP/POP3) and a **Calendar** and **Contacts** server (CalDAV/CardDAV) with the respective web interfaces.

We complete those productivity tools with **Deck**, a project management tool which allows you to create Kanban-style task boards and share them with your team.

You can find out more about Nextcloud Groupware [on our website](#).

## Using the Contacts app


The Contacts app is not enabled by default in Nextcloud latest and needs to be installed separately from our App Store.

The Nextcloud Contacts app is similar to other mobile contact applications, but with more functionality. Let's run through basic features that will help you maintain your address book in the application.

Below, you will learn how to add contacts, edit or remove contacts, upload a contact picture and manage your address books.

### Adding Contacts

When you first access the Contacts app, the system address book containing all users on the instance you are allowed to see, plus an empty default address book becomes available:



*Default Address Book (empty)*

To add contacts into your address book, you can use one of the following methods:

- Import contacts using a Virtual Contact File (VCF/vCard) file
- Add contacts manually

The fastest way to add a contact is to use a Virtual Contact File (VCF/vCard) file.


### Importing Virtual Contacts

To Import Contacts Using a VCF/vCard File:

- 1 . On top left of the screen you have “Import contacts” button that is shown only when you don't have any contacts yet.
- 2 . Find “Settings” at the bottom of the left sidebar, next to the gear button:



3 . Click the gear button. The Contacts app “Import” button will appear:



## Note

The Contacts app only supports import of vCards version 3.0 and 4.0.

4 . Click the “Import” button and upload your VCF/vCard file.

After the import is complete, you will see your new contact in your address book.


## Adding Contacts Manually

If you can't import virtual contacts, the Contacts app enables you to **add contacts** manually.

To Create a New Contact:


1 . Click the + New contact button.

The Edit View configuration opens in the Application View field:



2 . Specify the new contact information then click Save.

3 . The View mode will be shown with the data you added



## Edit or Remove Contact Information

The Contacts app enables you to edit or remove contact information.

To edit or remove contact information:


- 1 . Navigate to the specific contact that you want to modify.
- 2 . Select the information in the field that you want to edit or remove.
- 3 . Make your modifications or click on the trash bin.

Changes or removals that you made to any contact information are implemented immediately.

Not all contacts will be editable for you. The system address book does not allow you to modify someone else's data, only your own. Your own data can also be modified in the user settings.

## Contact Picture


To add a picture for your new contacts, click on the upload button:



After you have set a contact picture, it will look like this:




If you want to upload a new one, remove it, view it in full size or download it, click on the contacts picture for the following options to appear:



## Adding and Managing Address Books

Clicking on the “Settings” (gear) button at the bottom of the left sidebar provides access to Contacts app settings. This field shows all available address books, certain options for each address book, and enables you to create new address books, simply by specifying an address books name:



## Groupware

The Contacts settings is also where you can share, export and delete addressbooks. You will find the CardDAV URLs there.

See Groupware for more details about syncing your address books with iOS, macOS, Thunderbird and other CardDAV clients.

## Circles

Informal collaboration takes place within organizations: an event to organize for a few weeks, a short ideation session between members from different entities, workshops, a place to joke around and support team building, or simply in very organic organizations where formal structure is kept to a minimum.

For all these reasons, Nextcloud supports Circles, a feature embedded in the Contacts app, where every user is able to create its own circle, a user-defined aggregate of accounts. Circles can be used later on to share files and folders, added to Talk conversations, like a regular group.

The screenshot shows the Nextcloud Contacts application interface. On the left, a sidebar lists various contacts and circles. The 'Circles' section is expanded, showing a list of existing circles: Alcatraz (7 members), Carpooling, Company rules, Graphic chart updates, Handbook (10 members), My New Circle (4 members), New Marketing Campaign, and Project 2022 (4 members). Below this is a 'Collapse circles' button and a 'Contacts settings' button. The main area displays the 'Project 2022' circle configuration. It includes a header with the circle name 'P2' and 'Project 2022'. Below the header are sections for 'Users' (listing admin as Owner, marie-jeanne as Moderator, anne-cecile as Member, and user1 as Member), 'Description' (with the note 'There is no description for this circle'), 'Invites' (checkboxes for 'Anyone can request membership', 'Members need to accept invitation', 'Memberships must be confirmed/accepted by a Moderator (requires Open)', and 'Members can also invite'), 'Visibility' (checkbox for 'Visible to everyone'), 'Circle membership' (checkbox for 'Prevent circle from being a member of another circle'), and 'Password protection' (checkbox). A 'Copy link' button is located above the users list.

## Create a circle

In the left menu, click on the + next to Circles. Set a circle name Landing on the circle configuration screen, you can:  
- add members to your circle - clicking on the three dot menu next to a user allow you to modify its role within the circle.

## Circle roles

Circles support 4 types of roles:

- Member
- Moderator
- Admin can configure circle options (+moderator permissions)
- Owner

### Member

Member is the role with the lowest permissions. A member can only access the resources shared with the circle, and view the members of the circle.

## Moderator

In addition to member permissions, a moderator can invite, confirm invitations and manage members of the circle.

## Admin

In addition to moderator permissions, an admin can configure circle options.

## Owner

In addition to admin permissions, an owner can transfer the circle ownership to another member of the circle. There can be only one single owner per circle.

## Add members to a circle


Local accounts, groups, email addresses or other circles can be added as members to a circle. For a group or a circle, the role applies to all members of the group or circle.

## Circle options

Various self-explanatory options are available to configure a circle, to manage invites and membership, visibility of the circle, allowance of other circle membership and password protection.

## Shared items

New in version 5.5.



Items that are shared between two contacts will be displayed in the contact app. This includes media, calendar events, chat rooms, and shared deck cards, all of which will be visible in the contact details. This functionality is limited to contacts listed in the system address book. Currently, our system only supports shared items between two contacts.

## Using the Calendar app

### Note

The Calendar app comes installed with Nextcloud Hub by default, but can be disabled. Please ask your Administrator for it.

The Nextcloud Calendar app works similar to other calendar applications you can sync your Nextcloud calendars and events with.


When you first access the Calendar app, a default first calendar will be created for you.




## Managing your calendars

### Create a new Calendar

If you plan on setting up a new calendar without transferring any old data from your previous calendar, creating a new calendar is the way you should go.




1. Click on + New Calendar in the left sidebar.
2. Type in a name for your new calendar, e.g. "Work", "Home" or "Marketing planning".
3. After clicking on the checkmark, your new calendar is created and can be synced across your devices, filled with new events and shared with your friends and colleagues.



## Import a Calendar

If you want to transfer your calendar and their respective events to your Nextcloud instance, importing is the best way to do so.



- 1 . Click on the settings-icon labeled with **Settings & Import** at the left-bottom.
- 2 . After clicking on **+ Import Calendar** you can select one or more calendar files from your local device to upload.
- 3 . The upload can take some time and depends on how big the calendar you import is.
- 4 . A blue progress bar will appear below "Calendar Settings".

## Note


The Nextcloud Calendar application only supports iCalendar-compatible .ics-files, defined in RFC 5545.

## Edit, Export or Delete a Calendar


Sometimes you may want to change the color or the entire name of a previous imported or created calendar. You may also want to export it to your local hard drive or delete it forever.

## Note

Please keep in mind that deleting a calendar is an irreversible action. After deletion, there is no way of restoring the calendar unless you have a local backup.



1. Click on the three-dot-menu of the respective calendar.



2. Click on *Edit name*, *Edit color*, *Export* or *Delete*.

## Sharing calendars

You may share your calendar with other users or groups. Calendars may be shared with write access or read-only. When sharing a calendar with write access, users with whom the calendar is shared will be able to create new events into the calendar as well as edit and delete existing ones.

### Note

Calendar shares currently cannot be accepted or rejected. If you want to stop having a calendar that someone shared with you, you can click on the 3-dot menu next to the calendar in the calendar list and click on "Unshare from me". Calendars shared with a group cannot be unshared by individuals.

## Publishing a calendar

Calendars can be published through a public link to make them viewable (read-only) to external users. You may create a public link by opening the share menu for a calendar and clicking on « + » next to « Share link ». Once created you can copy the public link to your clipboard or send it through email.

There's also an « embedding code » that provides an HTML iframe to embed your calendar into public pages.

Multiple calendars can be shared together by adding their unique tokens to the end of an embed link. Individual tokens can be found at the end of each calendar's public link. The full address will look like <https://cloud.example.com/index.php/apps/calendar/embed/<token1>-<token2>-<token3>>

To change the default view or date of an embedded calendar, you need to provide a URL that looks like <https://cloud.example.com/index.php/apps/calendar/embed/<token>/<view>/<date>>. In this url you need to replace the following variables:

- <token> with the calendar's token,

- <view> with one of dayGridMonth, timeGridWeek, timeGridDay, listMonth, listWeek, listDay. The default view is dayGridMonth and the normally used list is listMonth,
- <date> with now or any date with the following format <year>-<month>-<day> (e.g. 2019-12-28).

On the public page, users are able to get the subscription link for the calendar and export the whole calendar directly.

### Subscribe to a Calendar

You can subscribe to iCal calendars directly inside of your Nextcloud. By supporting this interoperable standard (RFC 5545) we made Nextcloud calendar compatible to Google Calendar, Apple iCloud and many other calendar-servers you can exchange your calendars with, including subscription links from calendar published on other Nextcloud instances, as described above.

1. Click on + New calendar in the left sidebar
2. Click on + New subscription from link (read-only)
3. Type in or paste the link of the shared calendar you want to subscribe to.

Finished. Your calendar subscriptions will be updated regularly.

### Note

Subscriptions are refreshed every week by default. Your administrator may have changed this setting.

### Subscribe to a Holiday Calendar

New in version 4.4.


You can subscribe to a read-only holiday calendar provided by [Thunderbird](#).

1. Click on + New calendar in the left sidebar
2. Click on + Add holiday calendar
3. Find your country or region and click Subscribe


### Managing Events

#### Create a new event

Events can be created by clicking in the area when the event is scheduled. In the day- and week-view of the calendar you just click, pull and release your cursor over the area when the event is taking place.



The month-view only requires a single click into the area of the target day.



After that, you can type in the event's name (e.g. **Meeting with Lukas**), choose the calendar in which you want to save the event to (e.g. **Personal, Work**), check and concretize the time span or set the event as an all-day event. Optionally you can specify a location and a description.

If you want to edit advanced details such as the **Attendees** or **Reminders**, or if you want to set the event as a repeating-event, click on the **More** button to open the advanced sidebar editor.

## Note

If you always want to open the advanced sidebar editor instead of the simple event editor popup, you can set a **Skip simple event editor** checkmark in the **Settings & Import** section of the app.

Clicking on the blue Create button will finally create the event.


## Edit, duplicate or delete an event

If you want to edit, duplicate or delete a specific event, you first need to click on the event.

After that you will be able to re-set all event details and open the advanced sidebar-editor by clicking on **More**.

Clicking on the **Update** button will update the event. To cancel your changes, click on the close icon on top right of the popup or sidebar editor.


If you open the sidebar view and click the three dot menu next to the event name, you have an option to export the event as an **.ics** file or remove the event from your calendar.



## Tip

If you delete events they will go into your trash bin. You can restore accidentally deleted events there.

You can also export, duplicate or delete an event from the basic editor.



## Invite attendees to an event

You may add attendees to an event to let them know they're invited. They will receive an email invitation and will be able to confirm or cancel their participation to the event. Attendees may be other users on your Nextcloud instances, contacts in your address books and direct email addresses. You may also change the level of participation per attendees, or disable the email information for a specific attendee.

Attendee	Status
admin (organizer)	Invitation accepted
Alice	Invitation sent
Bob	Invitation sent

*Changed in version 25:* Attendee email response links no longer offer inputs to add a comment or invite additional guests to the event.

## Tip

When adding other Nextcloud users as attendees to an event, you may access their free-busy information if available, helping you determine when the best time slot for your event is. Set your working hours to let others know when you are available. Free-busy information is only available for other users on the same Nextcloud instance.

## Attention!

Only the calendar owner can send out invitations. The sharees are not able to do that, whether they have write access to the event's calendar or not.

## Attention!

The server administration needs to setup the e-mail server in the Basic settings tab, as this mail will be used to send invitations.

## Assign rooms and resources to an event


Similar to attendees you can add rooms and resources to your events. The system will make sure that each room and resource is booked without conflict. The first time a user adds the room or resource to an event, it will show as accepted. Any further events at overlapping times will show the room or resource as rejected.

## Note

Rooms and resources are not managed by Nextcloud itself and the Calendar app will not allow you to add or change a resource. Your Administrator has to install and possibly configure resource back ends before you can use them as a user.

## Add attachments to events


You can import attachments to your events either by uploading them or adding them from files



## Note

Attachments can be added while creating new events or editing existent ones. Newly uploaded files will be saved in files by default in the calendar folder in the root directory.

You can change the attachment folder by going to Calendar settings in the bottom left corner and changing default attachments location.



## Set up reminders

You can set up reminders to be notified before an event occurs. Currently supported notification methods are:

- Email notifications
- Nextcloud notifications

You may set reminders at a time relative to the event or at a specific date.

A screenshot of a web-based calendar application's event creation form. The form has three tabs at the top: "Details", "Attendees", and "Resources". The "Details" tab is active. In the "Details" tab, there is a section for "Reminder" with a red circular button. Below the button, there is a dropdown menu set to "15 minutes before the event starts" with a "... More" link. There is also a "+ Add reminder" link. Other fields in the "Details" tab include "Add a location", "Add a description", "Confirmed" (checkbox checked), "When shared show full event" (checkbox checked), "Busy" (checkbox checked), and "Search or add categories".

## Note

Only the calendar owner and people or groups with whom the calendar is shared with write access will get notifications. If you don't get any notifications but think you should, your Administrator could also have disabled this for your server.

## Note

If you synchronize your calendar with mobile devices or other 3rd-party clients, notifications may also show up there.

## Add recurring options

An event may be set as “recurring”, so that it can happen every day, week, month or year. Specific rules can be added to set which day of the week the event happens or more complex rules, such as every fourth Wednesday of each month.

You can also tell when the recurrence ends.

Monthly on day 3 ✓

Repeat every 1 month

By day of the month


1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

On the first Monday

End repeat never

## Trash bin

If you delete events, tasks or a calendar in Calendar, your data is not gone yet. Instead, those items will be collected in a *trash bin*. This offers you to undo a deletion. After a period which defaults to 30 days (your administration may have changed this setting), those items will be deleted permanently. You can also permanently delete items earlier if you wish.



The **Empty trash bin** buttons will wipe all trash bin contents in one step.

## Tip


The trash bin is only accessible from the Calendar app. Any connected application or app won't be able to display its contents. However, events, tasks and calendars deleted in connected applications or app will also end up in the trash bin.

## Automated User Status


When you have a calendar event scheduled that has a "BUSY" status, your user status will be automatically set to "In a meeting" unless you have set yourself to "Do Not Disturb" or "Invisible". You can overwrite the status with a custom message any time, or set your calendar events to "FREE". Calendars that are transparent will be ignored.

## Responding to invitations

You can directly respond to invitations inside the app. Click on the event and select your participation status. You can respond to an invitation by accepting, declining or accepting tentatively.



You can respond to an invitation from the sidebar too.



## Availability (Working Hours)

The general availability independent of scheduled events can be set in the groupware settings of Nextcloud. These settings will be reflected in the free-busy view when you schedule a meeting with other people in Calendar. Some connected clients like Thunderbird will show this data as well.

**Availability**

If you configure your working hours, other users will see when you are out of office when they book a meeting.

Time zone:	America - New York
Monday	9:00 <input type="button" value="⊖"/> to 17:00 <input type="button" value="⊕"/> <input type="button" value="i"/> <input type="button" value="+"/>
Tuesday	9:00 <input type="button" value="⊖"/> to 17:00 <input type="button" value="⊕"/> <input type="button" value="i"/> <input type="button" value="+"/>
Wednesday	9:00 <input type="button" value="⊖"/> to 17:00 <input type="button" value="⊕"/> <input type="button" value="i"/> <input type="button" value="+"/>
Thursday	9:00 <input type="button" value="⊖"/> to 17:00 <input type="button" value="⊕"/> <input type="button" value="i"/> <input type="button" value="+"/>
Friday	9:00 <input type="button" value="⊖"/> to 17:00 <input type="button" value="⊕"/> <input type="button" value="i"/> <input type="button" value="+"/>
Saturday	No working hours set <input type="button" value="i"/> <input type="button" value="+"/>
Sunday	No working hours set <input type="button" value="i"/> <input type="button" value="+"/>

Automatically set user status to "Do not disturb" outside of availability to mute all notifications.

**Save**

You can configure one-time absences on top of your regular availability in the Absence settings section.

## Birthday calendar

The birthday calendar is a auto-generated calendar which will automatically fetch the birthdays from your contacts. The only way to edit this calendar is by filing your contacts with birthday dates. You can not directly edit this calendar from the calendar-app.

### Note

If you do not see the birthday calendar, your Administrator may have disabled this for your server.

## Appointments

As of Calendar v3 the app can generate appointment slots which other Nextcloud users but also people without an account on the instance can book. Appointments offer fine-granular control over when you are possibly free to meet up. This can eliminate the need to send emails back and forth to settle on a date and time.

In this section we'll use the term *organizer* for the person who owns the calendar and sets up appointment slots. The *attendee* is the person who books one of the slots.

### Creating an appointment configuration

As an organizer of appointments you open the main Calendar web UI. In the left sidebar you'll find a section for appointments, were you can open the dialogue to create a new one.



One of the basic infos of every appointment is a title describing what the appointment is about (e.g. "One-on-one" when an organizer wants to offer colleagues a personal call), where an appointment will take place and a more detailed description of what this appointment is about.

### Edit appointment

Name

Have Lunch With Me

Location

Abigail's Kitchen

Description

We're going to have lunch together and talk about whatever concerns you. BYOD!

The duration of the appointment can be picked from a predefined list. Next, you can set the desired increment. The increment is the rate at which possible slots are available. For example, you could have one hour long slots, but you give them away at 30 minute increments so an attendee can book at 9:00AM but also at 9:30AM. Optional infos about location and a description give the attendees some more context. Every booked appointment will be written into one of your calendars, so you can chose which one that should be. Appointments can be *public* or *private*. Public appointments can be discovered through the profile page of a Nextcloud user. Private appointments are only accessible to the people who receive the secret URL.

## Note

Only slots that do not conflict with existing events in your calendars will be shown to attendees.

The organizer of an appointment can specify at which times of the week it's generally possible to book a slot. This could be the working hours but also any other customized schedule.

Pick time ranges where appointments are allowed

Monday	<input type="text" value="12:00"/>	to	<input type="text" value="14:00"/>		
Tuesday	<input type="text" value="12:00"/>	to	<input type="text" value="14:00"/>		
Wednesday	<input type="text" value="12:00"/>	to	<input type="text" value="14:00"/>		
Thursday	<input type="text" value="12:00"/>	to	<input type="text" value="14:00"/>		
Friday	No times set				
Saturday	No times set				
Sunday	No times set				


Some appointments require time to prepare, e.g. when you meet at a venue and you have to drive there. The organizer can chose to select a time duration that must be free. Only slots that do not conflict with other events during the preparation time will be available. Moreover there is the option to specify a time after each appointment that has to be free. To prevent an attendee from booking too short notice it's possible to configure how soon the next possible appointment might take place. Setting a maximum number of slots per day can limit how many appointments are possibly booked by attendees.

Add time before and after the event

<input checked="" type="checkbox"/> Before the event	<input type="checkbox"/> After the event
<input type="text" value="15 minutes"/>	<input type="text" value="0 minutes"/>
<b>Planning restrictions</b>	
Minimum time before next available slot	Max slots per day
<input type="text" value="5 minutes"/>	<input type="text"/>
<input checked="" type="checkbox"/> Limit how far in the future appointments can be booked	
<input type="text" value="2 months"/>	


**Update**

The configured appointment will then be listed in the left sidebar. Via the three dot menu, you can preview the appointment. You can copy the link to the appointment and share it with your target attendees, or let them discover your public appointment via the profile page. You can also edit or delete the appointment configuration.



### Booking an appointment


The booking page shows an attendee the title, location, description and length of an appointment. For a selected day there will be a list with all the possible time slots. On days with no available slots, too many conflicts or a reached daily maximum limit of already booked appointments, the list might be empty.




For the booking, attendees have to enter a name and an email address. Optionally they can also add a comment.




When the booking was successful, a confirmation dialogue will be shown to the attendee.



To verify that the attendee email address is valid, a confirmation email will be sent to them.



The attendee will receive another email confirming the details of their appointment.



## Note

If a slot has not been confirmed, it will still show up as bookable. Until then the time slot might also be booked by another user who confirms their booking earlier. The system will detect the conflict and offer to pick a new time slot.

## Working with the booked appointment

Once the booking is done, the organizer will find an event in their calendar with the appointment details and the attendee.

07 Uhr  
08 Uhr  
09 Uhr  
10 Uhr  
11 Uhr  
12 Uhr  
13 Uhr 13:00 - 14:00 12:45 - 13:00 - Prep Have Lunch With Me  
14 Uhr  
15 Uhr  
16 Uhr  
17 Uhr  
18 Uhr  
19 Uhr

**Have Lunch With Me**

- Appointments

from 14.11.2022 at 13:00 to 14.11.2022 at 14:00

All day

Add a location

Hi Abigail,  
I was wondering if we could discuss Vincent and Jas' school experience over lunch?  
I would like to add some lessons about Amethysts to the schedule. Since it's your favourite thing, I thought you might have some input?

**Decline**   **Tentative**

**More**   **Update**

If the appointment has the setting “Add time before event” or “Add time after the event” enabled, they will show up as separate events in the calendar for the organizer.

08 Uhr  
09 Uhr  
10 Uhr  
11 Uhr  
12 Uhr  
13 Uhr 13:00 - 14:00 12:45 - 13:00 - Prep Have Lunch With Me  
14 Uhr  
15 Uhr  
16 Uhr  
17 Uhr

**Prepare for Have Lunch With Me**

- Appointments

from 14.11.2022 at 12:45 to 14.11.2022 at 13:00

All day

Add a location

Add a description

**More**   **Update**

## Groupware

As with any other event that has attendees, changes and cancellations will trigger a notification to the attendee's email.

If attendees wish to cancel the appointment they have to get in contact with the organizer, so that the organizer can cancel or even delete the event.


### Create Talk room for booked appointments

You can create a Talk room directly from the calendar app for a booked appointment. The option can be found on the 'Create appointment' modal. A unique link will be generated for every booked appointment and sent via the confirmation email when you check this option.

### Using the Mail app

#### Note

The Mail app comes installed with Nextcloud Hub by default, but can be disabled. Please ask your Administrator for it.




### Managing your mail account

#### Switch layout

New in version 3.6.

- 1 . Visit mail settings
- 2 . Choose between *List*, *Vertical split* and *Horizontal split*



## Add a new mail account

- 1 . Enable mail app from the apps
- 2 . Click the mail icon on the header
- 3 . Fill up the login form (auto or manual)

Connect your mail account

Auto Manual

Name  
User

Mail address \*  
user@mail.com

Password \*  
.....

✓ Connect

## Change sort order

New in version 3.5.


- 1 . Visit mail settings
- 2 . Go to *Sorting*
- 3 . You can choose *Oldest* or *Newest* mail first

### Note

This change will apply across all your accounts and mailboxes


## Scheduled messages

- 1 . Click new message button on top left of your screen
- 2 . Click the (...) action menu on the modal composer
- 3 . Click *send later*



## Priority inbox

Priority inbox has 2 section *Important* and *Others*. Messages will automatically be marked as important based on which messages you interacted with or marked as important. In the beginning you might have to manually change the importance to teach the system, but it will improve over time.



## All inboxes

All messages from all the accounts you have logged in, will be shown here chronologically.

## Account settings

Your account settings such as:

- 1 . Aliases
- 2 . Signature
- 3 . Default Folders
- 4 . Autoresponder
- 5 . Trusted senders
- 6 . ..and more


Can be found in the action menu of a mail account. There you can edit, add or remove settings depending on your need.

## Move messages to Junk folder

*New in version 3.4.*

Mail can move a message to a different folder when it is marked as junk.

- 1 . Visit Account settings
- 2 . Go to Default folders
- 3 . Check that a folder is selected for the junk messages
- 4 . Go to Junk settings
- 5 . Click Move messages to Junk folder



## Enable mail body search

*New in version 3.5.*

Mail bodies can now be searched, this feature is opt-in because of potential performance issues.

To enable it:

- 1 . Visit Account settings
- 2 . Go to Mailbox search
- 3 . Enable mail body search

### Warning

If you want to also enable it for unified mailboxes you have to do so in Mail settings

By enabling it the main search box will now search in both subjects and mail bodies, and a separate *Body* option will appear in advanced search.

## Account delegation

The app allows account delegation so that one user can send emails from the address of another.

- 1 . The delegation has to be configured on the mail server by an admin
- 2 . Add the other email address as an alias for your own email account
- 3 . When sending an email, select the alias as sender

### Warning

The sent email might not be visible to the original account if it's stored in your personal *Sent* mailbox.

## Automatic trash deletion

*New in version 3.4.*

The Mail app can automatically delete messages in the trash folder after a certain number of days.

- 1 . Visit Account settings
- 2 . Go to Automatic trash deletion
- 3 . Enter the number of days after which messages should be deleted

Disable trash retention by leaving the field empty or setting it to 0.

### Note

Only mails deleted after enabling trash retention will be processed.

## Automatic trash deletion

Days after which messages in Trash will automatically be deleted:

30

Disable trash retention by leaving the field empty or setting it to 0. Only mails deleted after enabling trash retention will be processed.


## Compose messages

1. Click new message on the top left of your screen
2. Start writing your message


## Minimize the composer modal

*New in version 3.2.*

The composer modal can be minimized while writing a new message, editing an existing draft or editing a message from the outbox. Simply click the minimize button on the top right of the modal or click anywhere outside the modal.



You can resume your minimized message by clicking anywhere on the indicator on the bottom right of your screen.



Press the close button on the modal or the indicator in the bottom right corner to stop editing a message. A draft will be saved automatically into your draft mailbox.

## Outbox

When a message has been composed and the “Send” button was clicked, the message is added to the outbox which can be found in the bottom left corner of the left sidebar.

You can also set the date and time for the send operation to a point in the future (see Scheduled messages)- the message will be kept in the outbox until your chosen date and time arrives, then it will be sent automatically.

The outbox is only visible when there is a message waiting to be handled by the outbox.

You can re- open the composer for a message in the outbox any time before the “send”- operation is triggered.

## Note

When an error occurs during sending, three error messages are possible:

### Could not copy to “Sent” mailbox

The mail was sent but couldn't be copied to the “Sent” mailbox. This error will be handled by the outbox and the copy operation will be tried again.

### Mail server error

Sending was unsuccessful with a state than can be retried (ex: the SMTP server couldn't be reached). The outbox will retry sending the message.

### Message could not be sent

Sending might or might not have failed. The mail server can't tell us the state of the message. Since the Mail app has no way to determine the state of the message (sent or unsent) the message will stay in the outbox and the account user has to decide how to proceed.

## Mailbox actions

### Add a mailbox


- 1 . Open the action menu of an account
- 2 . Click add mailbox

### Add a submailbox

- 1 . Open the action menu of a mailbox
- 2 . Click add submailbox

### Shared mailbox

If a mailbox was shared with you with some specific rights, that mailbox will show as a new mailbox with a shared icon as below:



### Envelope actions

#### Create an event

Create an event for a certain message/thread directly via mail app

- 1 . Open action menu of an envelope
- 2 . Click *more actions*
- 3 . Click *create event*

#### Create a task

*New in version 3.2.*

Create an task for a certain message/thread directly via mail app

- 1 . Open action menu of an envelope
- 2 . Click *more actions*
- 3 . Click *create task*

### Note

Tasks are stored in supported calendars. If there is no compatible calendar you can create a new one with the calendar app.

### Edit tags

- 1 . Open action menu of an envelope
- 2 . Click *Edit tags*
- 3 . On the tags modal, set/unset tags

## Message actions

### Unsubscribe from a mailing list

New in version 3.1.

Some mailing lists and newsletters allow to be unsubscribed easily. If the Mail app detects messages from such a sender, it will show an *Unsubscribe* button next to the sender information. Click and confirm to unsubscribe from the list.

### Snooze

New in version 3.4.

Snoozing a message or thread moves it into a dedicated mailbox until the selected snooze date is reached and the message or thread is moved back to the original mailbox.

- 1 . Open action menu of an envelope or thread
- 2 . Click *Snooze*
- 3 . Select how long the message or thread should be snoozed

### Smart replies

New in version 3.6.

When you open a message in the Mail app, it proposes AI-generated replies. By simply clicking on a suggested reply, the composer opens with the response pre-filled.

### Note

Please note that the feature has to be enabled by the administrator

### Note

Supported languages depend on the used large language model

## Filtering and autoresponder

The Mail app has a simple editor for Sieve scripts and an interface to configure autoresponders. Sieve has to be enabled in the account settings.

### Autoresponders

New in version 3.5: Autoresponder can follow system settings.

The autoresponder is off by default. It can be set manually, or follow the system settings. Following system settings means that the long absence message entered on the Absence settings section is applied automatically.

## Setting out-of-office messages

If you are absent for vacation, sick leave or similar, you can add an out-of-office message in the **Absence** section of the **Availability** settings.

The interface asks for the time of absence, a short and a long message. This data is used for the following purposes:

- 1 . Your user status will change to the short message when your absence starts and reset when it ends.
- 2 . An event with status *busy* will be created in your personal calendar. This allows others to see that you are not available when they use the free/busy feature.

- 3 . If enabled, the Mail app will apply an autoresponder using the long message.
- 4 . The Talk app will show the long out-of-office message to others when they try to reach you in a 1:1 chat during your absence.

## Synchronizing with Android

### Files and notifications

1 . Install the Nextcloud Android client [from Google Play Store](#) or [from F-Droid](#).

2 . Start the app. There are two ways of setting it up:

*Either:* enter your server URL, continue, enter your user name and password and confirm to grant access.

*Or:* In Nextcloud's web GUI, go to the [user preferences](#), go to **Security**. Generate an App password, click "Generate QR code" and tap the QR scanner icon in the Nextcloud app, point your phone's camera towards the screen.

## Contacts and Calendar

### With the Nextcloud mobile app

- 1 . Install **DAVx■ (formerly known as DAVDroid)** on your Android device, [from Google Play Store](#) or [from F-Droid](#).
- 2 . In the Nextcloud mobile, go to **Settings/More**, tap on "**Sync calendars & contacts**".
- 3 . Now, DAVx■ will open Nextcloud's Webflow login window, where you will have to enter your credentials and grant access.
- 4 . DAVx■ will open and ask you to create an account. Set the account name to one of your choosing, and set **Contact Group Method** to **Groups are per-contact categories**.
- 5 . After this, DAVx■ will close and the Nextcloud app reappears. In order to finish setup, you have to manually launch DAVx■ again.
- 6 . Tap on the icon for the account DAVx■ has just created, when requested grant DAVx■ access to your calendars and contacts. Optionally install OpenTasks ([Google Play Store](#) or [F-Droid](#)) and grant DAVx■ access to your tasks, too.
- 7 . When you tap the icon for the account DAVx■ has set up, it will discover the available address books and calendars. Choose which ones you want to synchronize and finish.

### Without the Nextcloud mobile app

If you do not want to install the Nextcloud mobile app, the following steps are required:

- 1 . Install **DAVx■ (formerly known as DAVDroid)** on your Android device, [from Google Play Store](#) or [from F-Droid](#).
- 2 . Optionally install OpenTasks ([Google Play Store](#) or [F-Droid](#)).
- 3 . Create a new account ("+" button).
- 4 . Select **Connection with URL and username**. **Base URL:** URL of your Nextcloud instance (e.g. <https://sub.example.com/remote.php/dav>) and your credentials.
- 5 . For the **Contact Group Method**: choose the option **Groups are per-contact categories**.
- 6 . Click **Connect**.
- 7 . Select the data you want to sync.
- 8 . When requested, grant access permissions to DAVx■ for your contacts, calendars and optionally tasks.

## Note

Enter your email address as DAVx█ account name (mandatory if you want to be able to send calendar invitation). If your email address is registered in your Nextcloud preferences and you have set up your account using the Nextcloud mobile app, this all should be already the case.

## Note

Using user name and password will not work if 2-Factor-Authentication is enabled and will throw a generic "Unknown resource" error. Use a dedicated App password instead.

## Tip

DAVx█ lists the calendar subscriptions made through the Nextcloud Calendar app, but you need to install the ICSx█ (formerly known as ICSDroid) app on your Android device, [from the Google Play Store](#) or [from F-Droid](#) to sync them.

# Synchronizing with iOS

## Calendar

- 1 . Open the settings application.
- 2 . Select Calendar.
- 3 . Select Accounts.
- 4 . Select Add Account.
- 5 . Select Other as account type.
- 6 . Select Add CalDAV account.
- 7 . For server, type the domain name of your server i.e. example.com.
- 8 . Open Advanced Settings
- 9 . For server, type the domain name of your server and username i.e. example.com/remote.php/dav/principals/users/username/
- 10 Close Advanced Settings
- .
- 11 Enter your user name and password.
- .
- 12 Select Next.

Your calendar will now be visible in the Calendar application.

## Note

Beginning with iOS 12 an SSL encryption is necessary. Therefore do **not** disable **SSL** (For this reason a certificate is required at your domain, <https://letsencrypt.org/> will do).

## Contacts

1. Open the settings application.
2. Select Contacts.
3. Select Accounts.
4. Select Add Account.
5. Select Other as account type.
6. Select Add CardDAV account.
7. For server, type the domain name of your server i.e. example.com.
8. Enter your user name and password.
9. Select Next.

You should now find your contacts in the address book of your iPhone.

### Note

Beginning with iOS 12 an SSL encryption is necessary. Therefore do **not** disable **SSL** (For this reason a certificate is required at your domain, <https://letsencrypt.org/> will do).

If it's still not working, have a look at [Troubleshooting Contacts & Calendar](#) or [Troubleshooting Service Discovery](#).

## Synchronizing with macOS

### Setup your Accounts

In the following steps you will add your server resources for **CalDAV** (Calendar) and **CardDAV** (Contacts) to your Nextcloud.

1. Open the **system preferences** of your macOS device.
2. Navigate to **Internet Accounts**:



3. Click on **Add Other Account...** and click on **CalDAV Account** for Calendar or **CardDAV Account** for Contacts:



## Note


You can not setup Calendar/Contacts together. You need to setup them in **separate accounts**.

- 4 . Select **Manual** as Account-Type and type in your respective credentials:

**Username:** Your Nextcloud username or email


**Password:** Your generated app-password/token (Learn more).

**Server Address:** URL of your Nextcloud server (e.g. <https://cloud.example.com>)



- 5 . Click on **Sign In**.

For **CalDAV (Calendar)**: You can now select, with which applications you want to use this resource. In the most cases, this will be the “Calendar” application, sometimes you may also want to use it for your **Tasks and reminders**.



## Troubleshooting

- macOS does **not** support syncing CalDAV/CardDAV over non-encrypted `http://` connections. Make sure you have `https://` enabled and configured on server- and client-side.
- Self-signed certificates** need to be properly set up in the macOS keychain.

## Synchronizing with Thunderbird

[Thunderbird](#) is a feature-rich and mature mail client that can be turned into a full-fledged Personal Information Manager (PIM). Since version 102, it supports address book synchronization via CardDAV and automatic discovery of calendars and address books available on the server.

### Recommended method

Since Thunderbird 102, the CardDAV & CalDAV protocols are natively supported.

### Contacts


- On the address book view, click the down arrow near **New Address Book** and choose **Add CardDAV Address Book**.
- In the next window, type your **Username** and **Location** (Server URL).
- The next window will ask for your username and password for this account.
- The previous window will be refreshed and ask you which address books you wish to sync.
- Choose and then click **Continue**.

If you later want to add a new address book, you can redo all of those steps and only the books not already synchronized will be suggested.

### Calendars

- Go to the calendar view in Thunderbird and select the **New Calendar...** button at the bottom of the left side panel.

- Choose **On the network**:



- Type your **Username** and **Location** (Server URL), then click on **Find Calendars**.

- Choose which calendars you want to add and click **Subscribe**

Same thing here, if you later want to add more calendars, just redo the procedure.

### Alternative: Using the TbSync addon

For this method, you need to have two add-ons installed:

- [TbSync](#).
- [TbSync provider for CalDAV and CardDAV](#).

When they are installed, go to **Extras/Synchronization settings (TbSync)** if you are on Windows, or **Edit/Synchronization settings (TbSync)** if on Linux, then:


- 1 . In the account manager choose **Add new account > CalDAV & CardDAV**
- 2 . In the next window, go with the default called **Automatic Configuration** and click **Next**
- 3 . Enter an **Account name** (which you can freely choose), a **User name**, a **Password**, the **Server URL**, and click **Next**
- 4 . In the next window, TbSync should have auto-discovered the CalDAV and CardDAV addresses. When it has, click **Finish**
- 5 . Check the **Enable and synchronize this account** box. TbSync will now discover all address books and calendars your account has access to on the server
- 6 . Check the box next to each calendar and address book you want to have synchronized, set how often you want them to be synchronized, and push the button **synchronize now**
- 7 . After the first successful synchronization is complete, you can close the window.

Henceforth, TbSync will do the work for you. You are done with the basic configuration and can skip the next sections unless you need a more advanced address book.

### Alternative: Using the CardBook add-on (Contacts only)


**CardBook** is an advanced alternative to Thunderbird's address book, which supports CardDAV. You can have TbSync and CardBook installed in parallel.

- 1 . Click the CardBook icon in the upper right corner of Thunderbird:




- 2 . In CardBook:

- Go to Address book > New Address book **Remote** > Next
- Select **CardDAV**, fill in the address of your Nextcloud server, your user name and password



- 3 . Click on "Validate", click Next, then choose the name of the address book and click Next again:



- 4 . When you are finished, CardBook synchronizes your address books. You can always trigger a synchronization manually by clicking "Synchronize" in the top left corner of CardBook:




## Synchronizing with KDE Kontact

KOrganizer, Kalendar and KAddressBook can synchronize your calendar, contacts and tasks with a Nextcloud server.


This can be done by following these steps depending on if you use KOrganizer or Kalendar:

In KOrganizer:

- 1 . Open KOrganizer and in the calendar list (bottom left) right-click and choose Add Calendar:




- 2 . In the resulting list of resources, pick DAV groupware resource:




In Kalendar:

1. Open Kalendar and in the menu bar open the setting and then choose Calendar Sources -> Add Calendar:



2. In the resulting list of resources, pick DAV groupware resource:

## Groupware



In KOrganizer and Kalendar:


- 3 . Enter your username. As password, you need to generate an app-password/token ([Learn more](#)):

The screenshot shows a software interface titled 'DAV groupware configuration...i\_davgroupware\_resource\_20'. The main title is 'Login Credentials' with the subtitle 'Enter your credentials to login to the groupware server'. There are two input fields: 'User:' and 'Password:', both currently empty. At the bottom are three buttons: '< Back', 'Next >', and 'Cancel'.


4 . Choose Nextcloud as Groupware server option:

The screenshot shows the 'Groupware Server' configuration screen. The title is 'Groupware Server' with the subtitle 'Select the groupware server the resource shall be configured for'. Two options are available: 'Use one of those servers:' (selected) and 'Configure the resource manually'. A dropdown menu next to 'Use one of those servers:' shows 'Nextcloud' as the selected option. At the bottom are three buttons: '< Back', 'Next >', and 'Cancel'.


5 . Enter your Nextcloud server URL and, if needed, installation path (anything that comes after the first /, for example mynextcloud in <https://exampe.com/mynextcloud>). Then click next:



- 6 . You can now test the connection, which can take some time for the initial connection. If it does not work, you can go back and try to fix it with other settings:



- 7 . Pick a name for this resource, for example Work or Home. By default, both CalDAV (Calendar) and CardDAV (Contacts) are synced:





## Note


You can set a manual refresh rate for your calendar and contacts resources. By default this setting is set to 5 minutes and should be fine for the most use cases. When you create a new appointment it is synced to Nextcloud right away. You may want to change this for saving your power or cellular data plan, so that you can update with a right-click on the item in the calendar list.

8. After a few seconds to minutes depending on your internet connection, you will find your calendars and contacts inside the KDE Kontact applications KOrganizer, Kalendar and KAddressBook as well as Plasma calendar applet:

## Groupware



## Groupware




The screenshot shows the KAddressBook application interface. The title bar reads "KAddressBook". The menu bar includes File, Edit, View, Action, Tools, Settings, and Help. The toolbar features "New Contact...", "New Group...", "Edit Contact...", "Search... <Alt+Q>", and a dropdown for filters. The left sidebar lists "Address Books" with checkboxes for "akonadi\_vcard\_resource\_1" (checked), "Nextcloud" (checked), "Personal Calendar" (checked), and several "Personal Contacts" entries. Under "Work", there are "Contacts" (unchecked), "Nextcloud (Nextcloud)" (checked), and "Recently contacted" (unchecked). The main pane displays a contact for "Carl" with the email "carlschwan@kde.org" and website "https://carlschwan.eu". It also shows an "Address Book Personal Calendar" section and a large QR code.

## Synchronizing with the GNOME desktop

The [GNOME desktop](#) has built-in support for Nextcloud's calendar, contacts, and tasks which will be displayed by the Evolution Personal Information Manager (PIM), or the Calendar, Tasks, and Contacts apps. Similarly, Files integrates into the Nautilus file manager via WebDAV. The latter works only while the computer is connected.

This can be done by following these steps:


- 1 . In the GNOME settings, open Online Accounts.
- 2 . Under “Add an account” pick Nextcloud:



- 3 . Enter your server URL, username, and password. If you have enabled two-factor authentication (2FA), you need to generate an application password/token, because GNOME Online Accounts [doesn't support Nextcloud's WebFlow login yet](#) ([Learn more](#)):



- 4 . In the next window, select which resources GNOME should access and press the cross in the top right to close:



Nextcloud tasks, calendars, and contacts should now be visible in the Evolution PIM, as well as the Task, Contacts, and Calendars apps.

Files will be shown as a WebDAV resource in the Nautilus file manager, and also be available in the GNOME file open/save dialogues. Documents should be integrated into the GNOME Documents app.

All resources should also be searchable from anywhere by pressing the Windows key and entering a search term.


## Synchronizing with Windows 10

### Calendar

1. In your browser, navigate to the Nextcloud Calendar app. Under “Settings & import”, copy the address using “Copy iOS/macOS CalDAV address” into your clipboard.
2. Launch the Windows 10 Calendar app. Then, click the settings icon (gear icon) and select “Manage accounts”.
3. Click “Add account” and choose “iCloud”.
4. Enter an email, username and password. None of this information has to be valid-it will all be changed in the upcoming steps.
5. Click “Done”. A message should appear indicating the settings were saved successfully.
6. In the “Manage Accounts” menu, click on the iCloud account created in previous steps, and select “Change settings”. Then, click on “Change mailbox sync settings”.
7. Scroll to the bottom of the dialog box, select “Advanced mailbox settings”. Scroll once more to the bottom of the dialog box and paste your CalDAV URL in the field labelled “Calendar server (CalDAV)”.
8. Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud Calendar”). Click “Save”.

### Contacts

1. In the bottom left of the Contacts View (in Nextcloud Contacts) look for a little (chain) link symbol that looks like this:



which will display a URL that looks something like this:  
<https://cloud.nextcloud.com/remote.php/dav/addressbooks/users/daniel/Thunderbird/>

2. Launch the Windows 10 Calendar app. Then, click the settings icon (gear icon) and select “Manage accounts”.
3. Click “Add account” and choose “iCloud”.
4. Enter an email, username and password. None of this information has to be valid-it will all be changed in the upcoming steps.
5. Click “Sign in” and then “Done”. A message should appear indicating the settings were saved successfully.
6. In the “Manage Accounts” menu, click on the iCloud account created in previous steps, and select “Change settings”. Then, click on “Change mailbox sync settings”.

## Talk

- 7 . Scroll to the bottom of the dialog box, select “Advanced mailbox settings”. Scroll once more to the bottom of the dialog box and paste your CardDAV URL in the field labelled “Contacts server (CardDAV)”.  
8 . Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud Contacts”). Click “Save”.

## Troubleshooting

After following all these steps, your Nextcloud calendar should synchronize. If not, check your username and password. Otherwise, repeat these steps.

**NOTE: You will not be able to synchronize your calendar if you have two-factor authentication enabled. Follow the steps below to get an app password that can be used with the Calendar client app:**

- 1 . Log into Nextcloud. Click on your user icon, then click on “Settings”.
- 2 . Click on “Security”, then locate a button labeled “Create new app password”. Next to this button, enter “Windows 10 Calendar app”. Then, click the button, copy and paste the password. Use this password instead of your Nextcloud password for Step 8.

Special thanks to this Reddit user for their post:  
[https://www.reddit.com/r/Nextcloud/comments/5rcypb/using\\_the\\_windows\\_10\\_calendar\\_application\\_with/](https://www.reddit.com/r/Nextcloud/comments/5rcypb/using_the_windows_10_calendar_application_with/)


## Contacts

- 1 . Repeat steps 1–7 from the Calendar instructions. If you already have setup the Calendar synchronization, you can use the same account for this.
- 2 . In the “Advanced mailbox settings” paste your CalDAV URL in the field labelled “Contacts server (CardDAV)”.
- 3 . Replace the path “principals” within the URL with “addressbooks”.
- 4 . Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud”). Click “Save”.

## Talk

Nextcloud Talk offers audio/video and text chat integrated in Nextcloud. It offers a web interface as well as mobile apps.

You can find out more about Nextcloud Talk [on our website](#).



## Basics of Nextcloud Talk


Nextcloud Talk lets you chat and have video calls on your own server.

Chats and calls take place in conversations. You can create any number of conversations. There are two kinds of conversations:


1. **One-on-one conversations.** This is where you have a private chat or call with another Talk user. You can't add other people to this conversation or share it with a link. You start a direct one-on-one chat by looking for another user in the search bar and then clicking their name.
2. **Group conversations.** Besides the person who created the conversation, a group conversation can have any number of people in it. A group conversation can be shared publicly with a link, so external guest users can join a call. It can also be listed, so other people on your Nextcloud server can join the conversation.

### Creating a chat


You can create a direct, one-on-one chat by searching for the name of a user, a group or a circle and clicking it. For a single user, a conversation is immediately created and you can start your chat. For a group or circle you get to pick a name and settings before you create the conversation and add the participants.



If you want to create a custom group conversation, click the button next to the search field and filters button and then on Create a new conversation.




You can then pick a name for the conversation, put a description, and set up an avatar for it (with uploaded photo or emoji), and select if the conversation should be open to external users and if other users on the server can see and join the conversation.



In the second step, you get to add participants and finalize the creation of the conversation.


## Talk



You can cancel the creation of a conversation by clicking outside the white menu area at any time.


### View all open conversations

You can view all the conversations that you can join by clicking the button next to the search field and filters button and then on **Join open conversations**.




### Filter your conversations

You can filter your conversations using the filter button located next to the search field. There are two options for filtering: 1. Filter unread mentions: This option allows you to view group conversations with unread mentions or unread one-on-one conversations. 2. Filter unread messages: This option allows you to view all unread messages in all joined conversations.



You can then clear the filter from the filters menu.



## Sharing files in a chat

You can share files in a chat in 3 ways.

First, you can simply drag'n'drop them on the chat.

The screenshot shows a video call in progress between 'Company' and 'Ahri Fox'. A file sharing modal is open in the center, displaying a PDF document titled 'Reasons to use Nextcloud.pdf' and a video file titled 'Nextcloud-intro.mp4'. Below the files, there's a placeholder for dropping files with the text 'Drop your files to upload'. On the right side of the screen, a participant list shows 'Participants (7)' with names like Jane (moderator), Bennett Bernetto, Emily Evans, Felix Fuchs, Laura Adams, Ahri Fox, and Team. The call ended at 7:42 PM.

Second, you can select a file from your Nextcloud Files or a file manager by choosing the little paperclip and selecting where you'd like to pick the file from.

A file selection dialog box is open, showing options to 'Upload from device', 'Share from Nextcloud', and 'Create new poll'. Below the dialog, a list of files is visible, including various image and document types. The list includes files like 'Screenshot\_20190522-171514.jpg', 'Screenshot\_20190522-171514\_01.jpg', and 'Screenshot\_20190522-171514\_02.jpg'.

You can add more files until you are done and decide to share the files. You can also add a text caption to your shared files, providing a brief description or context.

A file sharing dialog box is open, showing two images: 'lake-picture.jpg' and 'mountains-pictur...'. A message from 'Alice Adali' is displayed, reading: 'please use this image backgrounds for the next presentation. We rock!' The message was sent at 10:47 AM.

All users will be able to click the files to view, edit or download them, irrespective of them having a user account. Users with an account will have the file automatically shared with them while external guest users will get them shared as a public link.

## Talk

The screenshot shows a Microsoft Word document titled "RUNDBRIEF". The main content includes a placeholder text "Curabitur Vulputate Viverra Pede" and a photograph of a modern kitchen with wooden tables and orange chairs. A sidebar on the right displays a "Pitch Meeting" participant list with four users: Christine Schott (moderator), Mickey Johnson, Nina Sun, and Carl Green.

## Inserting emoji

You can add emoji using the picker on the left of the text input field.



## Using Markdown

You can enhance your messages with a markdown syntax support. See list for usage:

### Headings and dividers

```
# Heading 1  
## Heading 2  
### Heading 3  
#### Heading 4  
##### Heading 5  
##### Heading 6
```

Heading

====

Normal text

\*\*\*

Normal text

### Inline decorations

```
**bold text** __bold text__  
*italicized text* _italicized text_  
'inline code` ``inline code``  
~~~  
.code-block {  
    display: pre;
```

}

...

## Lists


1. Ordered list
  2. Ordered list
- \* Unordered list
  - Unordered list
  - + Unordered list

## Quotes


> blockquote  
second line of blockquote

## Setting reminder on messages

You can set reminders on specific messages. If there's an important message you want to be notified about later, simply hover over it and click on the reminder icon.



In the submenu, you can select an appropriate time to receive a notification later.




## Replying to messages and more

You can reply to a message using the arrow that appears when you hover a message.



In the . . . menu you can also choose to reply privately. This will open a one-on-one chat.




Here you can also create a direct link to the message or mark it unread so you will scroll back there next time you enter the chat. When it is a file, you can view the file in Files.


## Managing a conversation

You are always moderator in your new conversation. In the participant list you can promote other participants to moderators using the ... menu to the right of their user name, assign them custom permissions or remove them from the conversation.


Changing permissions of a user that joined a public conversation will also permanently add them to the conversation.



Moderators can configure the conversation. Select Conversation settings from the ... menu of the conversation on the top to access the settings.



Here you can configure the description, guest access, if the conversation is visible to others on the server and more.



## Messages expiration

A moderator can configure message expiration under the Conversation settings within the Moderation section. Once a message reaches its expiration time, it is automatically removed from the conversation. The available expiration durations are 1 hour, 8 hours, 1 day, 1 week, 4 weeks, or never (which is the default setting).

## Message expiration

Chat messages can be expired after a certain time. Note: Files shared in chat will not be deleted for the owner, but will no longer be shared in the conversation.

Set message expiration

8 hours




## Starting a call

When you're in a conversation, you can start a call any time with the **Start call** button. Other participants will get notified and can join the call.




If somebody else has started a call already, the button will change in a green **Join call** button.



During a call, you can mute your microphone and disable your video with the buttons on the right side of the top bar, or using the shortcuts **M** to mute audio and **V** to disable video. You can also use the space bar to toggle mute. When you are muted, pressing space will unmute you so you can speak until you let go of the space bar. If you are unmuted, pressing space will mute you until you let go.

You can hide your video (useful during a screen share) with the little arrow just above the video stream. Bring it back with the little arrow again.


You can access your settings and choose a different webcam, microphone and other settings in the **...** menu in the top bar.



From media settings dialog, you can also change the background of your video.




You can change other settings in the **Talk settings** dialog.



### Starting a screen share


You can click the monitor icon on your video stream to share your screen. Depending on your browser, you will get the option to share a monitor, an application window or a single browser tab. If video from your camera is also available, other participants will see it in a small presenter view next to the screen share.




### Changing view in a call

You can switch the view in a call with the little four-block icon in the top-right between promoted-view and grid view. The grid view will show everyone equally big and if the people do not fit on the screen, buttons will appear on the left and right that let you navigate.

## Talk



The promoted view shows the speaker large and others in a row below. If the people do not fit on the screen, buttons will appear on the left and right that let you navigate.




## Advanced Talk features

Nextcloud Talk has a number of advanced features users might find useful.

### Matterbridge

Matterbridge integration in Nextcloud Talk makes it possible to create 'bridges' between Talk conversations and conversations on other chat services like MS Teams, Discord, Matrix and others. You can find a list of supported protocols [on the Matterbridge github page](#).


A moderator can add a Matterbridge connection in the chat conversation settings.



Each of the bridges has its own need in terms of configuration. Information for most is available on the Matterbridge wiki and can be accessed behind more information menu in the . . . menu. You can also [access the wiki directly](#).

## Lobby

The lobby feature allows you to show guests a waiting screen until the call starts. This is ideal for webinars with external participants, for example.



You can choose to let the participants join the call at a specific time, or when you dismiss the lobby manually.

## Commands

Nextcloud allows users to execute actions using commands. A command typically looks like:

```
/wiki airplanes
```

Administrators can configure, enable and disable commands. Users can use the `help` command to find out what commands are available.

```
/help
```

## Talk

talk-bot  
/wiki - A simple command to find wikipedia articles for a term  
/hackernews - A simple command to list the Top 5 top, new or best stories  
An error occurred while running the command. Please ask an administrator to check the logs.

Wikipedia-bot  
Wikipedia search results for "airplain":  
\* Airplane! - 1980 American satirical comedy film - <https://en.wikipedia.org/wiki/Airplane!>  
\* Airplane - Powered, flying vehicle with wings - <https://en.wikipedia.org/wiki/Airplane>  
\* Airplane II: The Sequel - 1982 American parody film by Ken Finkleman - [https://en.wikipedia.org/wiki/Airplane\\_II:\\_The\\_Sequel](https://en.wikipedia.org/wiki/Airplane_II:_The_Sequel)  
\* Airline seat - Seat of an airliner for passengers - [https://en.wikipedia.org/wiki/Airline\\_seat](https://en.wikipedia.org/wiki/Airline_seat)  
\* Airline ticket - Entrance ticket used for air travel - [https://en.wikipedia.org/wiki/Airline\\_ticket](https://en.wikipedia.org/wiki/Airline_ticket)  
\* and 5 more articles found

Write message, @ to mention someone ...

Find more information in the administrative documentation for Talk.

## Talk from Files

In the Files app, you can chat about files in the sidebar, and even have a call while editing it. You first have to join the chat.

Collectives  
Recently edited

	Name	Size	Modified
	... 201 KB	a year ago	
	... 135 KB	2 years ago	
	... < 1 KB	a year ago	
	... 41 KB	a year ago	
	... < 1 KB	2 years ago	
	... 608 KB	2 years ago	
	... 3 MB	2 years ago	
	... 969 KB	2 years ago	
	... 64 KB	3 years ago	
		4.9 MB	

customer project

Activity Chat Comments Sharing Versions

Discuss this file

Join conversation

All files design work

Add notes, lists or links ...

Name	Size	Modified
Interface.jpg	2.2 MB	3 years ago
Open_Images2.jpg	1.5 MB	3 years ago
work in progress.psd	12.8 MB	3 years ago
Zoom.jpg	4.5 MB	3 years ago

4 files 21 MB

work in progress.psd 12.8 MB, 3 years ago

Collaborative tags

Activity Chat Comments Sharing Versions

Calls will return soon

Christine Schott joined the conversation 3:57 PM

Christine Schott Hey Leon Green why did you lock this file? 3:58 PM

You joined the conversation 3:58 PM

Leon Green Hi Christine Schott 3:58 PM

I just downloaded it to work on it, will be back in 20 min, OK? 3:58 PM

Christine Schott Ok, that works 3:59 PM

Christine Schott Ok, that works 3:59 PM

I'm done now! 3:59 PM

You can then chat or have a call with other participants, even when you start editing the file.

## Talk

**idea nr 1**

- build an AI that finds the best cat pictures on the internet
- write a Nextcloud app which shows one per day
- happy users!
- ...
- profit

this doesn't seem a very unique idea in any case ...

**second idea**

- same as above... *but with dogs!* What could go wrong?

See also [barkpost.com](http://barkpost.com) for dog pictures!

Marinela Gogo  
Jos Poortvliet  
Leave call

You added Marinela Gogo 12:30 PM  
Jos Poortvliet Tell me what you think:-) 12:30 PM  
Marinela Gogo ehm... cat pictures... isn't that very 2005? 12:31 PM  
not that I don't like cats 12:32 PM  
Jos Poortvliet Hey! it has AI, so it is very 2019... 12:32 PM  
hmm but ok... perhaps we should talk, if you have time, to come up with a better idea?? 12:33 PM  
You started a call 1:53 PM  
Marinela Gogo joined the call 1:53 PM  
Jos Poortvliet New message ... → +

In Talk, a conversation will be created for the file. You can chat from there, or go back to the file using the . . . menu in the top-right.

Start call

★ SWOT analysis.whiteboard

You added Mickey Johnson 6:06 PM

6:07 PM

6:07 PM

6:09 PM

4 months ago, February 14, 2021

/et? 7:22 PM

feels like you are ignoring me Christine Schott 7:23 PM

Carl Green hasn't had time. He's been in a meeting for a 7:23 PM ✓

Fullscreen (F)  
Go to file  
Copy link  
Conversation settings

Participants

Christine Schott Busy with my favorite p

Mickey Johnson Working remotely and i

Carl Green In a meeting

## Create tasks from chat or share tasks in chat

If Deck is installed, you can use the . . . menu of a chat message and turn the message into a Deck task.

Publish new Intro video


Modified: seconds ago Created: 29 min ago

Details Attachments

Open in bigger view Post to a conversation

Assign a tag to this card...  
Assign a user to this card...  
Set a due date

## Talk



From within Deck, you can share tasks into chat conversations.

A screenshot of the Nextcloud Talk interface. On the left, a message from "talk-bot" says "There are currently no commands available." at 3:34 PM. In the middle, a message from "Laura Adams" says "Publish new Intro video To do in Personal" at 4:29 PM. On the right, a "Post to conversation" dialog box is open, listing "Webinar: Accessibility", "Team", "Company", and "Ahri Fox" as options. A "Select conversation" button is at the bottom right of the dialog.

## Breakout rooms

Breakout rooms allow you to divide a Nextcloud Talk call into smaller groups for more focused discussions. The moderator of the call can create multiple breakout rooms and assign participants to each room.


### Configure breakout rooms

To create breakout rooms, you need to be a moderator in a group conversation. Click on the top-bar menu and click on "Setup breakout rooms".

The screenshot shows the 'Talk' application interface. At the top, there are icons for file operations (New, Open, Save, Find, Help) and user status indicators. The title bar says 'My group conversation'. On the right, there are buttons for 'Start call' and a three-dot menu. A context menu is open, listing 'Fullscreen (F)', 'Set up breakout rooms' (which is highlighted with a blue border), and 'Conversation settings'. The main area shows a list of messages from March 30, 2023, at 4:28 PM. The messages are: 'You created the conversation', 'You added alice', 'You added bob', 'You added jane', 'You added john', 'You added nextcloud', 'You added user1', 'You added user2', 'You added user3', 'You added user4', and 'You set the conversation avatar'. Below the message list is a text input field with placeholder text 'Write message, @ to mention someone ...' and a microphone icon.


A dialog will open where you can specify the number of rooms you want to create and the participants assignment method. Here you'll be presented with 3 options:

- **Automatically assign participants:** Talk will automatically assign participants to the rooms.
- **Manually assign participants:** You'll go through a participants editor where you can assign participants to rooms.
- **Allow participants choose:** Participants will be able to join breakout rooms themselves.




## Manage breakout rooms

Once the breakout rooms are created, you will be able to see them in the sidebar.



From the sidebar header

- **Start and stop the breakout rooms:** this will move all the users in the parent conversation to their respective breakout rooms.
- **Broadcast a message to all the rooms:** this will send a message to all the rooms at the same time.
- **Make changes to the assigned participants:** this will open the participants editor where you can change which participants are assigned to which breakout room. From this dialog it's also possible to delete the breakout rooms.



From the breakout room element in the sidebar, you can also join a particular breakout room or send a message to a specific room.



## Call recording

The recording feature provides users with an opportunity to:


- Start and stop recordings during a call.
- Record the video and audio stream of the speaker, as well as screen share.
- Access, share and download recorded files for future reference or distribution.

Enabling this feature requires the recording server to be set up by the system administration.


## Manage a recording

The moderator of the conversation can start a recording together with a call start or anytime during a call:


- **Before the call:** tick the checkbox “Start recording immediately with the call” in “Media settings”, then click on “Start call”.
- **During the call:** click on the top-bar menu, then click “Start recording”.



The recording will start shortly, and you will see a red indicator next to the call time. You can stop the recording at any time while the call is still ongoing by clicking on that indicator and selecting “Stop recording”, or by using the same action in the top-bar menu. If you do not manually stop the recording, it will end automatically when the call ends.



After stopping a recording, the server will take some time to prepare and save the recorded file. The moderator, who started the recording, receives a notification when the file is uploaded. From there, it can be shared in the chat.




## Recording consent

For compliance reasons with various privacy rights, it is possible to ask participants for consent to be recorded before joining the call. The system administration has the flexibility to utilize this feature in several ways:

- Disable consent completely.
- Enable mandatory consent system-wide, requiring consent for all conversations.
- Allow moderators to configure this option on a conversation level. In such cases, moderators can access the conversation settings to configure this option accordingly:



If recording consent is enabled, every participant, including moderators, will see a highlighted section in the "Media settings" before joining a call. This section informs participants that the call may be recorded. To give explicit consent for recording, participants must check the box. If they do not give consent, they will not be allowed to join the call.




## Join a call or chat as guest

Nextcloud Talk offers audio/video call and text chat integrated in Nextcloud. It offers a web interface as well as mobile apps.


You can find out more about Nextcloud Talk [on our website](#).

### Joining a chat


If you received a link to a chat conversation, you can open it in your browser to join the chat. Here, you will be prompted to enter your name before joining.



You can also change your name later by clicking the `Edit` button, located top-right.



Your camera and microphone settings can be found in the `Settings` menu. There you can also find a list of shortcuts you can use.



### Joining a call

You can start a call any time with the `Start call` button. Other participants will get notified and can join the call. If somebody else has started a call already, the button will change in a green `Join call` button.




Before actually joining the call you will see a device check, where you can pick the right camera and microphone, enable background blur or even join with any devices.

## Setting your preferences



During a call, you can find the Camera and Microphone settings in the . . . menu in the top bar.



During a call, you can mute your microphone and disable your video with the buttons in the top-right, or using the shortcuts M to mute audio and V to disable video. You can also use the space bar to toggle mute. When you are muted, pressing space will unmute you so you can speak until you let go of the space bar. If you are unmuted, pressing space will mute you until you let go.


You can hide your video (useful during a screen share) with the little arrow just above the video stream. Bring it back with the little arrow again.

## Starting a screen share

You can click the monitor icon on your video stream to share your screen. Depending on your browser, you will get the option to share a monitor, an application window or a single browser tab.

## More settings

In the conversation menu you can choose to go full-screen. You can also do this by using the F key on your keyboard. In the conversation settings, you can find notification options and the full conversation description.




## Setting your preferences


As a user, you can manage your personal settings.

To access your personal settings:

- 1 . Click on your profile picture in the top right corner of your Nextcloud instance to open the menu



- 2 . Clicking on Settings from the drop down menu opens the user preferences



## Note

If you are an administrator, you can also manage users and administer the server. These links do not appear to a non-administrator user.

The options listed in the Personal Settings Page depend on the applications that are enabled by the administrator. Some of the features you will see include the following:

- Usage and available quota
- Manage your profile picture
- Full name (You can make this anything you want, as it is separate from your Nextcloud login name, which is unique and cannot be changed)
- Email address
- List of your Group memberships
- Change your password
- Using two-factor authentication
- Setting your preferences
- Choose the language for your Nextcloud interface
- Links to desktop and mobile apps
- Manage your Activity stream and notifications
- Default folder to save new documents to
- Your Federated sharing ID
- Social sharing links
- Nextcloud version

## Note

Available options and settings depending on your administrator's configuration. If you are not able to change the password or the display name in your personal settings, please contact your administrator for help.

## Sharing your data in the global address book

Some administrators decide to share their global address book with other Nextcloud instances (so called *Trusted Servers*) or even with the wider world. This is helpful when two instances want to work closely together, or when people want to use Nextcloud as a virtual telephone book for others to browse. It also allows searching for contacts, creating shares and much more.

You can change what personal data of yours is shared by setting the scope of your data. Clicking on the lock icon will open the following dropdown next to each entry:



If you set your data to **Private**, nobody but you will be able to see it.

## Universal access

If you set your data to **Local**, all logged in users within your Nextcloud instance will be able to see the information, but no one outside of it.

If you set your data to **Federated**, the trusted server(s) which are added by your administrator will be able to see this data, in addition to all logged in users.

If you set your data to **Global**, anyone can see your data. For some use cases this is wanted. Someone with a public facing role such as marketing or sales might want to share their contact with a wide variety of connections which might not be using Nextcloud.

## Universal access

Universal access is very important to us. We follow web standards and check to make everything usable also with keyboard and assistive software such as screen readers. We aim to be compliant with the [Web Content Accessibility Guidelines 2.1](#) on AA level, with the high contrast theme even on AAA level. We also follow the German BITV 2.0 guidelines.

If you find any issues, don't hesitate to report them on [our issue tracker](#). And if you want to get involved, come [join our design team!](#)

## Zoom and responsiveness

The Nextcloud interface is fully responsive and usable on any size of screen. You can zoom in and out to fit the text and element size to your liking. The navigation and sidebar can be expanded or collapsed.

## Navigating via keyboard

You can navigate the web interface with keyboard only just like you can with the mouse:

- Tab and Shift + Tab to move between elements
- Enter or Space to activate or open the element (depending on the type of element)
- Escape to be used to close modals, popover menus, and file viewers
- Left arrow and Right arrow to navigate between photos in the viewer
- Ctrl + F to focus the search field
- Ctrl + S to save changes in editors like Nextcloud Text

For quicker navigation, we offer 2 "skip links" at the beginning of the document which allow you to:

- Skip to main content
- Skip to navigation of app

Nextcloud Talk has shortcuts which are also documented inside the settings of the app itself:

- C to focus the message input field
- Escape to unfocus the message input field to be able to use shortcuts
- F to fullscreen the chat or call
- **While in a call:**

- M to toggle the microphone on and off
- V to toggle video on and off
- Space for push to talk or push to mute
- R to raise or lower hand

Nextcloud Mail has shortcuts as well, also documented inside the settings of the app itself:

- C to compose a new message
- Left arrow to switch to a newer message
- Right arrow to switch to an older message

## Using two-factor authentication

- S to toggle a message as favorite
- U to toggle a message unread
- Del to delete a message
- Ctrl + Enter to send
- R to refresh and load new mails

## Included themes

We offer several themes you can activate to aid accessibility:

- **High contrast theme:** A high contrast mode to ease your navigation. Visual quality will be reduced but clarity will be increased.
- **Dark theme:** A dark theme to ease your eyes by reducing the overall luminosity and brightness. It is still under development, so please report any issues you may find.
- **Dyslexia font:** OpenDyslexic is a free typeface/font designed to mitigate some of the common reading errors caused by dyslexia.

To reach the accessibility settings:

1. Open the settings menu at the end of the header
2. Pick **Settings**
3. In the navigation, pick **Accessibility**

## Note

Contrast of elements can vary based on custom theming. For example, the primary theming color is used as background color by the header, log in page, and primary buttons. If this causes contrast issues, please contact your administrator for help.


## Using two-factor authentication

Two-factor authentication (2FA) is a way to protect your Nextcloud account against unauthorized access. It works by requiring two different ‘proofs’ of your identity. For example, *something you know* (like a password) and *something you have* like a physical key. Typically, the first factor is a password like you already have and the second can be a text message you receive or a code you generate on your phone or another device (*something you have*). Nextcloud supports a variety of 2nd factors and more can be added.

Once a two-factor authentication app has been enabled by your administrator you can enable and configure it in Setting your preferences. Below you can see how.

## Configuring two-factor authentication

In your Personal Settings look up the Second-factor Auth setting. In this example this is TOTP, a Google Authenticator compatible time-based code:




## Using two-factor authentication


You will see your secret and a QR code which can be scanned by the TOTP app on your phone (or another device). Depending on the app or tool, type in the code or scan the QR and your device will show a login code which changes every 30 seconds.

### Recovery codes in case you lost your 2nd factor

You should always generate backup codes for 2FA. If your 2nd factor device gets stolen or is not working, you will be able to use one of these codes to unlock your account. It effectively functions as a backup 2nd factor. To get the backup codes, go to your Personal Settings and look under Second-factor Auth settings. Choose *Generate backup codes*:




You will then be presented with a list of one-time-use backup codes:




You should put these codes in a safe spot, somewhere you can find them. Don't put them together with your 2nd factor like your mobile phone but make sure that if you lose one, you still have the other. Keeping them at home is probably the best thing to do.

### Logging in with two-factor authentication

After you have logged out and need to log in again, you will see a request to enter the TOTP code in your browser. If you enable not only the TOTP factor but another one, you will see a selection screen on which you can choose two-factor method for this login. Select TOTP:



Now, just enter your code:



If the code was correct you will be redirected to your Nextcloud account.

## Note

Since the code is time-based, it's important that your server's and your smartphone's clock are almost in sync. A time drift of a few seconds won't be a problem.

## Using two-factor authentication with hardware tokens

You can use two-factor authentication based on hardware tokens. The following devices are known to work:

- TOTP based:
  - [Nitrokey Pro](#)
  - [Nitrokey Storage](#)
- FIDO U2F based:
  - [Nitrokey FIDO U2F](#)

## Using client applications with two-factor authentication

Once you have enabled 2FA, your clients will no longer be able to connect with just your password unless they also have support for two-factor authentication. To solve this, you should generate device specific passwords for them. See Manage connected browsers and devices for more information on how to do this.

## Considerations

If you use WebAuthn to login to your Nextcloud be sure to not use the same token for 2FA. As this would mean you are again only using a single factor.

## Manage connected browsers and devices

The personal settings page allows you to have an overview on the connected browsers and devices.

## Managing connected browsers

In the list of connected browsers you see which browsers connected to your account recently:



## Manage connected browsers and devices

You can use the trash icon to disconnect any of the browsers in the list.

### Managing devices

In the list of connected devices you see all the devices and clients you generated a device password for and their last activity:

The screenshot shows the 'Personal - Nextcloud' interface at <http://localhost:8080/index.php/settings/personal#devices>. The left sidebar includes links for 'Personal info', 'Sessions', 'Devices', 'Sync clients', 'TOTP Second-factor Auth', and 'Federated Cloud'. The main content area is titled 'Devices' and displays the message 'You've linked these devices.' Below this is a table listing three devices:

Name	Most recent activity	Action
Android	10 days ago	trash
unknown client	3 days ago	trash
unknown client	3 days ago	trash

A note below the table states: 'A device password is a passcode that gives an app or device permissions to access your ownCloud account.' At the bottom of the table area are two buttons: 'Device name' and 'Create new device password'. The right sidebar features a 'Language' section with a dropdown set to 'English' and a 'Help translate' link. A promotional banner at the bottom right says 'Get the apps to sync your files'.

You can use the trash icon to disconnect any of the devices in the list.

At the bottom of the list you find a button to create a new device-specific password. You can choose a name to identify the token later. The generated password is used for configuring the new client. Ideally, generate individual tokens for every device you connect to your account, so you can disconnect those individually if necessary:

This screenshot shows the same 'Personal - Nextcloud' interface as above, but with a generated device password at the bottom of the device list. The password 'YDIPP-FJINR-TEJDU-EHXOP' is displayed in a blue box, with a 'Done' button next to it. The rest of the interface is identical to the first screenshot, including the sidebar links, the 'Devices' table, and the right-side language and app sync sections.

### Note

You have only access to the device password when creating it, Nextcloud will not save the plain password, hence it's recommended to enter the password on the new client immediately.

### Note

If you are Using two-factor authentication for your account, device-specific passwords are the only way to configure clients. The server will deny connections of clients using your login password then.

## Device-specific passwords and password changes

For password changes in external user backends the device-specific passwords are marked as invalid and once a login of the user account with the main password happens all device-specific passwords are updated and work again.

## External Storage

### Configuring External Storage

The External Storage application allows you to mount external storage services, such as Amazon S3, SMB/CIFS file servers and FTP servers... in Nextcloud. Your Nextcloud server administrator controls which of these are available to you. Please see [Configuring External Storage \(GUI\)](#) in the Nextcloud Administrator's manual for configuration how-tos and examples.