

# Nextcloud User Manual

**version latest**

**The Nextcloud developers**

June 12, 2025



# Contents

<b>Table of contents</b>	<b>1</b>
Nextcloud latest user manual introduction	1
What's new for users in Nextcloud latest	1
The Nextcloud Web interface	3
Web browser requirements	3
Navigating the main user interface	3
Files & synchronization	5
Accessing your files using the Nextcloud Web interface	5
Tagging files	5
Comments	5
Video player	6
File controls	6
Previewing files	7
Navigating inside your Nextcloud	7
Sharing status icons	7
Creating or uploading files and directories	8
Selecting files or folders	8
Filtering the files view	8
Moving files	9
Creating or connecting to a Federation Share link	9
Accessing Nextcloud files using WebDAV	9
Nextcloud Desktop and mobile clients	9
WebDAV configuration	9
Accessing files using Linux	10
Nautilus file manager	10
Accessing files with KDE and Dolphin file manager	10
Creating WebDAV mounts on the Linux command line	11
Known issues	12
Problem	12
Solution	12
Problem	12
Solution	12
Accessing files using macOS	12
Accessing files using Microsoft Windows	13
Mapping drives with the command line	14
Mapping drives with Windows Explorer	14
Accessing files using Cyberduck	15
Accessing public shares over WebDAV	15
Known problems	15
Problem	15
Solution 1	15
Solution 2	15
Problem	16
Solution	16

Problem	16
Solution	16
Problem	16
Solution	16
Problem	17
Solution	17
Accessing files using cURL	17
Managing deleted files	17
Quotas	18
What happens when shared files are deleted	18
How the deleted files app manages storage space	18
Desktop and mobile synchronization	18
Mobile clients	18
Encrypting your Nextcloud files on the server	19
Encryption FAQ	19
How can encryption be disabled?	19
Is it possible to disable encryption with the recovery key?	19
Can encryption be disabled without the user's password?	19
Is it planned to move this to the next user login or a background job?	19
Is group Sharing possible with the recovery key?	19
Using encryption	19
Sharing encrypted files	20
Recovery key password	20
Files not encrypted	20
Change private key password	21
File Sharing	21
Public link shares	21
Internal shares with users and groups	22
Others with access	23
Federated Shares	24
Creating a new Federation Share	24
Adding a public share to your Nextcloud	24
Making anonymous uploads	25
Setting up your own file drop	25
Uploading files	25
Large file uploads	26
Storage quota	26
Version control	27
Projects	27
Create a new project	27
Adding more entries to a project	28
Visibility of projects	29
Transfer Ownership	29
Groupware	29
Using the Contacts app	30
Adding Contacts	30

Importing Virtual Contacts	30
Adding Contacts Manually	31
Edit or Remove Contact Information	31
Contact Picture	32
Adding and Managing Address Books	32
Using the Calendar app	32
Managing your calendars	33
Import a Calendar	33
Create a new Calendar	34
Edit, Download or Delete a Calendar	34
Sharing calendars	34
Publishing a calendar	34
Subscribe to a Calendar	35
Managing Events	35
Create a new event	35
Edit or Delete an event	35
Invite attendees to an event	36
Assign rooms and resources to an event	36
Setup Reminders	36
Add recurring options	37
Trash bin	37
Birthday calendar	38
Synchronizing with Android	38
Files and notifications	38
Contacts and Calendar	38
With the Nextcloud mobile app	38
Without the Nextcloud mobile app	38
Synchronizing with iOS	39
Calendar	39
Contacts	39
Synchronizing with macOS	40
Setup your Accounts	40
Troubleshooting	42
Synchronizing with Thunderbird	42
Recommended method	42
Alternative: Using the CardBook add-on (Contacts only)	42
The old method: Manually subscribing to calendars	43
Fix for Thunderbird 60	44
Synchronizing with KDE Kontact	44
Synchronizing with the GNOME desktop	47
Synchronizing with Windows 10	48
Calendar	48
Contacts	49
Troubleshooting	49
Contacts	49
Talk	49

Basics of Nextcloud Talk	50
Creating a chat	50
Sharing files in a chat	52
Inserting emoji	54
Replying to messages and more	54
Managing a conversation	55
Starting a call	56
Starting a screen share	58
Changing view in a call	58
Advanced Talk features	59
Matterbridge	59
Lobby	60
Commands	60
Talk from Files	61
Create tasks from chat or share tasks in chat	63
join a call or chat as guest	65
Joining a chat	65
Starting a screen share	68
More settings	68
Setting your preferences	68
Universal access	69
Zoom and responsiveness	69
Navigating via keyboard	69
Included themes	70
Using two-factor authentication	71
Configuring two-factor authentication	71
Recovery codes in case you lost your 2nd factor	71
Logging in with two-factor authentication	72
Using two-factor authentication with hardware tokens	73
Using client applications with two-factor authentication	73
Considerations	73
Manage connected browsers and devices	73
Managing connected browsers	73
Managing devices	74
Device-specific passwords and password changes	75
External Storage	75
Configuring external Storage	75

# Table of contents

## Nextcloud latest user manual introduction

### Welcome to Nextcloud: A safe home for all your data.

Nextcloud is open source file sync and share software for everyone from individuals operating the free Nextcloud Server in the privacy of their own home, to large enterprises and service providers supported by the Nextcloud Enterprise Subscription. Nextcloud provides a safe, secure, and compliant file synchronization and sharing solution on servers that you control.


You can share one or more files and folders on your computer, and synchronize them with your Nextcloud server. Place files in your local shared directories, and those files are immediately synchronized to the server and to other devices using the Nextcloud Desktop Sync Client, Android app, or iOS app. To learn more about the Nextcloud desktop client, please refer to:

- [Nextcloud Desktop Client](#)


[Help translate.](#)

## What's new for users in Nextcloud latest

### 1. Easier way to select a new app:




### 2. New Contacts menu to reach your colleagues or friends easier:




## Table of contents

3 . A contact popup menu over avatars everywhere:




4 . Ability to send multiple unique sharing links each with their own settings, by entering email addresses (the recipient will receive an email):



- 5 . Many other improvements and new apps, like screensharing in Video calls, new Circles app for user defined groups, push notifications, notifications of file changes even when shared to another server, undo removal of files from a shared folder even if the removal was done by a recipient, directly sharing to social media and much more.

## The Nextcloud Web interface

You can connect to your Nextcloud server using any Web browser. Just point it to your Nextcloud server URL (e.g. cloud.example.com) and enter your username and password:



## Web browser requirements

For the best experience with the Nextcloud web interface, we recommend that you use the latest and supported version of a browser from this list:

- Microsoft **Internet Explorer**
- Microsoft **Edge**
- Mozilla **Firefox**
- Google **Chrome**/Chromium
- Apple **Safari**

### Note

If you want to use Nextcloud Talk you need to run Mozilla **Firefox** 52+ or Google **Chrome**/Chromium 49+ to have the full experience with video calls and screensharing. Google **Chrome**/Chromium requires a additional plugin for screensharing.

### Note

Microsoft **Internet Explorer** is **NOT** supported.

## Navigating the main user interface

By default, the Nextcloud Web interface opens to your Dashboard or Files page:



## The Nextcloud Web interface

In Files you can add, remove, and share files, and make changes based on the access privileges set by you (if you are administering the server) or by your server administrator.

The Nextcloud user interface contains the following fields and functions:

- **Apps Selection Menu (1)**: Located in the upper left corner, you'll find all your apps which are available on your instance of Nextcloud. Clicking on an apps icon will redirect you to the app.
- **Apps Information field (2)**: Located in the left sidebar, this provides filters and tasks associated with your selected app. For example, when you are using the Files apps you have a special set of filters for quickly finding your files, such as files that have been shared with you, and files that you have shared with others. You'll see different items for other apps.
- **Application View (3)**: The main central field in the Nextcloud user interface. This field displays the contents or user features of your selected app.
- **Navigation Bar (4)**: Located over the main viewing window (the Application View), this bar provides a type of breadcrumbs navigation that enables you to migrate to higher levels of the folder hierarchy up to the root level (home).
- **New button (5)**: Located in the Navigation Bar, the New button enables you to create new files, new folders, or upload files.

### Note

You can also drag and drop files from your file manager into the Files Application View to upload them to your instance.


- **Search field (6)**: Click on the Magnifier in the upper right corner to search for files and entries of the current app.
- **Contacts Menu (7)**: Gives you an overview about your contacts and users on your server. Dependent on the given details and available apps, you can directly start a video call with them or send emails.
- **Grid view button (8)**: This looks like four little squares, which toggles the grid view for folders and files.
- **Settings menu (9)**: Click on your profile picture, located to the right of the Search field, to open your Settings dropdown menu. Your Settings page provides the following settings and features:
  - Links to download desktop and mobile apps
  - Server usage and space availability
  - Password management
  - Name, email, and profile picture settings
  - Manage connected browsers and devices
  - Group memberships
  - Interface language settings
  - Manage notifications
  - Federated Cloud ID and social media-sharing buttons
  - SSL/TLS certificate manager for external storages
  - Your Two-factor Settings
  - Nextcloud Version information

See Setting your preferences section to learn more about these settings.

## Files & synchronization


### Accessing your files using the Nextcloud Web interface

You can access your Nextcloud files with the Nextcloud Web interface and create, preview, edit, delete, share, and re-share files. Your Nextcloud administrator has the option to disable these features, so if any of them are missing on your system ask your server administrator.



### Tagging files

You can assign tags to files. To create tags, open a file to the Details view. Then type your tags. To enter more than one tag press the return key after creating each tag. All tags are system tags, and are shared by all users on your Nextcloud server.



Then use the Tags filter on the left sidebar to filter files by tags:


### Comments

Use the Details view to add and read comments on any file or folder. Comments are visible to everyone who has access to the file:



### Video player

You can play videos in Nextcloud with the Video Player app by simply clicking on the file. Video streaming by the native Nextcloud video player depends on your Web browser and the video format. If your Nextcloud administrator has enabled video streaming, and it doesn't work in your Web browser, it may be a browser issue. See [https://developer.mozilla.org/en-US/docs/Web/HTML/Supported\\_media\\_formats#Browser\\_compatibility](https://developer.mozilla.org/en-US/docs/Web/HTML/Supported_media_formats#Browser_compatibility) for supported multimedia formats in Web browsers.




### File controls

Nextcloud can display thumbnail previews for image files, MP3 covers, and text files, if this enabled by your server administrator. Hover your cursor over a file or folder to expose the controls for the following operations:

#### Favorites


Click the star to the left of the file icon to mark it as a favorite:



You can also quickly find all of your favorites with the Favorites filter on the left sidebar.

#### Overflow Menu

The Overflow menu (three dots) displays file details, and allows you to rename, download, or delete files:



## Files & synchronization

The Details view shows Activities, Sharing, and Versions information:

Photos

★ 2.3 MB, 3 days ago

Activities Comments Sharing

You commented seconds ago  
Looks really great! I will upload my photos later ;)

Tiberius Claudius Nero commented seconds ago  
Look at this nice photos Titus Flavius Domitianus

The **Settings** gear icon at the lower left allows you to show or hide hidden files in your Nextcloud Web interface. These are also called dotfiles, because they are prefixed with a dot, e.g. `.mailfile`. The dot tells your operating system to hide these files in your file browsers, unless you choose to display them. Usually these are configuration files, so having the option to hide them reduces clutter.



Show hidden files

### Previewing files

You can display uncompressed text files, OpenDocument files, videos, and image files in the Nextcloud embedded viewers by clicking on the file name. There may be other file types you can preview if your Nextcloud administrator has enabled them. If Nextcloud cannot display a file, it starts a download process and downloads the file to your computer.

### Navigating inside your Nextcloud

Navigating through folders in Nextcloud is as simple as clicking on a folder to open it and using the back button on your browser to move to a previous level. Nextcloud also provides a navigation bar at the top of the Files field for quick navigation.


### Sharing status icons

Any folder that has been shared is marked with the **Shared** overlay icon. Public link shares are marked with a chain link. Unshared folders are not marked:



## Creating or uploading files and directories

Upload or create new files or folders directly in a Nextcloud folder by clicking on the *New* button in the Files app:



The *New* button provides the following options:

### Up arrow

Upload files from your computer into Nextcloud. You can also upload files by dragging and dropping them from your file manager.

### Text file

Creates a new text file and adds the file to your current folder.

### Folder

Creates a new folder in the current folder.

## Selecting files or folders

You can select one or more files or folders by clicking on their checkboxes. To select all files in the current directory, click on the checkbox located at the top of the files listing.

When you select multiple files, you can delete all of them, or download them as a ZIP file by using the Delete or Download buttons that appear at the top.

### Note

If the Download button is not visible, the administrator has disabled this feature.

## Filtering the files view

The left sidebar on the Files page contains several filters for quickly sorting and managing your files.

### All files

The default view; displays all files that you have access to.

### Favorites

Files or folders marked with the yellow star.

### Shared with you

Displays all files shared with you by another user or group.

### Shared with others

Displays all files that you have shared with other users or groups.

### Shared by link

Displays all files that are shared by you via public link.

### External Storage (optional)

Files that you have access to on external storage devices and services such as Amazon S3, SMB/CIFS, FTP...

## Moving files

You can move files and folders by dragging and dropping them into any directory.

## Creating or connecting to a Federation Share link

Federated Cloud Sharing allows you to mount file shares from remote Nextcloud servers, and manage them just like a local share. See [federated\\_cloud\\_sharing](#) to learn how to create and connect to new Federated Cloud shares.

## Accessing Nextcloud files using WebDAV

Nextcloud fully supports the WebDAV protocol, and you can connect and synchronize with your Nextcloud files over WebDAV. In this chapter you will learn how to connect Linux, macOS, Windows, and mobile devices to your Nextcloud server via WebDAV. Before we get into configuring WebDAV, let's take a quick look at the recommended way of connecting client devices to your Nextcloud servers.

### Note

In the following examples, you should replace **example.com/nextcloud** with the URL of your Nextcloud server (omit the directory part if the installation is in the root of your domain), and “**USERNAME**” with the username of the connecting user.

See the WebDAV URL (bottom left in settings) on your Nextcloud.

### Note

In the following examples, you must use an app-password for login, which you can generate in your security settings.

## Nextcloud Desktop and mobile clients

The recommended way to synchronize a desktop PC with a Nextcloud server is by using [Nextcloud/ownCloud sync clients](#). You can configure the client to save files in any local directory and you can choose which directories on the Nextcloud server to sync with. The client displays the current connection status and logs all activity, so you always know which remote files have been downloaded to your PC and you can verify that files created and updated on your local PC are properly synchronized with the server.

The recommended way to synchronize Nextcloud server with Android and Apple iOS devices is by using the [mobile apps](#).

To connect your mobile app to a Nextcloud server use the base URL and folder only:

`example.com/nextcloud`

In addition to the mobile apps provided by Nextcloud or ownCloud, you can use other apps to connect to Nextcloud from your mobile device using WebDAV. [WebDAV Navigator](#) is a good (proprietary) app for [Android devices](#) and [iPhones](#). The URL to use on these is:

`example.com/nextcloud/remote.php/dav/files/USERNAME/`

## WebDAV configuration

If you prefer, you may also connect your desktop PC to your Nextcloud server by using the WebDAV protocol rather than using a special client application. Web Distributed Authoring and Versioning (WebDAV) is a Hypertext Transfer Protocol (HTTP) extension that makes it easy to create, read, and edit files on Web servers. With WebDAV you can access your Nextcloud shares on Linux, macOS and Windows in the same way as any remote network share, and stay synchronized.

## Accessing files using Linux

You can access files in Linux operating systems using the following methods.

### Nautilus file manager


When you configure your Nextcloud account in the [GNOME Control Center](#), your files will automatically be mounted by Nautilus as a WebDAV share, unless you deselect file access.

You can also mount your Nextcloud files manually. Use the `davs://` protocol to connect the Nautilus file manager to your Nextcloud share:

```
davs://example.com/nextcloud/remote.php/dav/files/USERNAME/
```

### Note

If your server connection is not HTTPS-secured, use `dav://` instead of `davs://`:




### Note

The same method works for other file managers that use GVfs, such as MATE's Caja and Cinnamon's Nepomuk.

## Accessing files with KDE and Dolphin file manager

To access your Nextcloud files using the Dolphin file manager in KDE, use the `webdav://` protocol:

```
webdav://example.com/nextcloud/remote.php/dav/files/USERNAME/
```



You can create a permanent link to your Nextcloud server:

- 1 . Open Dolphin and click “Network” in the left hand “Places” column.
- 2 . Click on the icon labeled **Add a Network Folder**. The resulting dialog should appear with WebDAV already selected.
- 3 . If WebDAV is not selected, select it.
- 4 . Click **Next**.
- 5 . Enter the following settings:
  - Name: The name you want to see in the **Places** bookmark, for example Nextcloud.
  - User: The Nextcloud username you used to log in, for example admin.
  - Server: The Nextcloud domain name, for example **example.com** (without **http://** before or afterwards).
  - Folder – Enter the path `nextcloud/remote.php/dav/files/USERNAME/`.
- 6 . (Optional) Check the “Create icon” checkbox for a bookmark to appear in the Places column.
- 7 . (Optional) Provide any special settings or an SSL certificate in the “Port & Encrypted” checkbox.

### Creating WebDAV mounts on the Linux command line

You can create WebDAV mounts from the Linux command line. This is useful if you prefer to access Nextcloud the same way as any other remote filesystem mount. The following example shows how to create a personal mount and have it mounted automatically every time you log in to your Linux computer.

- 1 . Install the `davfs2` WebDAV filesystem driver, which allows you to mount WebDAV shares just like any other remote filesystem. Use this command to install it on Debian/Ubuntu:

```
apt-get install davfs2
```

- 2 . Use this command to install it on CentOS, Fedora, and openSUSE:

```
yum install davfs2
```

- 3 . Add yourself to the `davfs2` group:

```
usermod -aG davfs2 <username>
```

- 3 . Then create a `nextcloud` directory in your home directory for the mountpoint, and `.davfs2/` for your personal configuration file:

```
mkdir ~/nextcloud  
mkdir ~/.davfs2
```

- 4 . Copy `/etc/davfs2/secrets` to `~/.davfs2/`:

```
cp /etc/davfs2/secrets ~/.davfs2/secrets
```

- 5 . Set yourself as the owner and make the permissions read-write owner only:

```
chown <linux_username>:<linux_username> ~/.davfs2/secrets  
chmod 600 ~/.davfs2/secrets
```

## Files & synchronization

- 6 . Add your Nextcloud login credentials to the end of the `secrets` file, using your Nextcloud server URL and your Nextcloud username and password:

```
https://example.com/nextcloud/remote.php/dav/files/USERNAME/ <username> <password>  
or  
$PathToMountPoint $USERNAME $PASSWORD  
for example  
/home/user/nextcloud john 1234
```

- 7 . Add the mount information to `/etc/fstab`:

```
https://example.com/nextcloud/remote.php/dav/files/USERNAME/ /home/<linux_username>/nextcloud  
davfs user,rw,auto 0 0
```

- 8 . Then test that it mounts and authenticates by running the following command. If you set it up correctly you won't need root permissions:

```
mount ~/nextcloud
```

- 9 . You should also be able to unmount it:

```
umount ~/nextcloud
```

Now every time you login to your Linux system your Nextcloud share should automatically mount via WebDAV in your `~/nextcloud` directory. If you prefer to mount it manually, change `auto` to `noauto` in `/etc/fstab`.

## Known issues

### Problem

Resource temporarily unavailable

### Solution

If you experience trouble when you create a file in the directory, edit `/etc/davfs2/davfs2.conf` and add:

```
use_locks 0
```

### Problem

Certificate warnings

### Solution

If you use a self-signed certificate, you will get a warning. To change this, you need to configure `davfs2` to recognize your certificate. Copy `mycertificate.pem` to `/etc/davfs2/certs/`. Then edit `/etc/davfs2/davfs2.conf` and uncomment the line `servercert`. Now add the path of your certificate as in this example:

```
servercert /etc/davfs2/certs/mycertificate.pem
```


## Accessing files using macOS

### Note

The macOS Finder suffers from a [series of implementation problems](#) and should only be used if the Nextcloud server runs on **Apache** and **mod\_php**, or **Nginx 1.3.8+**. Alternative macOS-compatible clients capable of accessing WebDAV shares include open source apps like [Cyberduck](#) (see instructions [here](#)) and [Filezilla](#). Commercial clients include [Mountain Duck](#), [Forklift](#), [Transmit](#), and [Commander One](#).


To access files through the macOS Finder:

- 1 . From the Finder's top menu bar, choose **Go > Connect to Server...**:



- When the **Connect to Server...** window opens, enter your Nextcloud server's WebDAV address in the **Server Address:** field, i.e.:

`https://cloud.YOURDOMAIN.com/remote.php/dav/files/USERNAME/`



- Click **Connect**. Your WebDAV server should appear on the Desktop as a shared disk drive.

### Accessing files using Microsoft Windows

If you use the native Windows implementation of WebDAV, you can map Nextcloud to a new drive using Windows Explorer. Mapping to a drive enables you to browse files stored on a Nextcloud server the way you would files stored in a mapped network drive.

Using this feature requires network connectivity. If you want to store your files offline, use the Desktop Client to sync all files on your Nextcloud to one or more directories of your local hard drive.

### Note

Windows 10 now defaults to allow Basic Authentication if HTTPS is enabled prior to mapping your drive. On older versions of Windows, you must permit the use of Basic Authentication in the Windows Registry: launch `regedit` and navigate to `HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\WebClient\Parameters`. Create or edit the DWORD value `BasicAuthLevel` (Windows Vista, 7 and 8) or `UseBasicAuth` (Windows XP and Windows Server 2003) and set its value data to 1 for SSL connections. Value 0 means that Basic Authentication is disabled, a value of 2 allows both SSL and non-SSL connections (not recommended). Then exit Registry Editor, and restart the computer.

## Mapping drives with the command line

The following example shows how to map a drive using the command line. To map the drive:

1. Open a command prompt in Windows.

2. Enter the following line in the command prompt to map to the computer Z drive:

```
net use Z: https://<drive_path>/remote.php/dav/files/USERNAME/ /user:youruser  
yourpassword
```

where <drive\_path> is the URL to your Nextcloud server.

For example: `net use Z: https://example.com/nextcloud/remote.php/dav/files/USERNAME/ /user:youruser yourpassword`

The computer maps the files of your Nextcloud account to the drive letter Z.

### Note

Though not recommended, you can also mount the Nextcloud server using HTTP, leaving the connection unencrypted. If you plan to use HTTP connections on devices while in a public place, we strongly recommend using a VPN tunnel to provide the necessary security.

An alternative command syntax is:

```
net use Z: \\example.com@ssl\nextcloud\remote.php\dav /user:youruser  
yourpassword
```

## Mapping drives with Windows Explorer

To map a drive using the Microsoft Windows Explorer:


1. Migrate to your computer in Windows Explorer.
2. Right-click on **Computer** entry and select **Map network drive...** from the drop-down menu.
3. Choose a local network drive to which you want to map Nextcloud.
4. Specify the address to your Nextcloud instance, followed by **/remote.php/dav/files/USERNAME/**.

For example:

`https://example.com/nextcloud/remote.php/dav/files/USERNAME/`

### Note

For SSL protected servers, check **Reconnect at sign-in** to ensure that the mapping is persistent upon subsequent reboots. If you want to connect to the Nextcloud server as a different user, check **Connect using different credentials**.



5. Click the **Finish** button.

Windows Explorer maps the network drive, making your Nextcloud instance available.

## Accessing files using Cyberduck

Cyberduck is an open source FTP and SFTP, WebDAV, OpenStack Swift, and Amazon S3 browser designed for file transfers on macOS and Windows.

### Note

This example uses Cyberduck version 4.2.1.

To use Cyberduck:

1. Specify a server without any leading protocol information. For example:

example.com

2. Specify the appropriate port. The port you choose depends on whether or not your Nextcloud server supports SSL. Cyberduck requires that you select a different connection type if you plan to use SSL. For example:

80 (for WebDAV)

443 (for WebDAV (HTTPS/SSL))

3. Use the 'More Options' drop-down menu to add the rest of your WebDAV URL into the 'Path' field. For example:

remote.php/dav/files/USERNAME/

Now Cyberduck enables file access to the Nextcloud server.

## Accessing public shares over WebDAV

Nextcloud provides the possibility to access public shares over WebDAV.

To access the public share, open:

<https://example.com/nextcloud/public.php/webdav>

in a WebDAV client, use the share token as username and the (optional) share password as password.

### Note

**Settings → Administration → Sharing → Allow users on this server to send shares to other servers.** This option also allows WebDAV access to public shares needs to be enabled in order to make this feature work.

## Known problems

### Problem

Windows does not connect using HTTPS.

### Solution 1

The Windows WebDAV Client might not support Server Name Indication (SNI) on encrypted connections. If you encounter an error mounting an SSL-encrypted Nextcloud instance, contact your provider about assigning a dedicated IP address for your SSL-based server.

### Solution 2

The Windows WebDAV Client might not support TLSv1.1 and TLSv1.2 connections. If you have restricted your server config to only provide TLSv1.1 and above the connection to your server might fail. Please refer to the [WinHTTP](#) documentation for further information.

## Problem

You receive the following error message: **Error 0x800700DF: The file size exceeds the limit allowed and cannot be saved.**

## Solution

Windows limits the maximum size a file transferred from or to a WebDAV share may have. You can increase the value **FileSizeLimitInBytes** in

**HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\WebClient\Parameters** by clicking on **Modify**.

To increase the limit to the maximum value of 4GB, select **Decimal**, enter a value of **4294967295**, and reboot Windows or restart the **WebClient** service.

## Problem

Accessing your files from Microsoft Office via WebDAV fails.

## Solution

Known problems and their solutions are documented in the [KB2123563](#) article.

## Problem

Cannot map Nextcloud as a WebDAV drive in Windows using self-signed certificate.

## Solution

1. Go to the your Nextcloud instance via your favorite Web browser.
2. Click through until you get to the certificate error in the browser status line.
3. View the cert, then from the Details tab, select Copy to File.
4. Save to the desktop with an arbitrary name, for example myNextcloud.pem.
5. Start, Run, MMC.
6. File, Add/Remove Snap-In.
7. Select Certificates, Click Add, My User Account, then Finish, then OK.
8. Dig down to Trust Root Certification Authorities, Certificates.
9. Right-Click Certificate, Select All Tasks, Import.
- 10 Select the Save Cert from the Desktop.  
.
- 11 Select Place all Certificates in the following Store, Click Browse.  
.
- 12 Check the Box that says Show Physical Stores, Expand out Trusted Root Certification Authorities, and  
. select Local Computer there, click OK, Complete the Import.
- 13 Check the list to make sure it shows up. You will probably need to Refresh before you see it. Exit MMC.  
.
- 14 Open Browser, select Tools, Delete Browsing History.  
.
- 15 Select all but In Private Filtering Data, complete.  
.
- 16 Go to Internet Options, Content Tab, Clear SSL State.  
.
- 17 Close browser, then re-open and test.  
.

## Problem

You cannot download more than 50 MB or upload large files when the upload takes longer than 30 minutes using Web Client in Windows 7.

## Solution

Workarounds are documented in the [KB2668751](#) article.

## Accessing files using cURL

Since WebDAV is an extension of HTTP cURL can be used to script file operations.

To create a folder with the current date as name:

```
$ curl -u user:pass -X MKCOL "https://example.com/nextcloud/remote.php/dav/files/USERNAME/$()
```

To upload a file error.log into that directory:

```
$ curl -u user:pass -T error.log "https://example.com/nextcloud/remote.php/dav/files/USERNAME"
```

To move a file:

```
$ curl -u user:pass -X MOVE --header 'Destination: https://example.com/nextcloud/remote.php/
```

To get the properties of files in the root folder:

```
$ curl -X PROPFIND -H "Depth: 1" -u user:pass https://example.com/nextcloud/remote.php/dav/files/USERNAME
<?xml version="1.0" encoding="utf-8"?>
<d:multistatus xmlns:d="DAV:" xmlns:oc="http://nextcloud.org/ns" xmlns:s="http://sabredav.org/ns">
<d:response>
  <d:href>/nextcloud/remote.php/dav/files/USERNAME/</d:href>
  <d:propstat>
    <d:prop>
      <d:getlastmodified>Tue, 13 Oct 2015 17:07:45 GMT</d:getlastmodified>
      <d:resourcetype>
        <d:collection/>
      </d:resourcetype>
      <d:quota-used-bytes>163</d:quota-used-bytes>
      <d:quota-available-bytes>11802275840</d:quota-available-bytes>
      <d:getetag>"561d3a6139d05"</d:getetag>
    </d:prop>
    <d:status>HTTP/1.1 200 OK</d:status>
  </d:propstat>
</d:response>
<d:response>
  <d:href>/nextcloud/remote.php/dav/files/USERNAME/welcome.txt</d:href>
  <d:propstat>
    <d:prop>
      <d:getlastmodified>Tue, 13 Oct 2015 17:07:35 GMT</d:getlastmodified>
      <d:getcontentlength>163</d:getcontentlength>
      <d:resourcetype/>
      <d:getetag>"47465fae667b2d0fee154f5e17d1f0f1"</d:getetag>
      <d:getcontenttype>text/plain</d:getcontenttype>
    </d:prop>
    <d:status>HTTP/1.1 200 OK</d:status>
  </d:propstat>
</d:response>
</d:multistatus>
```

## Managing deleted files

When you delete a file in Nextcloud, it is not immediately deleted permanently, only moved into the trash bin. It is not permanently deleted until you manually delete it, or when the Deleted Files app deletes it to make room for new files.

Find your deleted files by clicking on the **Deleted files** button on the Files page of the Nextcloud Web interface. You'll have options to either restore or permanently delete files.

### Quotas

Deleted files are not counted against your storage quota. Only your personal files count against your quota, not files which were shared with you. (See Storage quota to learn more about quotas.)

### What happens when shared files are deleted

Deleting files gets a little complicated when they are shared files, as this scenario illustrates:

- 1 . User1 shares a folder “test” with User2 and User3
- 2 . User2 (the recipient) deletes a file/folder “sub” inside of “test”
- 3 . The folder “sub” will be moved to the trash bin of both User1 (owner) and User2 (recipient)
- 4 . But User3 will not have a copy of “sub” in their trash bin

When User1 deletes “sub” then it is moved to User1’s trash bin. It is deleted from User2 and User3, but not placed in their trash bins.

When you share files, other users may copy, rename, move, and share them with other people, just as they can for any computer files; Nextcloud does not have magic powers to prevent this.

### How the deleted files app manages storage space

To ensure that users do not run over their storage quotas, the Deleted Files app allocates a maximum of 50% of their currently available free space to deleted files. If your deleted files exceed this limit, Nextcloud deletes the oldest files (files with the oldest timestamps from when they were deleted) until it meets the memory usage limit again.

Nextcloud checks the age of deleted files every time new files are added to the deleted files. By default, deleted files stay in the trash bin for 30 days. The Nextcloud server administrator can adjust this value in the `config.php` file by setting the `trashbin_retention_obligation` value. Files older than the `trashbin_retention_obligation` value will be deleted permanently. Additionally, Nextcloud calculates the maximum available space every time a new file is added. If the deleted files exceed the new maximum allowed space Nextcloud will permanently delete those trashed files with the soonest expiration until the space limit is met again.

### Note

Your administrator may have configured the trash bin retention period to override the storage space management. See [admin documentation](#) for more details.

### Desktop and mobile synchronization

For synchronizing files with your desktop computer, we recommend using the [Nextcloud Sync Client](#) for Windows, macOS and Linux.

The Nextcloud Desktop Sync Client enables you to connect to your Nextcloud Server. You can create folders in your home directory, and keep the contents of those folders synced with your Nextcloud server. Simply copy a file into the directory and the Nextcloud desktop client does the rest. Make a change to the files on one computer, it will flow across the others using these desktop sync clients. You will always have your latest files with you wherever you are.

Its usage is documented separately in the [Nextcloud Desktop Client Manual](#).

### Mobile clients

Visit your Personal page in your Nextcloud Web interface to find download links for Android and iOS mobile sync clients. Or, visit the [Nextcloud download page](#).

## Encrypting your Nextcloud files on the server

Nextcloud includes a server side Encryption app, and when it is enabled by your Nextcloud administrator all of your Nextcloud data files are automatically encrypted on the server. Encryption is server-wide, so when it is enabled you cannot choose to keep your files unencrypted. You don't have to do anything special, as it uses your Nextcloud login as the password for your unique private encryption key. Just log in and out and manage and share your files as you normally do, and you can still change your password whenever you want.

Its main purpose is to encrypt files on remote storage services that are connected to your Nextcloud server. This is an easy and seamless way to protect your files on remote storage. You can share your remote files through Nextcloud in the usual way, however you cannot share your encrypted files directly from the remote service you are using, because the encryption keys are stored on your Nextcloud server, and are never exposed to outside service providers.

If your Nextcloud server is not connected to any remote storage services, then it is better to use some other form of encryption such as file-level or whole disk encryption. Because the keys are kept on your Nextcloud server, it is possible for your Nextcloud admin to snoop in your files, and if the server is compromised the intruder may get access to your files. (Read [Encryption in Nextcloud](#) to learn more.)

## Encryption FAQ

### How can encryption be disabled?

The only way to disable encryption is to run the “decrypt all” script, which decrypts all files and disables encryption.

### Is it possible to disable encryption with the recovery key?

Yes, if every user uses the [file recovery key](#), “decrypt all” will use it to decrypt all files.

### Can encryption be disabled without the user's password?

If you don't have the users password or [file recovery key](#), then there is no way to decrypt all files. What's more, running it on login would be dangerous, because you would most likely run into timeouts.

### Is it planned to move this to the next user login or a background job?

If we did that, then we would need to store your login password in the database. This could be seen as a security issue, so nothing like that is planned.

### Is group Sharing possible with the recovery key?

If you mean adding users to groups and make it magically work? No. This only works with the master key.


## Using encryption

Nextcloud encryption is pretty much set it and forget it, but you have a few options you can use.

When your Nextcloud admin enables encryption for the first time, you must log out and then log back in to create your encryption keys and encrypt your files. When encryption has been enabled on your Nextcloud server you will see a yellow banner on your Files page warning you to log out and then log back in:

Encryption App is enabled but your keys are not initialized, please log-out and log-in again

When you log back in it takes a few minutes to work, depending on how many files you have, and then you are returned to your default Nextcloud page.



## Note

You must never lose your Nextcloud password, because you will lose access to your files. Though there is an optional recovery option that your Nextcloud administrator may enable; see the Recovery Key Password section (below) to learn about this.

## Sharing encrypted files

Only users who have private encryption keys have access to shared encrypted files and folders. Users who have not yet created their private encryption keys will not have access to encrypted shared files; they will see folders and filenames, but will not be able to open or download the files. They will see a yellow warning banner that says "Encryption App is enabled but your keys are not initialized, please log-out and log-in again."

Share owners may need to re-share files after encryption is enabled; users trying to access the share will see a message advising them to ask the share owner to re-share the file with them. For individual shares, un-share and re-share the file. For group shares, share with any individuals who can't access the share. This updates the encryption, and then the share owner can remove the individual shares.

## Recovery key password

If your Nextcloud administrator has enabled the recovery key feature, you can choose to use this feature for your account. If you enable "Password recovery" the administrator can read your data with a special password. This feature enables the administrator to recover your files in the event you lose your Nextcloud password. If the recovery key is not enabled, then there is no way to restore your files if you lose your login password.

## Encryption

Enable recovery key (allow to recover users files in case of password loss):

<input type="text" value="....."/>	Recovery key password
<input type="text" value="....."/>	Repeat Recovery key password
<input checked="" type="radio"/> Enabled	
<input type="radio"/> Disabled	

## Files not encrypted

Only the data in your files is encrypted, and not the filenames or folder structures. These files are never encrypted:

- Old files in the trash bin.
- Image thumbnails from the Gallery app.
- Previews from the Files app.
- The search index from the full text search app.
- Third-party app data

Only those files that are shared with third-party storage providers can be encrypted, the rest of the files may not be encrypted.

## Change private key password

This option is only available if the encryption password has not been changed by the administrator, but only the log-in password. This can occur if your Nextcloud provider uses an external user back-end (for example, LDAP) and changed your login password using that back-end configuration. In this case, you can set your encryption password to your new login password by providing your old and new login password. The Encryption app works only if your login password and your encryption password are identical.

## File Sharing

Nextcloud users can share files and folders. Possible targets are:

- public links
- users
- groups
- circles
- talk conversations
- users or groups on federated Nextcloud servers

### Note


Some options may not be available due to administrative configuration. See [admin documentation](#) for details.

## Public link shares

You can share files and folders via public links.


A random 15-digit token will be created. The link will look like <https://cloud.example.com/s/yxcFKRWBJqYYzp4>.

A number of options are available for public *folder* shares:



- **Read only** to allow viewing and downloading
- **Allow upload and editing**
- With **File drop**, the sharee can only upload files to a folder without seeing the files that are already in that folder.
- **Hide download** hides the download buttons and the default browser right-click options in order to make downloading for the sharee harder
- **Password protect**
- **Set expiration date** will automatically disable the share
- **Note to recipient**
- **Unshare** to revert the share
- **Add another link** to create multiple public links with different rights

For public *file* shares, you may allow editing the file with one of Nextcloud's collaborative editing solutions:



### Note


Password protection as well as file expiration are not propagated using Federated File Sharing in current Nextcloud releases. This will be adjusted in Nextcloud 22.

### Internal shares with users and groups

When sharing with users, groups, circles or members of a Talk conversation, rights for the files or folder contents are adjustable:



As a sharee, you can configure if you automatically want to accept all incoming shares and have them added to your root folder, or if you want to be asked each time if you want to accept or decline the share.



For adjusting the acceptance setting, go to **Settings > Personal > Sharing**:

## Sharing

Accept user and group shares by default

### Others with access

In order to find out if a file or folder is accessible to others through sharing of a superior folder hierarchy level, click on **Others with access** in the sharing tab:

A screenshot of a software interface with a navigation bar at the top. The "Sharing" tab is active, indicated by a dark blue underline. Below the tabs is a search bar containing placeholder text: "Name, federated cloud ID or email address ...". Underneath the search bar are four options: "Share link" (blue icon), "Others with access" (gray icon with three dots), "Internal link" (gray icon with a document), and "Add to a project" (gray icon with a folder). A large red arrow points from the text "The list shows all users, groups, chats etc. that the current object has been given access to through sharing of a superior folder in the hierarchy:" down to the "Others with access" option, which is highlighted with a red rectangle.

The list shows all users, groups, chats etc. that the current object has been given access to through sharing of a superior folder in the hierarchy:

A screenshot of the "Sharing" tab showing a list of users and groups. The list includes: Share link, Others with access, Marketing, Company chat, [Shared Link], Peter, Internal link, Add to a project, and a context menu item. A small red box highlights the "Via 'Company'" item in the context menu. The "Sharing" tab is active, and the list is displayed below it.

Click on the three dots to:

- see who initiated the share
- see where the share was initiated (click to navigate to the folder, as far as you have access there)
- unshare the initial share (only accessible for the share owner)

### Note

This information is only visible to the owner of a file/folder or sharees with resharing rights.


## Federated Shares

Federation Sharing allows you to mount file shares from remote Nextcloud servers, in effect creating your own cloud of Nextclouds. You can create direct share links with users on other Nextcloud servers.


### Creating a new Federation Share

Federation sharing is enabled by default. Follow these steps to create a new share with other Nextcloud or ownCloud servers:

Go to your `Files` page and click the Share icon on the file or directory you want to share. In the sidebar enter the username and URL of the remote user in this form: `<username>@<nc-server-url>`. In this example, that is `bob@cloud.example.com`:




The sharee is receiving a notification in their Nextcloud, allowing them to either accept or decline the incoming share:



## Adding a public share to your Nextcloud

Nextcloud public link share pages offer an option to add that file or folder as a federated share into your own Nextcloud instance. Just enter your `<username>@<nc-server-url>` just like shown for outbound shares above:




## Making anonymous uploads


You may create your own special upload directories so that other people can upload files to you without having to log in to the server, and without being a Nextcloud user. They will not be allowed to see the contents of this directory, or to make any changes. This is an excellent alternative to sending large attachments via email, using an FTP server, or using commercial file-sharing services.

### Setting up your own file drop

Go to Files and create or choose the folder, the anonymous upload should be made to:




Check Share Link, Allow editing, Hide file listing:



Now you can send the link to the upload folder manually or by using the Nextcloud send function, if your administrator has enabled it.

## Uploading files

Using the anonymous upload function is simple. You receive a link to the upload folder, click the link, and then you'll see a Nextcloud page with a "Click to upload" button:



## Files & synchronization

This opens a file picker, and you select the file or directory you want to upload. You're also able to just drop files into the window.

When your upload is completed, the filenames are listed:

 Select or drop files

Uploaded files:

 2013-10-21\_18...

 anonym\_upload...

## Large file uploads

When uploading files through the web client, Nextcloud is limited by PHP and Apache configurations. By default, PHP is configured for only 2 megabyte uploads. As this default upload limit is not entirely useful, we recommend that your Nextcloud admin increase the Nextcloud variables to sizes appropriate for users.

Modifying certain Nextcloud variables requires administrative access. If you require larger upload limits than have been provided by the default (or already set by your administrator):

- Contact your administrator to request an increase in these variables
- Refer to the section in the [Admin Documentation](#) that describes how to manage file upload size limits.

## Storage quota

Your Nextcloud admin has the option to set a storage quota on users. Look at your the Personal page to see what your quota is, and how much you have used.

You are using 7.2 MB of 5 GB (0.14 %)

It may be helpful to understand how your quota is calculated.

Metadata (thumbnails, temporary files, cache, and encryption keys) takes up about 10% of disk space, but is not counted against user quotas. Some apps store information in the database, such as the Calendar and Contacts apps. This data is excluded from your quota.

When other users share files with you, the shared files count against the original share owner's quota. When you share a folder and allow other users or groups to upload files to it, all uploaded and edited files count against your quota. When you re-share files shared with you, the re-share still counts against the quota of the original share owner.

Encrypted files are a little larger than unencrypted files; the unencrypted size is calculated against your quota.

Deleted files that are still in the trash bin do not count against quotas. The trash bin is set at 50% of quota. Deleted file aging is set at 30 days. When deleted files exceed 50% of quota then the oldest files are removed until the total is below 50%.

## Note

Your administrator may have configured the trash bin retention period to override the storage space management. See [admin documentation](#) for more details.

When version control is enabled, the older file versions are not counted against quotas.

If you create a public share via URL and allow uploads, any uploaded files count against your quota.

## Version control

Nextcloud supports simple version control system for files. Versioning creates backups of files which are accessible via the Versions tab on the Details sidebar. This tab contains the history of the file where you can roll back a file to any previous version. Changes made at intervals greater than two minutes are saved in `data/[user]/files_versions`.

To restore a specific version of a file, click the circular arrow to the left. Click on the timestamp to download it.

The versioning app expires old versions automatically to make sure that the user doesn't run out of space. This pattern is used to delete old versions:

- For the first second we keep one version
- For the first 10 seconds Nextcloud keeps one version every 2 seconds
- For the first minute Nextcloud keeps one version every 10 seconds
- For the first hour Nextcloud keeps one version every minute
- For the first 24 hours Nextcloud keeps one version every hour
- For the first 30 days Nextcloud keeps one version every day
- After the first 30 days Nextcloud keeps one version every week

The versions are adjusted along this pattern every time a new version gets created.

The version app never uses more than 50% of the user's currently available free space. If the stored versions exceed this limit, Nextcloud deletes the oldest versions until it meets the disk space limit again.


## Projects

Users can associate files, chats and other items with each other in projects. The various apps will present these items in a list, allowing users to immediately jump to them. Projects are Nextcloud wide. When a user shares a file that is part of a project, the share recipient can see that project, too. A click on any of the items in a project leads right to it, be it a chat, a file or a task.


### Create a new project

A new project can be created by linking two items together. Start off by opening a file or folders sharing sidebar.

Click *Add to a project* and select the type of item you want to link with the current file/folder. A selector will open that allows you selecting a Talk conversation for example.



Once the item has been selected a new project is being created and listed in the sharing tab of the sidebar. The same project will also appear in the sharing sidebar of the linked items.



The list entry shows quick links to a limited number of items. By opening the context menu, the project can be renamed and the full list of items can be expanded.

### Adding more entries to a project

If another item should be added to an already existing project this can be done by searching for the project name in the *Add to a project* picker.



## Visibility of projects

Projects do not influence the access and visibility of the different items. Users will only see projects of other users if they have access to all contained items.

## Transfer Ownership


Users can transfer the ownership of files and folders to other users. Share ownerships of those transferred files/folders will also be transferred.

- 1 . Navigate to *Settings > Personal > Sharing > Files*.
- 2 . Click on *Choose file or folder to transfer* >> A file picker opens, showing all files and folders in the user's account.
- 3 . Pick a file or folder and click on *Choose* >> The chosen file or folder name gets displayed.
- 4 . Click on *Change* to change the choice if necessary.
- 5 . Pick a new owner by typing their name into the search field next to *New owner*.
- 6 . Click on *Transfer*.

### Note

The username autocomplete or listing may be limited due to administrative visibility configuration. See [admin documentation](#) for details.

- 7 . The target user receives a notification where they are being asked whether to accept or reject the incoming transfer.



- 8 . If accepted, the target user finds the transferred files and folders in their root under a folder *Transferred from [user] on [timestamp]*.
- 9 . The source user gets informed about the acceptance or rejection by a notification.

## Groupware

Nextcloud Groupware is a bundle of apps which is consisting of an **Mail**-client (IMAP/POP3) and a **Calendar** and **Contacts** server (CalDAV/CardDAV) with the respective web interfaces.

We complete those productivity tools with **Deck**, a project management tool which allows you to create Kanban-style task boards and share them with your team.

You can find out more about Nextcloud Groupware [on our website](#).

## Using the Contacts app


The Contacts app is not enabled by default in Nextcloud latest and needs to be installed separately from our App Store.

The Nextcloud Contacts app is similar to other mobile contact applications, but with more functionality. Let's run through basic features that will help you maintain your address book in the application.

Below, you will learn how to add contacts, edit or remove contacts, upload a contact picture and manage your Contact app address books.

### Adding Contacts

When you first access the Contacts app, an empty default address book becomes available:



#### *Default Address Book (empty)*

To add contacts into your address book, you can use one of the following methods:

- Import contacts using a Virtual Contact File (VCF/Vcard) file
- Add contacts manually

The fastest way to add a contact is to use a Virtual Contact File (VCF/Vcard) file.


### Importing Virtual Contacts

To Import Contacts Using a VCF/Vcard File:

1. Find "Settings" at the bottom of the left sidebar, next to the gear button:



2. Click the gear button. The Contacts app "Import" button will appear:



### Note

The Contacts app only supports import of vCards version 3.0 and 4.0.

3 . Click the “Import” button and upload your VCF/Vcard file.

After the import is complete, you will see your new contact in your address book.

### Adding Contacts Manually

If you can't import virtual contacts, the Contacts app enables you to **add contacts** manually.

To Create a New Contact:

1 . Click the + New contact button.

An empty new contact configuration opens in the Application View field:

A screenshot of the 'New contact' configuration form. The title bar says 'New contact'. The main area has a purple header with a central 'New contact' button. Below this, there are sections for 'Organization' and 'Title'. On the left, there's a sidebar with 'All contacts' and 'Not grouped' options. The main form contains fields for 'Phone' and 'Email' under 'Home' categories. There are also fields for 'Post office box', 'Address', 'Postal code', 'City', 'State or province', and 'Country'. A 'Groups' section is on the right, and a 'Add field ...' button is at the bottom right of the form area.

2 . Specify the new contact information. Changes that you made are implemented immediately.

### Edit or Remove Contact Information

The Contacts app enables you to edit or remove contact information.

To edit or remove contact information:

1 . Navigate to the specific contact that you want to modify.


2 . Select the information in the field that you want to edit or remove.

3 . Make your modifications or click on the trash bin.


Changes or removals that you made to any contact information are implemented immediately.

## Contact Picture


To add a picture for your new contacts, click on the upload button:



After you have set a contact picture, it will look like this:




If you want to upload a new one, remove it, view it in full size or download it, click on the contacts picture for the following options to appear:



## Adding and Managing Address Books

Clicking on the “Settings” (gear) button at the bottom of the left sidebar provides access to Contacts app settings. This field shows all available address books, certain options for each address book, and enables you to create new address books, simply by specifying an address books name:



The Contacts settings is also where you can share, export and delete address books. You will find the CardDAV URLs there.

See Groupware for more details about syncing your address books with iOS, macOS, Thunderbird and other CardDAV clients.

## Using the Calendar app


### Note

The calendar app is not enabled by default and needs to be installed separately from our App Store. Please ask your Administrator for it.

## Groupware

The Nextcloud Calendar app works similar to other calendar applications you can sync your Nextcloud calendars and events with.

When you first access the Calendar app, a default first calendar will be pre-generated for you.



## Managing your calendars

### Import a Calendar

If you want to transfer your calendar and their respective events to your Nextcloud instance, importing is the best way to do so.

Settings & import

Skip simple event editor  
 Show week numbers

Import calendar

Primary CalDAV address

iOS/OS X CalDAV address

1. Click on the settings-icon labeled with **Settings & Import** at the left-bottom.
2. After clicking on **+ Import Calendar** you can select one or more calendar files from your local device to upload.
3. The upload can take some time and depends on how big the calendar you import is.

### Note

The Nextcloud Calendar application only supports iCalendar-compatible .ics-files, defined in RFC 5545.

## Create a new Calendar

If you plan to setup a new calendar without transferring any old data from your previous calendar, creating a new calendar is the way you should go.


1. Click on `+ New Calendar` in the left sidebar.
2. Type in a name for your new calendar, e.g. "Work", "Home" or "Studies".
3. After clicking on the checkmark, your new calendar is created and can be synced across your devices, filled with new events and shared with your friends and colleagues.

## Edit, Download or Delete a Calendar


Sometimes you may want to change the color or the entire name of a previous imported or created calendar. You may also want to export it to your local hard drive or delete it forever.

### Note

Please keep in mind that deleting a calendar is a irreversible action. After deletion, there is no way of restoring the calendar unless you have a local backup.



1. Click on the three-dot-menu of the respective calendar.



2. Click on `Edit, Download or Delete`.

## Sharing calendars

You may share your calendar with other users or groups. Calendars may be shared with write access or read-only. When sharing a calendar with write access, users with whom the calendar is shared will be able to create new events into the calendar as well as edit and delete existing ones.

### Note

Calendar shares currently can't be accepted or rejected. If you want to stop having a calendar that someone shared with you, you can click on the 3-dot menu next to the calendar in the calendar list and click on "Unshare from me".

## Publishing a calendar

Calendars can be published through a public link to make them viewable (read-only) to external users. You may create a public link by opening the share menu for a calendar and clicking on `< + >` next to `< Share link >`. Once created you can copy the public link to your clipboard or send it through email.

There's also an `< embedding code >` that provides an HTML iframe to embed your calendar into public pages.

Multiple calendars can be shared together by adding their unique tokens to the end of an embed link. Individual tokens can be found at the end of each calendar's public link. The full address will look like `https://cloud.example.com/index.php/apps/calendar/embed/<token1>-<token2>-<token3>`

To change the default view or date of an embedded calendar, you need to provide an url that look like <https://cloud.example.com/index.php/apps/calendar/embed/<token>/<view>/<date>>. In this url you need to replace the following variables:

- <token> with the calendar's token.
- <view> with one of month, week, day, listMonth, listWeek, listDay. The default view is month and the normally used list is listMonth.
- <date> with now or any date with the following format <year>-<month>-<day> (e.g. 2019-12-28).

On the public page, users are able to get the subscription link for the calendar and download the whole calendar directly.

### Subscribe to a Calendar

You can subscribe to iCal calendars directly inside of your Nextcloud. By supporting this interoperable standard (RFC 5545) we made Nextcloud calendar compatible to Google Calendar, Apple iCloud and many other calendar-servers you can exchange your calendars with, including subscription links from calendar published on other Nextcloud instances, as described above.

1. Click on + New Subscription in the left sidebar.
2. Type in or paste the link of the shared calendar you want to subscribe to.

Finished. Your calendar subscriptions will be updated regularly.

### Note

Subscriptions are refreshed every week by default. Your admin may have changed this setting.

## Managing Events

### Create a new event

Events can be created by clicking in the area when the event is scheduled. In the day- and week-view of the calendar you just click, pull and left your cursor over the area when the event is taking place.

The month-view only requires a single click into the area of the specific day.

After that, you can type in the event's name (e.g. **Meeting with Lukas**), choose the calendar in which you want to choose the event (e.g. **Personal, Work**), check and concretize the time span or set the event as all-day event.

If you want to edit advanced details such as the **Location**, a **Description**, **Attendees**, **Reminders** or to set the event as a repeating-event click on the **More . . .**-button to open the advanced sidebar-editor.

### Note

If you always want to open the advanced sidebar-editor instead of the simple event editor popup, you can set a **Skip simple event editor**-checkbox in the **Settings & Import**-section of the app.


Clicking on the blue Create-button will finally create the event.

### Edit or Delete an event

If you want to edit or delete a specific event, you just need to click on it. After that you will be able to re-set all event details and open the advanced sidebar-editor by clicking on **More**.


Clicking on the Update-button will update the event. To cancel your changes, click on the close icon on top right of the popup or sidebar editor.

If you open the sidebar view and click the three dot menu next to the event name, you have an option to export the event as an .ics file or remove the event from your calendar.



### Invite attendees to an event

You may add attendees to an event to let them know they're invited. They will receive an email confirmation and will be able to confirm or cancel their participation to the event. Attendees may be other users on your Nextcloud instances, contacts in your addressbooks and direct email addresses. You also may change the level of participation per-attendee, or disable email confirmation for a specific attendee.



### Tip

When adding other Nextcloud users as attendees to an event, you may access their FreeBusy information if it's available, helping you to determine when is the best time slot for your event.

### Attention!

Only the calendar owner can send out invitations, the sharees are not able to do that, whether they have write access to the event's calendar or not.

### Assign rooms and resources to an event

Similar to attendees you can add rooms and resources to your events. The system will make sure that each room and resource is booked without conflict. The first time a user adds the room or resource to an event, it will show as accepted. Any further events at overlapping times will show the room or resource as rejected.

### Note


Rooms and resources are not managed by Nextcloud itself and the Calendar app will not allow you to add or change a resource. Your Administrator has to install and possibly configure resource back ends before you can use them as a user.

### Setup Reminders

You can set up reminders to be notified before an event occurs. Currently supported notification methods are :

- Email notifications
- Nextcloud notifications

You may set reminders at a time relative to the event or at a specific date.



### Note

Only the calendar owner and people or groups with whom the calendar is shared with write access will get notifications. If you don't get any notifications but think you should, your Administrator could also have disabled this for your server.


### Note

If you synchronize your calendar with mobile devices or other 3rd-party clients, notifications may also show up there.

### Add recurring options


An event may be set as "recurring", so that it can happen every day, week, month or year. Specific rules can be added to set which day of the week the event happens or more complex rules, such as every fourth Wednesday of each month.

You can also tell when the recurrence ends.



### Trash bin

If you delete events, tasks or a calendar in Calendar, your data is not gone yet. Instead, those items will be collected in a *trash bin*. This offers you to undo a deletion. After a period which defaults to 30 days (your administration may have changed this setting), those items will be deleted permanently. You can also permanently delete items earlier if you wish.



The **Empty trash bin** buttons will wipe all trash bin contents in one step.

## Tip

The trash bin is only accessible from the Calendar app. Any connected application or app won't be able to display its contents. However, events, tasks and calendars deleted in connected applications or app will also end up in the trash bin.

## Birthday calendar

The birthday calendar is a auto-generated calendar which will automatically fetch the birthdays from your contacts. The only way to edit this calendar is by filing your contacts with birthday dates. You can not directly edit this calendar from the calendar-app.

## Note

If you do not see the birthday calendar, your Administrator may have disabled this for your server.

## Synchronizing with Android

### Files and notifications

1. Install the Nextcloud Android client [from Google Play Store](#) or [from F-Droid](#).
2. Start the app. There are two ways of setting it up:
  - Either:* enter your server URL, continue, enter your user name and password and confirm to grant access.
  - Or:* In Nextcloud's web GUI, go to the [user preferences](#), go to **Security**. Generate an App password, click "Generate QR code" and tap the QR scanner icon in the Nextcloud app, point your phone's camera towards the screen.

### Contacts and Calendar

#### With the Nextcloud mobile app

1. Install **DAVx■** (formerly known as DAVDroid) on your Android device, [from Google Play Store](#) or [from F-Droid](#).
2. In the Nextcloud mobile, go to **Settings / More**, tap on "**Sync calendars & contacts**".
3. Now, **DAVx■** will open Nextcloud's Webflow login window, where you will have to enter your credentials and grant access.
4. **DAVx■** will open and ask you to create an account. Set the account name to one of your choosing, and set **Contact Group Method** to **Groups are per-contact categories**.
5. After this, **DAVx■** will close and the Nextcloud app reappears. In order to finish setup, you have to manually launch **DAVx■** again.
6. Tap on the icon for the account **DAVx■** has just created, when requested grant **DAVx■** access to your calendars and contacts. Optionally install [OpenTasks](#) and grant **DAVx■** access to your tasks, too.
7. When you tap the icon for the account **DAVx■** has set up, it will discover the available address books and calendars. Choose which ones you want to synchronize and finish.

#### Without the Nextcloud mobile app

If you don't want to install the Nextcloud mobile app, the following steps are required:

1. Install **DAVx■** (formerly known as **DAVDroid**) on your Android device, [from Google Play Store](#) or [from F-Droid](#).
2. Optionally install [OpenTasks](#).
3. Create a new account (“+” button).
4. Select **Connection with URL and username**. **Base URL:** URL of your Nextcloud instance (e.g. <https://sub.example.com/remote.php/dav>) and **Contact Group Method:** as credentials.
5. Choose the option **Groups are per-contact categories**.
6. Click **Connect**.
7. Select the data you want to sync.
8. When requested, grant access permissions to **DAVx■** for your contacts, calendars and optionally tasks.

### Note

Enter your email address as **DAVx■** account name (mandatory if you want to be able to send calendar invitation). If your email address is registered in your Nextcloud preferences and you have set up your account using the Nextcloud mobile app, this all should be already the case.

### Tip

**DAVx■** lists the calendar subscriptions made through the Nextcloud Calendar app, but you need to install the **ICSx■** (formerly known as **ICSDroid**) app on your Android device, [from the Google Play Store](#) or [from F-Droid](#) to sync them.

## Synchronizing with iOS

### Calendar

1. Open the settings application.
2. Select Calendar.
3. Select Accounts.
4. Select Add Account.
5. Select Other as account type.
6. Select Add CalDAV account.
7. For server, type the domain name of your server i.e. example.com.
8. Enter your user name and password.
9. Select Next.

Your calendar will now be visible in the Calendar application.

### Note

Beginning with iOS 12 an SSL encryption is necessary. Therefore do **not** disable **SSL** (For this reason a certificate is required at your domain, <https://letsencrypt.org/> will do).

### Contacts

- 1 . Open the settings application.
- 2 . Select Contacts.
- 3 . Select Accounts.
- 4 . Select Add Account.
- 5 . Select Other as account type.
- 6 . Select Add CardDAV account.
- 7 . For server, type the domain name of your server i.e. example.com.
- 8 . Enter your user name and password.
- 9 . Select Next.

You should now find your contacts in the address book of your iPhone.

### Note

Beginning with iOS 12 an SSL encryption is necessary. Therefore do **not** disable **SSL** (For this reason a certificate is required at your domain, <https://letsencrypt.org/> will do).


If it's still not working, have a look at the [Troubleshooting Contacts & Calendar](#) guide.

## Synchronizing with macOS


### Setup your Accounts

In the following steps you will add your server resources for **CalDAV** (Calendar) and **CardDAV** (Contacts) to your Nextcloud.

- 1 . Open the **system preferences** of your macOS device.
- 2 . Navigate to **Internet Accounts**:



- 3 . Click on **Add Other Account...** and click on **CalDAV Account** for Calendar or **CardDAV Account** for Contacts:



## Note


You can not setup Calendar/Contacts together. You need to setup them in **separate accounts**.

- 4 . Select **Manual** as Account-Type and type in your respective credentials:

**Username:** Your Nextcloud username or email


**Password:** Your generated app-password/token ([Learn more](#)).

**Server Address:** URL of your Nextcloud server (e.g. <https://cloud.example.com>)



- 5 . Click on **Sign In**.

For **CalDAV (Calendar)**: You can now select, with which applications you want to use this resource. In the most cases, this will be the "Calendar" application, sometimes you may also want to use it for your **Tasks and reminders**.



## Troubleshooting

- macOS does **not** support syncing CalDAV/CardDAV over non-encrypted `http://` connections. Make sure you have `https://` enabled and configured on server- and client-side.
- Self-signed certificates** need to be properly set up in the macOS keychain.

## Synchronizing with Thunderbird

Thunderbird is a feature-rich and mature mail client that can be turned into a full-fledged PIM. However, it lacks support for address book synchronisation via CardDAV and it also lacks the ability to automatically discover calendars and address books available on the server. Therefore, to synchronise with Nextcloud, add-ons are required, which can be easily installed through Thunderbird's add-on manager.

### Recommended method

For this method, you need to have two add-ons installed:

1. [TbSync](#).
2. The [TbSync provider for CalDAV and CardDAV](#).

When they are installed, if you are on Windows, go to **Extras/Synchronisation settings (TbSync)** or **Edit/Synchronisation settings (TbSync)** if on Linux, and then:

- In the account manager choose “**Add account / CalDAV / CardDAV account**”
- In the next window, go with the default called **Automatic configuration** and click **next**
- Enter an **account name**, which you can freely choose, **user name**, **password** and the **URL of your server** and click **next**
- In the next window, TbSync should have autodiscovered the CalDAV and CardDAV addresses. When it has, click **Finish**
- Now check the box **Enable and synchronize this account**. TbSync will discover all address books and calenders your account has access to on the server
- Check the box next to each calendar and address book you want to have synchronised, also set how often you want them to be synchronised and push the button **synchronize now**
- After the first successful synchronisation is complete, you can close the window. Henceforth, TbSync will do the work for you. You are done and can skip the next sections (unless you need a more advanced address book)

### Alternative: Using the CardBook add-on (Contacts only)


CardBook is an advanced alternative to Thunderbird's address book, which supports CardDAV. You can have TbSync and CardBook installed in parallel.

1. Click the CardBook icon in the upper right corner of Thunderbird:




2. In CardBook:


- Address book > New Address book **Remote** > Next
- Select **CardDAV**, fill in the address of your Nextcloud server, your user name and password



4 . Click on “Validate”, click Next, then choose the name of the address book and click Next again:




5 . When you are finished, CardBook synchronizes your address books. You can always trigger a synchronisation manually by clicking “Synchronize” in the top left corner of CardBook:




### The old method: Manually subscribing to calendars

This method is only needed if you don't want to install TBSync.

- 1 . Go to your Nextcloud Calendar and click on the 3 dotted menu for the calendar that you want to synchronize which will display an URL that looks something like this:  
<https://cloud.nextcloud.com/remote.php/dav/calendars/daniel/personal/>
- 2 . Go to the calendar view in Thunderbird and right click in the calendar menu to the left (where the names of the calendars are) to add a **New Calendar**.
- 3 . Choose **On the Network**:



4 . Choose **CalDAV** and fill in the missing information:



### Fix for Thunderbird 60


If you are still using Thunderbird 60, you need to change a configuration setting to make CalDAV/CardDAV work around Thunderbird bug [#1468918](#) as described [here](#).

### Synchronizing with KDE Kontact


KOrganizer and KAddressBook can synchronize your calendar, contacts and tasks with a Nextcloud server.

This can be done by following these steps:

1 . Open KOrganizer and in the calendar list (bottom left) right-click and choose Add Calendar:




2 . In the resulting list of resources, pick DAV groupware resource:




## Groupware


3 . Enter your username. As password, you need to generate an app-password/token ([Learn more](#)):





4 . Choose ownCloud or Nextcloud as Groupware server option:




5 . Enter your Nextcloud server URL and, if needed, installation path (anything that comes after the first /, for example mynextcloud in https://example.com/mynextcloud). Then click next:



6 . You can now test the connection, which can take some time for the initial connection. If it does not work, you can go back and try to fix it with other settings:




7 . Pick a name for this resource, for example Work or Home. By default, both CalDAV (Calendar) and CardDAV (Contacts) are synced:




## Note

You can set a manual refresh rate for your calendar and contacts resources. By default this setting is set to 5 minutes and should be fine for the most use cases. When you create a new appointment it is synced to Nextcloud right away. You may want to change this for saving your power or cellular data plan, so that you can update with a right-click on the item in the calendar list.

8. After a few seconds to minutes depending on your internet connection, you will find your calendars and contacts inside the KDE Kontact applications KOrganizer and KAddressBook:






## Synchronizing with the GNOME desktop


The [GNOME desktop](#) has built-in support for Nextcloud's calendar, contacts and tasks which will be displayed by the Evolution PIM or the Calendar, Tasks and Contacts app as well as for files, which it integrates into the Nautilus file manager via WebDAV. The latter works only while the computer is connected.

This can be done by following these steps:


- 1 . In the GNOME settings, open Online Accounts.
- 2 . Under “Add an account” pick Nextcloud:



- 3 . Enter your server URL, username and password. If you have enabled two factor authentication, you need to generate an app-password/token, because GNOME Online Accounts [doesn't support Nextcloud's webflow login yet \(Learn more\)](#):



- 4 . In the next window, select which resources GNOME should access and press the cross in the top right to close:



Nextcloud tasks, calendars and contacts should now be visible in the Evolution PIM, the task, contacts and calendars app.

Files will be shown as a WebDAV resource in the Nautilus file manager (and also be available in the GNOME file open/save dialogues). Documents should be integrated into the GNOME Documents app.

All resources should also be searchable from anywhere by pressing the Windows key and entering a search term.

## Synchronizing with Windows 10

### Calendar

1. In your browser, navigate to the Nextcloud Calendar app. Under “Settings & import”, copy the address using “Copy iOS/macOS CalDAV address” into your clipboard.
2. Launch the Windows 10 Calendar app. Then, click the settings icon (gear icon) and select “Manage accounts”.
3. Click “Add account” and choose “iCloud”.
4. Enter an email, username and password. None of this information has to be valid-it will all be changed in the upcoming steps.
5. Click “Done”. A message should appear indicating the settings were saved successfully.
6. In the “Manage Accounts” menu, click on the iCloud account created in previous steps, and select “Change settings”. Then, click on “Change mailbox sync settings”.
7. Scroll to the bottom of the dialog box, select “Advanced mailbox settings”. Paste your CalDAV URL in the field labelled “Calendar server (CalDAV)”.

## Talk

- 8 . Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud Calendar”). Click “Save”.

## Contacts

- 1 . In the bottom left of the Contacts View (in Nextcloud Contacts) look for a little impeller symbol that looks like this:



which will display a URL that looks something like this:  
<https://cloud.nextcloud.com/remote.php/dav/addressbooks/users/daniel/Thunderbird/>

- 2 . Launch the Windows 10 People app. Then, click the settings icon (gear icon) and select “Manage accounts”.
- 3 . Click “Add account” and choose “iCloud”.
- 4 . Enter an email, username and password. None of this information has to be valid-it will all be changed in the upcoming steps.
- 5 . Click “Done”. A message should appear indicating the settings were saved successfully.
- 6 . In the “Manage Accounts” menu, click on the iCloud account created in previous steps, and select “Change settings”. Then, click on “Change mailbox sync settings”.
- 7 . Scroll to the bottom of the dialog box, select “Advanced mailbox settings”. Paste your CalDAV URL in the field labelled “Contacts server (CalDAV)”.
- 8 . Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud Contacts”). Click “Save”.

## Troubleshooting

After following all these steps, your Nextcloud calendar should synchronize. If not, check your username and password. Otherwise, repeat these steps.

**NOTE: You will not be able to synchronize your calendar if you have two-factor authentication enabled. Follow the steps below to get an app password that can be used with the Calendar client app:**

- 1 . Log into Nextcloud. Click on your user icon, then click on “Settings”.
  - 2 . Click on “Security”, then locate a button labeled “Create new app password”. Next to this button, enter “Windows 10 Calendar app”. Then, click the button, copy and paste the password. Use this password instead of your Nextcloud password for Step 8.
- Special thanks to this Reddit user for their post:  
[https://www.reddit.com/r/Nextcloud/comments/5rcypb/using\\_the\\_windows\\_10\\_calendar\\_application\\_with/](https://www.reddit.com/r/Nextcloud/comments/5rcypb/using_the_windows_10_calendar_application_with/)


## Contacts

- 1 . Repeat steps 1 - 7 from the Calendar instructions. If you already have setup the Calendar synchronization, you can use the same account for this.
- 2 . In the “Advanced mailbox settings” paste your CalDAV URL in the field labelled “Contacts server (CardDAV)”.
- 3 . Replace the path “principals” within the URL with “addressbooks”.
- 4 . Click “Done”. Enter your Nextcloud username and password in the appropriate fields, and change the account name to whatever you prefer (e. g. “Nextcloud”). Click “Save”.

## Talk

Nextcloud Talk offers audio/video and text chat integrated in Nextcloud. It offers a web interface as well as mobile apps.

You can find out more about Nextcloud Talk [on our website](#).



## Basics of Nextcloud Talk

Nextcloud Talk lets you chat and have video calls on your own server.

Chats and calls take place in conversations. You can create any number of conversations. There are two kinds of conversations:

- One-on-one conversations.** This is where you have a private chat or call with another Talk user. You can't add other people to this conversation or share it with a link. You start a direct one-on-one chat by looking for another user in the search bar and then clicking their name.
- Group conversations.** Besides the person who created the conversation, a group conversation can have any number of people in it. A group conversation can be shared publicly with a link, so external guest users can join a call. It can also be listed, so other people on your Nextcloud server can join the conversation.

## Creating a chat

You can create a direct, one-on-one chat by searching for the name of a user, a group or a circle and clicking it. For a single user, a conversation is immediately created and you can start your chat. For a group or circle you get to pick a name and settings before you create the conversation and add the participants.

The screenshot shows the 'Talk' application interface. At the top, there's a blue header bar with various icons: a double circle, a file, a folder, a photo, a lightning bolt, a magnifying glass, an envelope, a person, a calendar, a pen, a clipboard, and a star. Below the header is a search bar containing 'leon' with a clear button ('x') and a plus sign ('+') to its right. To the right of the search bar is a three-line menu icon.

**Conversations**

A conversation with 'Carl Green' is listed, showing a profile picture of a man with curly hair, the name 'Carl Green', an ellipsis '...', and a message 'You: Yes. Carl Green This is p...'. There is also a red circular icon with a minus sign.

**Users**

A user entry for 'Leon Green' is shown, featuring a purple circular icon with 'LG', the name 'Leon Green', and a small red circular icon with a minus sign.


**Groups and circles**

The message 'No search results' is displayed.


**Talk settings**

A gear icon followed by the text 'Talk settings'.

If you want to create a custom group conversation, click the plus button next to the search field. You can then pick a name for the conversation and select if the conversation should be open to external users and if other users on the server can see and join the conversation.



In the second step, you get to add participants and finalize the creation of the conversation.



## Talk

You can cancel the creation of a conversation by clicking outside the white menu area at any time.

The screenshot shows the Nextcloud Talk interface. On the left, there's a sidebar with sections for Conversations, Groups, Circles, and Users. A message from 'company' says 'You Just created the meetin...'. In the main chat area, a message from 'Company' says 'Nina: this is great'. Below that, a message from 'Company' says 'You promoted Molly Allen to ...'. The 'Participants' sidebar on the right lists 17 users, each with a profile picture, name, and status (e.g., 'Busy with my favorite project!', 'Working remotely and in a good mood! 😊'). At the bottom, there's a message input field with placeholder text 'Write message, @ to mention someone ...'.

## Sharing files in a chat


You can share files in a chat in 3 ways.

First, you can simply drag'n'drop them on the chat.

The screenshot shows a call between 'jos' and 'Sandra McKinney'. A file named 'motivation and management.pdf' (1.5 MB) is being uploaded. The file preview shows a document with several sections and headings. Other participants in the call include 'Paulette Cormier', 'Christine Schott', 'Mickey Johnson', 'Edda', 'Leon Green', 'Sandra McKinney', 'Molly Allen', 'Carl Green', and 'Paulette Cormier'. The 'Participants' sidebar on the right shows the same list of users. The message input field at the bottom has the placeholder 'Write message, @ to mention someone ...'.

Second, you can select a file from your Nextcloud Files or a file manager by choosing the little paperclip and selecting where you'd like to pick the file from.

## Talk



You can add more files until you are done and decide to share the files.

A screenshot of the Nextcloud Talk interface. On the left, a sidebar shows a list of conversations. In the main area, a message from Nina Cercy is shown: "Are you available tomorrow?". A file sharing dialog is open, displaying two images: "Country-Dancing-Art..." and "new line dancing club....". Below the images are "Dismiss" and "Send" buttons. The "Participants" section shows "jos" and "Nina Cercy". The bottom of the screen has a "Write message, @" input field and a send arrow icon.


All users will be able to click the files to view, edit or download them, irrespective of them having a user account. Users with an account will have the file automatically shared with them while external guest users will get them shared as a public link.

## Talk

The screenshot shows a Microsoft Word document titled "RUND BRIEF" with placeholder text "Curabitur Vulputate Viverra Pede". Below the title is a photograph of a modern kitchen and dining area. The Microsoft Teams interface on the right shows a "Pitch Meeting" with four participants: Christine Schott (moderator), Mickey Johnson, Nina Sun, and Carl Green. Carl is currently in a meeting.


## Inserting emoji

You can add emoji using the picker on the left of the text input field.




## Replying to messages and more

You can reply to a message using the arrow that appears when you hover a message.



## Talk

In the . . . menu you can also choose to reply privately. This will open a one-on-one chat.




Here you can also create a direct link to the message or mark it unread so you will scroll back there next time you enter the chat. When it is a file, you can view the file in Files.

### Managing a conversation


You are always moderator in your new conversation. In the participant list on the right you can elevate other participants to moderators using the . . . menu to the right of their user name, or remove them from the conversation.



Moderators can configure the conversation. Select Configuration settings from the . . . menu of the conversation on the top to access the settings.



Here you can configure the name, guest access, if the conversation is visible to others on the server and more.



## Starting a call


When you're in a conversation, you can start a call any time with the **Start call** button. Other participants will get notified and can join the call. If somebody else has started a call already, the button will change in a green **Join call** button.

During a call, you can mute your microphone and disable your video with the buttons on your video on the bottom-right, or using the shortcuts **m** to mute audio and **v** to disable video. You can also use the space bar to toggle mute. When you are muted, pressing space will unmute you so you can speak until you let go of the space bar. If you are unmuted, pressing space will mute you until you let go.

## Talk

You can hide your video (useful during a screen share) with the little arrow just above the video stream. Bring it back with the little arrow again.

You can access your settings and choose a different webcam, microphone and other settings in the . . . menu on your video.




The screenshot shows the Microsoft Teams interface during a video call. The main window displays a video of a person playing a red electric guitar. A settings overlay titled 'Choose devices' is open, showing the current microphone ('Default') and camera ('Razer Kiyo (1532:0e03)'). The background shows a list of recent conversations and a sidebar for the current call.

## Starting a screen share


You can click the monitor icon on your video stream to share your screen. Depending on your browser, you will get the option to share a monitor, an application window or a single browser tab.

## Changing view in a call

You can switch the view in a call with the little four-block icon in the top-right between promoted-view and grid view. The grid view will show everyone equally big and if the people do not fit on the screen, buttons will appear on the left and right that let you navigate.



The promoted view shows the speaker large and others in a row below. If the people do not fit on the screen, buttons will appear on the left and right that let you navigate.




## Advanced Talk features

Nextcloud Talk has a number of advanced features users might find useful.

### Matterbridge

Matterbridge integration in Nextcloud Talk makes it possible to create ‘bridges’ between Talk conversations and conversations on other chat services like MS Teams, Discord, Matrix and others. You can find a list of supported protocols [on the Matterbridge github page](#).


A moderator can add a Matterbridge connection in the chat conversation settings.



Each of the bridges has its own need in terms of configuration. Information for most is available on the Matterbridge wiki and can be accessed behind [more information](#) menu in the ... menu. You can also [access the wiki directly](#).

## Lobby

The lobby feature allows you to show guests a waiting screen until the call starts. This is ideal for webinars with external participants, for example.



You can choose to let the participants join the call at a specific time, or when you dismiss the lobby manually.

## Commands

Nextcloud allows users to execute actions using commands. A command typically looks like

## Talk

/wiki airplanes

Administrators can configure, enable and disable commands. Users can use the `help` command to find out what commands are available.

/help

New conversation ...

Christine Scott

Project Starfish chat

Talk updates ✓

You created the conversation Today, April 20, 2019 seconds ago

talk-bot seconds ago

wikipedia-bot seconds ago

Wikipedia search results for "airplane":

- \* Airplane - An airplane or aeroplane (informally plane) is a powered, fixed-wing aircraft that is propelled ... - [en.wikipedia.org/wiki/Airplane](https://en.wikipedia.org/wiki/Airplane)
- \* Airline seat - An airline seat is a seat on an airliner in which passengers are accommodated for the du... - [en.wikipedia.org/wiki/Airline\\_seat](https://en.wikipedia.org/wiki/Airline_seat)
- \* Airplane! - Airplane! (alternatively titled Flying High!) is a 1980 American satirical disaster film writt... - [en.wikipedia.org/wiki/Airplane!](https://en.wikipedia.org/wiki/Airplane!)
- \* Airplanes (song) - "Airplanes" is a song by American rapper B.o.B, featuring vocals from Hayley Wil... - [en.wikipedia.org/wiki/Airplanes\\_\(song\)](https://en.wikipedia.org/wiki/Airplanes_(song))
- \* Airplane Pt. 2 - "Airplane Pt. 2" is a song recorded by South Korean boy group BTS that was released ... - [en.wikipedia.org/wiki/Airplane\\_Pt.\\_2](https://en.wikipedia.org/wiki/Airplane_Pt._2)

\* and 5 more articles found

Jos

New message ...

Conversation with Christine S... ×

Start call

Participants

Projects

Jos (moderator)

Christine Scott (moderator)

Find more information in the admin documentation for Talk.

## Talk from Files

In the Files app, you can chat about files in the sidebar, and even have a call while editing it. You first have to join the chat.

Collectives Recently edited

customer project

	Size	Modified
aired	201 KB	a year ago
aired	135 KB	2 years ago
aired	< 1 KB	a year ago
aired	41 KB	a year ago
aired	< 1 KB	2 years ago
aired	608 KB	2 years ago
aired	3 MB	2 years ago
aired	969 KB	2 years ago
aired	64 KB	3 years ago

4.9 MB

Activity Chat Comments Sharing Versions

Discuss this file

Join conversation

## Talk

The screenshot shows the Nextcloud Talk interface. On the left, there's a sidebar with navigation links: All files, Recent, Favorites, Shares, Tags, Deleted files, 129.9 MB used, and Settings. The main area displays a list of files in a 'design work' folder: Interface.jpg (2.2 MB), Open\_Images2.jpg (1.5 MB), work in progress.psd (12.8 MB, selected), and Zoom.jpg (4.5 MB). A note at the top says 'Add notes, lists or links ...'. To the right, a detailed view of 'work in progress.psd' is shown, including its size (12.8 MB) and last modified date (3 years ago). Below this, a 'Collaborative tags' section is visible. At the bottom of the main area, it says '4 files' and '21 MB'. On the far right, a chat window for 'work in progress.psd' is open, showing a message from 'Christine Schott' that says 'Calls will return soon'. The chat log includes messages from 'Christine Schott', 'Leon Green', and 'You' (the user). A reply message from 'Christine Schott' is shown with a 'Reply' button. The bottom right corner of the interface has a '→' icon.

You can then chat or have a call with other participants, even when you start editing the file.

The screenshot shows a video call in progress. On the left, a rich text editor is open with the title 'idea nr 1' and a bulleted list: 'build an AI that finds the best cat pictures on the internet', 'write a Nextcloud app which shows one per day', 'happy users!', '...', and 'profit'. Below the list is a note: 'this doesn't seem a very unique idea in any case ...'. On the right, a video call interface shows a woman named 'Marinela Gogo' and a man named 'Jos Poortvliet'. The video feed for Marinela Gogo is large, while Jos's is smaller in the bottom right corner. Below the video feeds, there are tabs for Chat, Activity, Comments, Sharing, and Versions. A 'Leave call' button is at the bottom right. The chat log on the right side of the screen shows messages from both participants. Marinela adds 'Marinela Gogo' and asks 'Tell me what you think;-)'. Jos responds with 'ehrm... cat pictures... isn't that very 2005?' and 'not that I don't like cats'. Marinela replies with 'Hey! it has AI, so it is very 2019... hmm but ok... perhaps we should talk, if you have time, to come up with a better idea??'. Jos then starts a call, and Marinela joins it. A message 'New message ...' appears at the bottom right.

In Talk, a conversation will be created for the file. You can chat from there, or go back to the file using the . . . menu in the top-right.

## Talk

You added Mickey Johnson 6:06 PM  
6:07 PM  
6:07 PM  
6:09 PM  
4 months ago, February 14, 2021  
/et? 7:22 PM  
k, feels like you are ignoring me Christine Schott 7:23 PM  
  
 Carl Green hasn't had time. He's been in a meeting for a 7:23 PM ✓  
  
Participants:  
Christine Schott (Busy with my favorite p)  
Mickey Johnson (Working remotely and i)  
Carl Green (In a meeting)

### Create tasks from chat or share tasks in chat

If Deck is installed, you can use the . . . menu of a chat message and turn the message into a Deck task.

Christine Schott Enjoy the I don't see Carl Green yet? 4:59 PM ✓  
 Carl Green Don't yah worry, I'm here - wouldn't miss it for the 4:59 PM ✓  
  
 Sandra McKinney Sure thing 6:45 PM  
 Marie Deschamps We got your back, Christine Schott Today, June 5, 2021  
  
 Christine Schott I just got off the phone with Marcel. For next week, we need to set up a meeting with Verilium! 2:02 PM ✓  
  
Message context menu (for Carl Green's message):  
Reply privately  
Copy message link  
Mark as unread  
Create a card  
  
Message context menu (for Sandra McKinney's message):  
Copy message link  
Mark as unread  
Create a card  
Delete

## Talk

Search conversations or users

company meeting notes.md

Start call

Participants

Details

Verilium coordination ...

Mickey Johnson ...

Discuss project Butterscotch... You: Call to discuss with the ...

SWOT analysis.whiteboard ... Mickey: work.gif

Talk updates ✓ - Raise your hand in a ca... 4

Team Stand UP ... You left the call

Call Carl ... You left the call

market analysis.xlsx ... system administrator left the ...

test room ... You: Testing something really...

Pitch Meeting ... Mickey Johnson left the call

Sandra McKinney ... You created the conversation

Nina Sun ... You left the call

Talk settings

4 months ago, February 15, 2021

You created the conversation 6:44 PM

You joined the conversation 6:44 PM

Christine Schott Hey Mickey Johnson

Pls help out with note taking

Sandra McKinney Sure thing

Marie Deschamps We got your back, Christine

Today, June 5, 2021

I just got off the phone with Marcel. For next week, we need to set up a meeting with Verilium!

[Message from Christine Schott in company meeting notes.md] (/call/yrtr7k3w)

Create card

From within Deck, you can share tasks into chat conversations.

Work in progress

Done

Set up initial strategy call in 18 days

✓ 1/3

Set up initial strategy call

Modified: seconds ago Created: a minute ago

Open in bigger view

Post to a conversation

Details

Assign a tag to this card...

June 24, 2021 12:00 AM

Add to a project

Connect items to a project to make them easier to find

Description

Set up a call with everyone interested and able to contribute.

- explain goal in company call
- pick a date

## Talk

The screenshot shows the Nextcloud Talk interface. At the top, there's a navigation bar with icons for search, file sharing, and user management. Below it, a sidebar lists recent conversations and participants. The main area is a chat window titled "Pitch Meeting". It shows a message from "Pitch Meeting" and a file attachment "Layout Room 1 (2).docx". The message "You left the call" was sent at 10:59 AM. A call summary indicates a call with "Christine Schott" and "Nina Sun" for 5:12 minutes at 10:59 AM. A message from "Mickey Johnson" at 10:36 AM says "started a call". Another message from "Mickey Johnson" at 10:36 AM says "left the call". A message from "Christine Schott" at 2:07 PM says "Set up initial strategy call" and "Work in progress in Strategy development". A message from "Mickey Johnson" at 2:08 PM says "Hey team, see I created a bunch of tasks to track this project, and am working on the first one already.". A message input field at the bottom says "Write message, @ to mention someone ...". On the right side, there's a "Participants" panel showing "Christine Schott" (moderator), "Mickey Johnson", "Nina Sun", and "Carl Green" (in a meeting).

## join a call or chat as guest

Nextcloud Talk offers audio/video and text chat integrated in Nextcloud. It offers a web interface as well as mobile apps.

You can find out more about Nextcloud Talk [on our website](#).


## Joining a chat

If you received a link to a chat conversation, you can open this in your browser to join the chat.


The screenshot shows the Nextcloud Talk interface. At the top, there's a navigation bar with icons for search, file sharing, and user management. Below it, a sidebar lists recent conversations and participants. The main area is a chat window titled "test room". It shows a message from "Christine Schott" at 10:17 AM saying "created the conversation". A message input field at the bottom says "Write message, @ to mention someone ...". On the right side, there's a "Display name: Guest" field with an "Edit" button, and a "Settings" button.

## Talk

You can change your name using the edit button on the top-right by clicking the **Edit** button.



Your camera and microphone settings can be found in the **Settings** menu. There you can also find a list of shortcuts you can use.



You can start a call any time with the **Start call** button. Other participants will get notified and can join the call. If somebody else has started a call already, the button will change in a green **Join call** button.

## Talk

The screenshot shows the 'test room' conversation in the 'Talk' interface. On the left, a sidebar lists various messages and files. The main area shows a list of messages from June 28, 2021, with participants like system administrator, Verilium coordination, Weekly hangout, Sandra McKinney, and others. A message from 'system administrator' at 7:54 PM indicates they started a call. On the right, a 'Participants' panel lists 14 users with their status (e.g., moderator, busy). A 'Join call' button is visible at the bottom of the main message list.

During a call, you can find the Camera and Microphone settings in the . . . menu on your video.

The screenshot shows a video call in progress. A context menu is open over the video feed, displaying options like 'Raise hand (R)' and 'Settings'. A large modal window titled 'Choose devices' is open, allowing the user to select a microphone (Default) and a camera (Razer Kiyo). The background shows a blurred view of the call interface, including a list of participants and a message bar.

During a call, you can mute your microphone and disable your video with the buttons on your video on the bottom-right, or using the shortcuts **m** to mute audio and **v** to disable video. You can also use the space bar to toggle mute. When you are muted, pressing space will unmute you so you can speak until you let go of the space bar. If you are unmuted, pressing space will mute you until you let go.

## Setting your preferences


You can hide your video (useful during a screen share) with the little arrow just above the video stream. Bring it back with the little arrow again.

### Starting a screen share

You can click the monitor icon on your video stream to share your screen. Depending on your browser, you will get the option to share a monitor, an application window or a single browser tab.

### More settings

In the conversation menu you can choose to go full-screen. You can also do this by using the  $\text{F}$  key on your keyboard. In the conversation settings, you can find notification options and the full conversation description.




## Setting your preferences

As a user, you can manage your personal settings.

To access your personal settings:

- 1 . Click on your profile picture in the top, right corner of your Nextcloud instance.

The Personal Settings Menu opens:



*Personal Settings Menu*

- 2 . Choose *Settings* from the drop down menu:



## Note

If you are an administrator, you can also manage users and administer the server. These links do not appear to a non-admin user.

The options listed in the Personal Settings Page depend on the applications that are enabled by the administrator. Some of the features you will see include the following:

- Usage and available quota
- Manage your profile picture
- Full name (You can make this anything you want, as it is separate from your Nextcloud login name, which is unique and cannot be changed)
- Email address
- List of your Group memberships
- Change your password
- Using two-factor authentication
- Setting your preferences
- Choose the language for your Nextcloud interface
- Links to desktop and mobile apps
- Manage your Activity stream and notifications
- Default folder to save new documents to
- Your Federated sharing ID
- Social sharing links
- Nextcloud version

## Note

Available options and settings depending on your administrators configuration. If you are not able to change the password or the display-name in your personal settings, please contact your administrator for help.

## Universal access

Universal access is very important to us. We follow web standards and check to make everything usable also with keyboard and assistive software such as screen readers. We aim to be compliant with the [Web Content Accessibility Guidelines 2.1](#) on AA level, with the high contrast theme even on AAA level. We also follow the German BITV 2.0 guidelines.

If you find any issues, don't hesitate to report them on [our issue tracker](#). And if you want to get involved, come [join our design team!](#)

## Zoom and responsiveness

The Nextcloud interface is fully responsive and usable on any size of screen. You can zoom in and out to fit the text and element size to your liking. The navigation and sidebar can be expanded or collapsed.

## Navigating via keyboard

You can navigate the web interface with keyboard only just like you can with the mouse:

- Tab and Shift + Tab to move between elements

## Universal access

- Enter or Space to activate or open the element (depending on the type of element)
- Escape to be used to close modals, popover menus, and file viewers
- Left arrow and Right arrow to navigate between photos in the viewer
- Ctrl + F to focus the search field
- Ctrl + S to save changes in editors like Nextcloud Text

For quicker navigation, we offer 2 “skip links” at the beginning of the document which allow you to:

- Skip to main content
- Skip to navigation of app

Nextcloud Talk has shortcuts which are also documented inside the settings of the app itself:

- C to focus the message input field
- Escape to unfocus the message input field to be able to use shortcuts
- F to fullscreen the chat or call

**• While in a call:**

- M to toggle the microphone on and off
- V to toggle video on and off
- Space for push to talk or push to mute
- R to raise or lower hand

Nextcloud Mail has shortcuts as well, also documented inside the settings of the app itself:

- C to compose a new message
- Left arrow to switch to a newer message
- Right arrow to switch to an older message
- S to toggle a message as favorite
- U to toggle a message unread
- Del to delete a message
- Ctrl + Enter to send
- R to refresh and load new mails

## Included themes

We offer several themes you can activate to aid accessibility:

- **High contrast theme:** A high contrast mode to ease your navigation. Visual quality will be reduced but clarity will be increased.
- **Dark theme:** A dark theme to ease your eyes by reducing the overall luminosity and brightness. It is still under development, so please report any issues you may find.
- **Dyslexia font:** OpenDyslexic is a free typeface/font designed to mitigate some of the common reading errors caused by dyslexia.

To reach the accessibility settings:

- 1 . Open the settings menu at the end of the header
- 2 . Pick **Settings**
- 3 . In the navigation, pick **Accessibility**

## Note

Contrast of elements can vary based on custom theming. For example, the primary theming color is used as background color by the header, log in page, and primary buttons. If this causes contrast issues, please contact your administrator for help.


## Using two-factor authentication

Two-factor authentication (2FA) is a way to protect your Nextcloud account against unauthorized access. It works by requiring two different ‘proofs’ of your identity. For example, *something you know* (like a password) and *something you have* like a physical key. Typically, the first factor is a password like you already have and the second can be a text message you receive or a code you generate on your phone or another device (*something you have*). Nextcloud supports a variety of 2nd factors and more can be added.

Once a two-factor authentication app has been enabled by your administrator you can enable and configure it in Setting your preferences. Below you can see how.

## Configuring two-factor authentication


In your Personal Settings look up the Second-factor Auth setting. In this example this is TOTP, a Google Authenticator compatible time-based code:



You will see your secret and a QR code which can be scanned by the TOTP app on your phone (or another device). Depending on the app or tool, type in the code or scan the QR and your device will show a login code which changes every 30 seconds.


## Recovery codes in case you lost your 2nd factor

You should always generate backup codes for 2FA. If your 2nd factor device gets stolen or is not working, you will be able to use one of these codes to unlock your account. It effectively functions as a backup 2nd factor. To get the backup codes, go to your Personal Settings and look under Second-factor Auth settings. Choose *Generate backup codes*:



You will then be presented with a list of one-time-use backup codes:


## Using two-factor authentication




You should put these codes in a safe spot, somewhere you can find them. Don't put them together with your 2nd factor like your mobile phone but make sure that if you lose one, you still have the other. Keeping them at home is probably the best thing to do.

## Logging in with two-factor authentication

After you have logged out and need to log in again, you will see a request to enter the TOTP code in your browser. If you enable not only the TOTP factor but another one, you will see a selection screen on which you can choose two-factor method for this login. Select TOTP:



Now, just enter your code:



If the code was correct you will be redirected to your Nextcloud account.

### Note

Since the code is time-based, it's important that your server's and your smartphone's clock are almost in sync. A time drift of a few seconds won't be a problem.

## Using two-factor authentication with hardware tokens

You can use two-factor authentication based on hardware tokens. The following devices are known to work:

- TOTP based:
  - Nitrokey Pro
  - Nitrokey Storage
- FIDO U2F based:
  - Nitrokey FIDO U2F

## Using client applications with two-factor authentication

Once you have enabled 2FA, your clients will no longer be able to connect with just your password unless they also have support for two-factor authentication. To solve this, you should generate device specific passwords for them. See Manage connected browsers and devices for more information on how to do this.

## Considerations

If you use WebAuthn to login to your Nextcloud be sure to not use the same token for 2FA. As this would mean you are again only using a single factor.

## Manage connected browsers and devices

The personal settings page allows you to have an overview on the connected browsers and devices.

### Managing connected browsers

In the list of connected browsers you see which browsers connected to your account recently:

The screenshot shows the 'Personal - Nextcloud' settings page at <http://localhost:8080/index.php/settings/personal#sessions>. The left sidebar lists 'Personal info', 'Sessions', 'Devices', 'Sync clients', 'TOTP Second-factor Auth', and 'Federated Cloud'. The main content area has two sections: 'Sessions' and 'Devices'. The 'Sessions' section displays a table of recent browser connections:

Browser	Most recent activity	Action
Mozilla/5.0 (X11; Linux x86_64; rv:46.0) Gec...	a day ago	trash
Mozilla/5.0 (X11; Linux x86_64; rv:46.0) Gec...	3 minutes ago	trash
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/...	seconds ago	trash
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/...	17 minutes ago	trash

The 'Devices' section displays a table of linked devices:

Name	Most recent activity	Action
Android	10 days ago	trash

## Manage connected browsers and devices

You can use the trash icon to disconnect any of the browsers in the list.

### Managing devices

In the list of connected devices you see all the devices and clients you generated a device password for and their last activity:

The screenshot shows the 'Personal - Nextcloud' interface at <http://localhost:8080/index.php/settings/personal#devices>. The left sidebar includes links for 'Personal info', 'Sessions', 'Devices', 'Sync clients', 'TOTP Second-factor Auth', and 'Federated Cloud'. The main content area is titled 'Devices' and displays the message 'You've linked these devices.' Below this is a table listing three devices:

Name	Most recent activity	Action
Android	10 days ago	trash
unknown client	3 days ago	trash
unknown client	3 days ago	trash

A note below the table states: 'A device password is a passcode that gives an app or device permissions to access your ownCloud account.' At the bottom of the table area are two buttons: 'Device name' and 'Create new device password'.

Below the table, there's a 'Language' section with a dropdown set to 'English' and a 'Help translate' link. A call-to-action 'Get the apps to sync your files' is also present.

You can use the trash icon to disconnect any of the devices in the list.

At the bottom of the list you find a button to create a new device-specific password. You can choose a name to identify the token later. The generated password is used for configuring the new client. Ideally, generate individual tokens for every device you connect to your account, so you can disconnect those individually if necessary:

This screenshot shows the same 'Personal - Nextcloud' interface as above, but with a generated device password. In the 'Devices' table, the third row for an 'unknown client' has a 'Done' button next to the trash icon. Below the table, a blue highlighted row contains the generated password: 'YDIPP-FJINR-TEJDU-EHXOP'. The rest of the interface is identical to the first screenshot.

### Note

You have only access to the device password when creating it, Nextcloud will not save the plain password, hence it's recommended to enter the password on the new client immediately.

### Note

If you are Using two-factor authentication for your account, device-specific passwords are the only way to configure clients. The server will deny connections of clients using your login password then.

## Device-specific passwords and password changes

For password changes in external user backends the device-specific passwords are marked as invalid and once a login of the user account with the main password happens all device-specific passwords are updated and work again.

## External Storage

### Configuring external Storage

The External Storage application allows you to mount external storage services, such as Amazon S3, SMB/CIFS fileservers and FTP servers... in Nextcloud. Your Nextcloud server administrator controls which of these are available to you. Please see [Configuring External Storage \(GUI\)](#) in the Nextcloud Administrator's manual for configuration howtos and examples.