Question A. (50 marks)

A database schema consisting of three relations STUDENT, COURSE, and STAFF is created as follows:

CREATE TABLE STUDENT (STU_ID CHAR(4),

STUDENT_NAME CHAR(20),

ADDRESS CHAR(20),

BIRTHDATE DATE,

GENDER CHAR(6));

CREATE TABLE COURSE (COURSE_ID CHAR(6),

COURSE_TITLE CHAR(20),

STAFF_ID CHAR(3),

SECTION NUMBER(2));

CREATE TABLE STAFF (STAFF_ID CHAR(3),

STAFF_NAME CHAR(20),

GENDER CHAR(6),

DEPARTMENT CHAR(20),

BOSS_ID CHAR(3)

SALARY NUMBER(8,2));

Write down a SQL statement for each query below:

1) List the names of all male students who were born before 01-01-1995. [5 marks]

- 2) List the names of all students whose name is at least 6 characters long and whose birthdate falls within 01-01-1995 and 01-01-2000. Order the results alphabetically. [5 marks]
- 3) List the names of all courses that are neither taught by SMITH nor by JONES. [6 marks]
- 4) Retrieve the number of courses for each section number. Your output should be in ascending order of section numbers. [6 marks]
- 5) Find the name of every staff member who teaches the exact same number of courses as his/her boss. [7 marks]
- 6) List all staff members whose salary is higher than the average salary. [7 marks]
- 7) Find the names of the staff members who are the boss of some staff member in the Accounting department. [7 marks]
- 8) Find the average number of courses taught per staff member. [7 marks]

Q1.

SELECT students name

FROM student

WHERE gender = 'm' and birthdate < '01'-JAN-1995';

Q2.

SELECT student_name

FROM student WHERE length(student_name)>=6 AND birthdate Between '01-JAN-1995' AND '01-JAN-1995' AND '01-JAN-2000'

Q3.

SELECT course title from COURSE

WHERE STAFF_ID NOT IN

(SELECT staff ID

FROM staff

WHERE staff name IN('JONES','SMITH'))

```
Q4,
SELECT section, COUNT(*)
FROM course
GROUP BY section
ORDER BY section
Q5.
SELECT staff_name
FROM STAFF S1
WHERE
(SELECT COUNT(*) FROM COURSE WHERE STAFF_ID = S1.STAFF_ID) =
(SELECT COUNT(*)FROM COURSE WHERE STGAFF_ID=S1.BOSS_ID);
Q6,
SELCET *
FROM staff
WHERE salary > (SELECT AVG(SALARY) FROM staff);
Q7.
SELECT staff_name
FROM staff
Where staff_id IN
(SELECT boss_id
FROM staff
WHERE department='Accounting');
Q8.
SELECT COUNT(DISTINCT course_id)/COUNT(DISTINCT staff_id)
FROM course:
```

Question B. [50 marks]

Specify the following queries on the COMPANY relational database schema shown in Figure 5.5 below using relational algebra expressions. Also show the result of each query as it would apply to the database state of Figure 5.6.




Figure 5.6
One possible database state for the COMPANY relational database schema.

EMPLOYEE

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	В	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	М	30000	333445555	5
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	М	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	М	38000	333445555	5
Joyce	Α	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	٧	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	М	25000	987654321	4
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	М	55000	NULL	1

DEPARTMENT

Dname	Dnumber	Mgr_ssn	Mgr_start_date	
Research	5	333445555	1988-05-22	
Administration	4	987654321	1995-01-01	
Headquarters	1	888665555	1981-06-19	

DEPT_LOCATIONS

Dnumber	Diocation	
1	Houston	
4	Stafford	
5	Bellaire	
5	Sugarland	
5	Houston	

WORKS_ON

Essn	Pno	Hours	
123456789	1	32.5	
123456789	2	7.5	
666884444	3	40.0	
453453453	1	20.0	
453453453	2	20.0	
333445555	2	10.0	
333445555	3	10.0	
333445555	10	10.0	
333445555	20	10.0	
999887777	30	30.0	
999887777	10	10.0	
987987987	10	35.0	
987987987	30	5.0	
987654321	30	20.0	
987654321	20	15.0	
888665555	20	NULL	

PROJECT

Pname	Pnumber	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

DEPENDENT

Essn	Dependent_name	Sex	Bdate	Relationship
333445555	Alice	F	1986-04-05	Daughter
333445555	Theodore	М	1983-10-25	Son
333445555	Joy	F	1958-05-03	Spouse
987654321	Abner	М	1942-02-28	Spouse
123456789	Michael	М	1988-01-04	Son
123456789	Alice	F	1988-12-30	Daughter
123456789	Elizabeth	F	1967-05-05	Spouse

- (a) Retrieve the names of employees that have at least one dependent. [5 marks]
- (b) List the first names of employees who work in the Research department andwhose salary is below 39000. [5 marks]
- (c) Find the first names of male employees that are not supervised by 'JenniferWallace'. [5 marks]
- (d) List the first names of all employees who work on the project 'Newbenefits' and who have a daughter as a dependent. [5 marks]
- (e) Retrieve the first names of employees who work on every project. [5 marks]
- (f) Retrieve the first names of employees who do not work on any project. [7.5 marks]
- (g) Retrieve the salary of all male employees working in the department withdepartment number 4. [5 marks]
- (h) Find the first names and addresses of employees who work on at least oneproject located in Houston but whose department has its location in either Sugarland or Bellaire. [7.5 marks]
- (i) List the last name of each department manager who has a spouse as adependent. [5 marks]

Question P.

(a).

The Frame. Minit. Lhame (EMPI DYEES WESSN = OSIDEEPENPENT).

OriginT:

John B Smith, Franklin T Wong, Ahmad V Jubban

(6) To fname (Usalarge 39000 AND Dname = Research EMPLOYER.

DNO=Dnumber DEPARTMENT).

= prograce

John, Ramesh. Joyce.

Ce), Janifer- emp < Jennifer 'AND Inhame = Wallace'

The Finame (Sex = 'm' (=mployEE) - Jennifer - emp).

Compat: John, Frank Iin, Ramesh, James.

(山)、蚕.

The Frame (Trelationship: Daughter (EmployEE: MESSN=SSNEPENDENT))

Result: (empty)

Quyth D.

SSn-Pno < P(SSn, Pnamber ((Thessn, Pno (WORKS-ON)))

Phoss < To Pnamber (ProJECT)

SSh-all-phos < SSn-pno-pho-phos.

To Fname (EMPLOYBE # SSn-all-phos)

Oxtpot. = (Empty)

(f) All-EMPS ← Tesm (EMPLOYEE).

WORKING-EMPS & PSSM (TIESSM (WORKS-ON)) NON-WORKING-EMPS & ALL-EMPS-WORKING-EMPS.

Thame (EmployEE * NON-WORKING-EMS.)
Result: (Empty)

(9) Tologi (TSEX= m' and DNO=4 (EmployEE))
ONTPOT = 25000.

(n). Honston projects L'T Louin = Houston (CPROJECTS M PNumber = Pno Works - ON.

Det mes Location = Sugarland Or DLocata = Bellain

C DEPARTMEN * DEPT - LOCA TION).

To Fname, Address (Houston, projects Alessn = Ssn Employee Apt ants)

Ramesn. 975 Fire Oak. Humble TX. Franklin, 731 Fondren- Honston TX.

Mgr. ssn-spouse & Tielationship = Sponge Chepur Ment As ingr-ssn = ssnDepartment)

To Hame (Mgr-ssn-spond. MAngr-ssn-Essn. Fromplo YEE)

Orlpit: Wallace, Wong