

1. List all treatments with service names and costs

```
SELECT
    t.treatment_id,
    t.treatment_date,
    p.first_name & ' ' & p.last_name AS patient_name,
    s.service_name,
    ts.quantity,
    s.cost,
    t.cost AS total_treatment_cost
FROM Treatment AS t
INNER JOIN Treatment_Service AS ts ON t.treatment_id = ts.treatment_id
INNER JOIN Service AS s ON ts.service_id = s.service_id
INNER JOIN Patient AS p ON t.patient_id = p.patient_id;
```

2. List all invoices with their services

```
SELECT
    i.invoice_id,
    p.first_name & ' ' & p.last_name AS patient_name,
    s.service_name,
    isv.quantity,
    isv.cost,
    i.total_amount
FROM Invoice AS i
INNER JOIN Invoice_Service AS isv ON i.invoice_id = isv.invoice_id
INNER JOIN Service AS s ON isv.service_id = s.service_id
INNER JOIN Patient AS p ON i.patient_id = p.patient_id;
```

3. Billing estimate vs actual invoice cost

```
SELECT
    be.estimate_id,
    p.first_name & ' ' & p.last_name AS patient_name,
    s.service_name,
    be.estimated_cost,
    i.total_amount AS actual_cost,
```

```

        (i.total_amount - be.estimated_cost) AS difference
FROM BillingEstimate AS be
INNER JOIN Patient AS p ON be.patient_id = p.patient_id
INNER JOIN Service AS s ON be.service_id = s.service_id
INNER JOIN Invoice AS i ON be.estimate_id = i.invoice_id;

```

REPORTS:

BillingEstimate_Service		
estimate_id	service_id	quantity
1000	0	0
1001		1
1002		1
1003		1
1004		1
1005		3
1006		1
1007		2
1008		1
1009		1
10		



Treatment_Service

treatment_id	service_id	quantity
1000	900	1
1001	901	1
1002	902	1
1003	903	1
1004	904	1
1005	905	1
1006	906	1
1007	907	1
1008	908	1
1009	909	1
10		

Page 1 of 1



Claim_Service

claim_id	service_id	quantity	cost
100	900	1	\$0.00
1001	9001	1	\$0.00
			\$0.00

Page 1 of 1