- LSTM Feature Ablation Study: Comparing Feature Set Configurations
  - Overview
  - Feature Configurations
    - 🔵 Minimal (5 features) - Behavioral Only
    - 🟡 Medium (10 features) - Behavioral + Persona Types
    - 🔴 Full (16 features) - All Features Including Psychological, Sentiment & Profile
  - Summary Statistics (All Years, All Personas)
  - Year-by-Year Comparison
    - F1 Score by Year
    - Precision by Year
    - Recall by Year
  - Persona-Level Analysis (2023 - Latest Year)
  - Temporal Analysis: Early vs Late Years
    - Early Period (2016-2018) - Model Learning Phase
    - Late Period (2021-2023) - Model Maturity Phase
  - Feature Impact Analysis
    - Marginal Contribution of Each Feature Group
  - Detailed Comparison Table (F1 Scores)
  - Statistical Summary
    - Pairwise Comparison (Paired t-tests on F1)
    - Win Distribution Across All 160 Year-Persona Combinations
  - Key Insights
    - 1. 🏆 Medium Features Slightly Best (but marginally)
    - 2. ✅ Persona Type Flags Help Slightly
    - 3. ❌ Psychological Features Don't Help
    - 4. ❌ Sentiment & Profile Features Don't Help
    - 4. 📊 Feature Redundancy
    - 5. 🔄 Temporal Stability
  - Recommendations
  - Model Complexity Comparison
  - Conclusion
  - Appendix: Data Files

LSTM Feature Ablation Study: Comparing Feature Set Configurations

Overview

This document compares the LSTM churn prediction model performance across **three different persona feature configurations** to determine the optimal feature set.

Feature Configurations

🔵 Minimal (5 features) - Behavioral Only

```
features = [
    np.log1p(stats.get('reputation_average', 0)),
    np.log1p(stats.get('upvotes_average', 0)),
    np.log1p(stats.get('count_answers_average', 0)),
    np.log1p(stats.get('count_questions_average', 0)),
    stats.get('total_duration_average', 0) / 190.0,
]
```

File: `lstm_eval_2016_to_2023_only_stats.csv`

🟡 Medium (10 features) - Behavioral + Persona Types

```
features = [
    np.log1p(stats.get('reputation_average', 0)),
    np.log1p(stats.get('upvotes_average', 0)),
    np.log1p(stats.get('count_answers_average', 0)),
    np.log1p(stats.get('count_questions_average', 0)),
    stats.get('total_duration_average', 0) / 190.0,
    1.0 if stats.get('H', 0) > 0 else 0.0,
    1.0 if stats.get('C', 0) > 0 else 0.0,
    1.0 if stats.get('T', 0) > 0 else 0.0,
    1.0 if stats.get('I', 0) > 0 else 0.0,
    1.0 if stats.get('SPECIALIST', 0) > 0 else 0.0,
]
```

File: `lstm_eval_2016_to_2023.csv`

🔴 Full (16 features) - All Features Including Psychological, Sentiment & Profile

```
features = [
    np.log1p(stats.get('reputation_average', 0)),
    np.log1p(stats.get('upvotes_average', 0)),
    np.log1p(stats.get('count_answers_average', 0)),
    np.log1p(stats.get('count_questions_average', 0)),
    stats.get('total_duration_average', 0) / 190.0,
    stats.get('collectivistic_ratio_average', 0),
    stats.get('individualistic_ratio_average', 0),
    1.0 if stats.get('H', 0) > 0 else 0.0,
    1.0 if stats.get('C', 0) > 0 else 0.0,
    1.0 if stats.get('T', 0) > 0 else 0.0,
    1.0 if stats.get('I', 0) > 0 else 0.0,              # ← Additional type
    1.0 if stats.get('SPECIALIST', 0) > 0 else 0.0,    # ← Additional type
    np.log1p(stats.get('aboutme_length_average', 0)) / 100,    # ← Profile
    stats.get('comment_sentiment_average', 0),          # ← Sentiment
    np.log1p(stats.get('profile_views_average', 0)) / 1000,    # ← Engagement
]
```

File: `lstm_eval_2016_to_2023_full_features.csv`

Summary Statistics (All Years, All Personas)

Metric	🔵 Minimal (5)	🟡 Medium (10)	🔴 Full (16)	Best
Mean F1	0.7899	0.7907	0.7905	🟡 Medium
Mean Precision	0.7630	0.7631	0.7627	🟡 Medium
Mean Recall	0.8211	0.8229	0.8227	🟡 Medium

> 🏆 **Key Finding:** The **Medium (10 features)** model performs marginally best! Adding persona type flags (H/C/T/I/SPECIALIST) provides slight improvement, but psychological/sentiment/profile features provide **no additional benefit**.

Year-by-Year Comparison

F1 Score by Year

Year	Minimal	Medium	Full	Best Config
2016	0.6062	**0.6067**	0.6047	Medium
2017	0.6779	**0.6781**	0.6780	Medium
2018	0.7339	0.7362	**0.7364**	Full
2019	0.7895	0.7883	**0.7910**	Full
2020	0.8270	**0.8276**	0.8274	Medium
2021	**0.8612**	0.8604	0.8609	Minimal
2022	0.8870	**0.8878**	0.8871	Medium
2023	0.9102	**0.9090**	0.9098	Minimal

Summary: Medium wins 4/8 years, Minimal wins 2/8 years, Full wins 2/8 years

---

Precision by Year

Year	Minimal	Medium	Full	Best Config
2016	**0.5799**	0.5782	0.5780	Minimal
2017	**0.6680**	0.6677	0.6679	Minimal
2018	0.7420	**0.7438**	0.7414	Medium
2019	0.7570	0.7536	**0.7571**	Full
2020	0.7718	0.7699	**0.7723**	Full
2021	**0.8155**	0.8150	0.8139	Minimal
2022	0.8476	**0.8489**	0.8471	Medium
2023	**0.8729**	0.8715	0.8727	Minimal

Recall by Year

Year	Minimal	Medium	Full	Best Config
2016	0.6408	**0.6417**	0.6403	Medium
2017	0.6924	**0.6939**	0.6932	Medium
2018	0.7301	0.7316	**0.7353**	Full
2019	0.8280	0.8286	**0.8297**	Full
2020	0.8900	**0.8918**	0.8905	Medium
2021	**0.9127**	0.9129	0.9140	Full
2022	0.9305	**0.9316**	0.9304	Medium
2023	**0.9510**	0.9499	0.9509	Minimal

Persona-Level Analysis (2023 - Latest Year)

Persona	Minimal	Medium	Full	Best	Δ (Best-Worst)
0	0.8616	0.8567	**0.8589**		0.0049
1	**0.9055**	0.9040	0.9048		0.0015
2	0.9095	**0.9114**	0.9076		0.0038
3	0.8763	0.8747	**0.8770**		0.0023
4	0.8908	0.8890	**0.8920**		0.0030
5	0.8984	0.8981	**0.8983**		0.0003
6	0.8884	0.8788	**0.8861**		0.0096
7	**0.9434**	0.9394	0.9394		0.0040
8	0.8929	**0.8965**	0.8948		0.0036
9	**0.9407**	0.9404	0.9434		0.0030
10	0.8852	**0.8901**	0.8914		0.0062
11	0.9178	**0.9223**	0.9196		0.0045
12	**0.9394**	0.9391	0.9374		0.0020

Persona	🔵 Minimal	🟡 Medium	🔴 Full	Best	Δ (Best-Worst)
13	0.8932	**0.9048**	0.8942	🟡	0.0116
14	**0.8743**	0.8554	0.8571	🔵	0.0189
15	0.8976	0.8955	**0.8983**	🔴	0.0028
16	0.9296	0.9296	**0.9318**	🔴	0.0022
17	0.8671	**0.8701**	0.8688	🟡	0.0030
18	0.9644	**0.9712**	0.9745	🔴	0.0101
19	0.9290	**0.9336**	0.9310	🟡	0.0046

Winner Count (2023):

Config	Wins
🔵 Minimal (5)	8
🟡 Medium (10)	6
🔴 Full (16)	6

Temporal Analysis: Early vs Late Years

Early Period (2016-2018) - Model Learning Phase

Config	Avg F1	Avg Precision	Avg Recall
🔵 Minimal	0.6727	0.6632	0.6878
🟡 Medium	**0.6737**	**0.6632**	**0.6891**
🔴 Full	0.6730	0.6624	0.6896

Late Period (2021-2023) - Model Maturity Phase

Config	Avg F1	Avg Precision	Avg Recall
🔵 Minimal	**0.8861**	**0.8453**	0.9314
🟡 Medium	0.8857	0.8451	0.9315
🔴 Full	0.8859	0.8446	**0.9318**

Feature Impact Analysis

Marginal Contribution of Each Feature Group

Feature Group	Features Added	F1 Δ vs Minimal	Significant?
Persona types (H/C/T/I/SPECIALIST)	+5 one-hot flags	+0.0008	⚠️ Marginal
Psychological ratios	+2 (collectivistic, individualistic)	-0.0002	❌ No
Profile/Sentiment	+3 (aboutme, sentiment, views)	-0.0002	❌ No

> **Persona type flags provide tiny improvement. Psychological and sentiment features provide no benefit!**

Detailed Comparison Table (F1 Scores)

Year	Persona	🔵 Minimal	🟡 Medium	🔴 Full	Best
2016	0	**0.6087**	0.6087	0.5903	🔵🟡
2016	1	0.5964	0.5962	**0.5962**	Tie
2016	9	**0.7338**	0.7288	0.7395	🔴
2016	16	0.6914	0.6998	**0.7056**	🔴
2017	10	0.6879	**0.7320**	0.7320	🟡🔴

Year	Persona	🔵 Minimal	🟡 Medium	🔴 Full	Best
2018	18	0.8856	**0.8896**	0.8837	🟡
2019	18	0.8954	0.9046	**0.9091**	🔴
2020	18	0.9195	**0.9318**	0.9254	🟡
2021	9	**0.9117**	0.9090	0.9125	🔴
2022	7	**0.9072**	0.9178	0.9243	🔴
2023	13	**0.9048**	0.8932	0.8942	🔵

Statistical Summary

Pairwise Comparison (Paired t-tests on F1)

Comparison	Mean Δ	t-statistic	p-value	Significant?
Medium vs Minimal	+0.0008	0.82	0.41	❌ No
Full vs Minimal	+0.0006	0.62	0.54	❌ No
Full vs Medium	-0.0002	-0.21	0.83	❌ No

Win Distribution Across All 160 Year-Persona Combinations

Config	Best F1 Count	%
🔵 Minimal (5)	52	32.5%
🟡 Medium (10)	59	36.9%
🔴 Full (16)	49	30.6%

Key Insights

1. 🏆 Medium Features Slightly Best (but marginally)

The 10-feature model with persona type flags performs marginally better overall, but the difference is not statistically significant.

2. ✅ Persona Type Flags Help Slightly

- H/C/T/I/SPECIALIST one-hot encoding: Provides tiny signal
- May help distinguish specialist vs generalist behavior patterns
- The LSTM already learns persona distinctions from behavioral patterns

3. ❌ Psychological Features Don't Help

- `collectivistic_ratio_average`: No predictive value
- `individualistic_ratio_average`: No predictive value
- These ratios are likely redundant with behavioral features

4. ❌ Sentiment & Profile Features Don't Help

- `comment_sentiment_average`: No signal for churn
- `aboutme_length_average`: Profile completeness doesn't predict activity
- `profile_views_average`: External attention ≠ user commitment

4. 📊 Feature Redundancy

The behavioral features (reputation, upvotes, answers, questions, duration) already encode:

- User expertise → reputation, upvotes
- Engagement type → answers vs questions ratio
- Longevity → total_duration
- Psychological type → implicitly via behavior patterns

5. 🔄 Temporal Stability

All three configurations converge to similar performance in recent years (2021-2023), suggesting the LSTM effectively learns from sequence data regardless of persona feature richness.

Recommendations

Priority	Recommendation	Rationale
✅ **Use Medium (10 features)**	Slightly best overall, includes useful persona types	
✅ Keep persona type flags	H/C/T/I/SPECIALIST provide marginal value	
⚠️ Don't add psychological ratios	Collectivistic/individualistic add nothing	
⚠️ Don't add sentiment features	No predictive value for churn	
⚠️ Don't add profile features	aboutme/views don't signal commitment	
🔬 Focus on sequence modeling	LSTM learns patterns > static features	

Model Complexity Comparison

Config	Features	Est. Parameters	Training Time	Performance
🔵 Minimal	5	~162K	Fastest	Baseline
🟡 Medium	10	~165K	+3%	**Best**
🔴 Full	16	~168K	+5%	Same as Medium

> The Medium model provides the best trade-off between complexity and performance.

Conclusion

The Medium 10-feature model is the optimal choice, though the improvement over Minimal is marginal (+0.10% F1). The key findings:

1. **Behavioral features (5)** capture most of the predictive signal
2. **Persona type flags (+5)** add marginal value by encoding user archetypes
3. **Psychological ratios (+2)** are redundant - already captured by behavior
4. **Sentiment/Profile features (+3)** provide no additional signal

The LSTM's strength lies in **sequence modeling** (gains, time deltas). Static persona features matter less than temporal patterns.

Appendix: Data Files

Config	File
🔵 Minimal (5)	`lstm_eval_2016_to_2023_only_stats.csv`
🟡 Medium (10)	`lstm_eval_2016_to_2023.csv`
🔴 Full (16)	`lstm_eval_2016_to_2023_full_features.csv`
Model	`lstm_temporal_ap_tp.py`