

Capture d'écran

```
ec2-user@ip-172-31-206-80:~$ aws ec2 describe-instances
DescribeInstances
+-----+-----+-----+-----+
| Id                | Name          | Private | Public |
+-----+-----+-----+-----+
| i-0b86b33fa0819b6a1 | tegrace-bastion | 172.31.195.201 | 15.237.116.61 |
| i-0c05d3152eef6c8f1 | tegrace-cible  | 172.31.206.80  | None       |
+-----+-----+-----+-----+
user@user:~/Bureau/aws-cli-v1$ ssh-add ~/.ssh/tegrace_key
ssh -A -i ~/.ssh/tegrace_key ec2-user@15.237.116.61
Identity added: /home/user/.ssh/tegrace_key (user@user)
The authenticity of host '15.237.116.61 (15.237.116.61)' can't be established.
ED25519 key fingerprint is SHA256:4jnEUcaDp8nEt3d3Ual7o0G6bTHcfQ62fmRA/rNV/guM.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '15.237.116.61' (ED25519) to the list of known hosts.
#
# Amazon Linux 2023
#
# https://aws.amazon.com/linux/amazon-linux-2023
#
[ec2-user@ip-172-31-195-201 ~]$ ping -c 3 172.31.206.80
PING 172.31.206.80 (172.31.206.80) 56(84) bytes of data:
64 bytes from 172.31.206.80: icmp_seq=1 ttl=127 time=0.711 ms
64 bytes from 172.31.206.80: icmp_seq=2 ttl=127 time=0.204 ms
64 bytes from 172.31.206.80: icmp_seq=3 ttl=127 time=0.191 ms
--- 172.31.206.80 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2009ms
rtt min/avg/max/mdev = 0.191/0.308/0.711/0.242 ms
[ec2-user@ip-172-31-195-201 ~]$ ssh ec2-user@172.31.206.80
The authenticity of host '172.31.206.80 (172.31.206.80)' can't be established.
ED25519 key fingerprint is SHA256:SMLRnPUmGNG056Ru/cLb/UPWnQoMXH+Byoh10NT13t4.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.31.206.80' (ED25519) to the list of known hosts.
#
# Amazon Linux 2023
#
# https://aws.amazon.com/linux/amazon-linux-2023
#
[ec2-user@ip-172-31-206-80 ~]$

user@user:~/Bureau/aws-cli-v1$ aws ec2 describe-network-acls --region eu-west-3 \
--filters "Name=association.subnet-id,Values=subnet-095c2c562da7511cc" \
--query "NetworkAcls[0].{NaclId:NetworkAclId,Default:IsDefault,Subnets:Associations[0].SubnetId}" \
--output json
{
  "NaclId": "acl-0ed3d09e63e8c10f3",
  "Default": true,
  "Subnets": [
    "subnet-095c2c562da7511cc"
  ]
}

user@user:~/Bureau/aws-cli-v1$ aws ec2 describe-instances --region eu-west-3 \
--filters "Name=subnet-id,Values=subnet-095c2c562da7511cc" \
--query "Reservations[0].Instances[0].{Id:InstanceId,Name:Tags[?Key=='Name'][0].Value,Private:PrivateIpAddress}" \
--output table
DescribeInstances
+-----+-----+-----+
| Id                | Name          | Private |
+-----+-----+-----+
| i-0e613bed9a5ec692f | None         | 172.31.197.79 |
| i-0b86b33fa0819b6a1 | tegrace-bastion | 172.31.195.201 |
| i-0c05d3152eef6c8f1 | tegrace-cible  | 172.31.206.80  |
+-----+-----+-----+
user@user:~/Bureau/aws-cli-v1$
```

```

user@user:~/Bureau/aws-cli-v1$ VPC=vpc-0ebcdb39f7a526ef9

# Créer la NACL (mais NE PAS l'associer au subnet)
NACL=$(aws ec2 create-network-acl --region eu-west-3 --vpc-id $VPC \
--tag-specifications 'ResourceType=network-acl,Tags=[{Key=Name,Value=tegrace-nacl}]' \
--query "NetworkAcl.NetworkAclId" --output text)
echo "NACL=$NACL"

# Règle entrante n°100 : SSH autorisé depuis ton IP
aws ec2 create-network-acl-entry --region eu-west-3 --network-acl-id $NACL \
--rule-number 100 --protocol 6 --port-range From=22,To=22 \
--cidr-block 82.96.161.255/32 --rule-action allow --ingress

# Règle sortante n°100 : ports éphémères (le retour SSH, indispensable en stateless)
aws ec2 create-network-acl-entry --region eu-west-3 --network-acl-id $NACL \
--rule-number 100 --protocol 6 --port-range From=1024,To=65535 \
--cidr-block 0.0.0.0/0 --rule-action allow --egress
NACL=acl-0789efba3cad9f4cf
user@user:~/Bureau/aws-cli-v1$ aws ec2 describe-network-acls --region eu-west-3 --network-acl-ids $NACL \
--query "NetworkAcls[0].Entries[].(Rule:RuleNumber,Egress:Egress,Proto:Protocol,Ports:PortRange,Cidr:CidrBlock,Action:RuleAction)" \
--output table

```

Action	Cidr	Egress	Ports	Proto	Rule
allow	0.0.0.0/0	True	{'From': 1024, 'To': 65535}	6	100

```

--output table

```

Action	Cidr	Egress	Ports	Proto	Rule
deny	0.0.0.0/0	True	None	-1	32767

```

--output table

```

Action	Cidr	Egress	Ports	Proto	Rule
allow	82.96.161.255/32	False	{'From': 22, 'To': 22}	6	100

```

--output table

```

Action	Cidr	Egress	Ports	Proto	Rule
deny	0.0.0.0/0	False	None	-1	32767

```

user@user:~/Bureau/aws-cli-v1$

```

Action	Cidr	Egress	Ports	Proto	Rule
deny	0.0.0.0/0	False	None	-1	32767

```

user@user:~/Bureau/aws-cli-v1$ NACL=acl-0789efba3cad9f4cf
aws ec2 create-network-acl-entry --region eu-west-3 --network-acl-id $NACL \
--rule-number 90 --protocol 6 --port-range From=22,To=22 \
--cidr-block 82.96.161.255/32 --rule-action deny --ingress

aws ec2 describe-network-acls --region eu-west-3 --network-acl-ids $NACL \
--query "NetworkAcls[0].Entries[?Egress=='false'].(Rule:RuleNumber,Action:RuleAction,Ports:PortRange,Cidr:CidrBlock)" \
--output table

```

Action	Cidr	Ports	Rule
deny	82.96.161.255/32	{'From': 22, 'To': 22}	90

```

--output table

```

Action	Cidr	Ports	Rule
allow	82.96.161.255/32	{'From': 22, 'To': 22}	100

```

--output table

```

Action	Cidr	Ports	Rule
deny	0.0.0.0/0	None	32767

```

user@user:~/Bureau/aws-cli-v1$

```

```

user@user:~/Bureau/aws-cli-v1$ # 1. Supprimer ta NACL (elle n'est associée à aucun subnet → suppression directe)
aws ec2 delete-network-acl --region eu-west-3 --network-acl-id acl-0789efba3cad9f4cf

# 2. Terminer les deux instances
aws ec2 terminate-instances --region eu-west-3 \
  --instance-ids i-0b86b33fa0819b6a1 i-0c05d3152eef6c8f1

# attendre l'état "terminated" (relance jusqu'à voir "terminated" partout)
aws ec2 describe-instances --region eu-west-3 \
  --instance-ids i-0b86b33fa0819b6a1 i-0c05d3152eef6c8f1 \
  --query "Reservations[].Instances[].[Tags[?Key=='Name']][0].Value,State.Name)" --output text
{
  "TerminatingInstances": [
    {
      "InstanceId": "i-0b86b33fa0819b6a1",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    },
    {
      "InstanceId": "i-0c05d3152eef6c8f1",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}
tegrace-bastion shutting-down
tegrace-cible shutting-down
user@user:~/Bureau/aws-cli-v1$

```

hine virtuelle, déplacez le pointeur de la souris à l'intérieur de la fenêtre ou appuyez sur Ctrl+G.

```

user@user:~/Bureau/aws-cli-v1$ aws ec2 delete-security-group --region eu-west-3 --group-id sg-0f2ceaa3725bc8434 # tegrace-sg-cible
aws ec2 delete-security-group --region eu-west-3 --group-id sg-0a91eb231e0b55d0e # tegrace-sg-bastion
{
  "Return": true,
  "GroupId": "sg-0f2ceaa3725bc8434"
}
{
  "Return": true,
  "GroupId": "sg-0a91eb231e0b55d0e"
}

```