Attention based models in End-to-End ASR

Exploration of Attention in ESPNET toolkit

Shreekantha Nadig

November 21, 2018

International Institute of Information Technology - Bangalore


Table of contents




- 1. Introduction
- 2. No Attention [Equal Attention?]
- 3. Dot product Attention
- 4. Additive Attention
- 5. Location Aware Attention
- 6. 2D Location Aware Attention
- 7. Location Aware Recurrent Attention
- 8. Coverage mechanism Attention
- 9. Coverage mechanism location aware Attention
- 10. Multi-Head Attention

Introduction


















































































No Attention [Equal Attention?]


No Attention [Equal Attention?]





Dimensions of representations






Mostly $\mathit{eproj} \neq \mathit{dunits} \neq \mathit{adim}$

Matching the dimensions of representations








			-
<i>I</i> 11	N2	··· h;	17
-	-		-



























































Dot product Attention











Dot product Attention







Dot product Attention - Full picture





















































Additive Attention - Full picture












$$\begin{bmatrix} \beta_1^1 & \beta_2^1 & \dots & \beta_i^1 & \dots & \beta_{Tx}^1 \\ & & & & & & & \\ w_1^1 & w_2^1 & \dots & w_{ii}^1 & \dots & w_{iilt_size}^1 \\ & & * & & & & \\ \hline 0 & 0 & \dots & 0 & \alpha_1^{t-1} & \alpha_2^{t-1} & \dots & \dots & \alpha_i^{t-1} & \dots & \dots & \alpha_{Tx}^{t-1} & 0 & & 0 & \dots & 0 \end{bmatrix}$$




$$\begin{bmatrix} \beta_1^2 & \beta_2^2 & \dots & \beta_i^2 & \dots & \beta_{Tx}^2 \\ & & & & & \\ \hline w_1^2 & w_2^2 & \dots & w_{iilt_size}^2 \\ & & * \\ \hline \begin{bmatrix} 0 & 0 & \dots & 0 & \alpha_1^{t-1} & \alpha_2^{t-1} & \dots & \alpha_i^{t-1} & \dots & \alpha_{Tx}^{t-1} & 0 & 0 & \dots & 0 \end{bmatrix}$$






Location Aware Attention - Full picture










2D Location Aware Attention - Full picture






Location Aware Recurrent Attention


Location Aware Recurrent Attention






Location Aware Recurrent Attention - weights





Location Aware Recurrent Attention - Full picture









- Text summarization Seq-to-Seq models
- Not reliable in producing factual details correctly
- Extend the standard seq-to-seq attention models
 - Hybrid pointer-generator network
 - Coverage



















Coverage mechanism location aware

Attention



