Škoda Storyboard and Media Room - Author Guide

Creating, editing and publishing content in Document Authoring

Date: October 15, 2026

Adobe

Table of Contents

Quick reference 3
Sites 3
Getting started 3
Where content lives 4
Site structure 4
Languages 4
How a page is built 5
Default content first 5
Blocks 5
Sections and Section Metadata 5
Block reference 7
Content blocks 7
Feed blocks: lists that fill themselves 8
One-off blocks 9
Not authored 9
Page types and templates 10
Page metadata 11
Tags: use the picker, then set the metadata 11
Shared content and configuration sheets 12
Fragments: edit once, used everywhere 12
Configuration sheets 12
Images and media 13
Publishing 14
Publishing order and timing 14
Checklist for a new story or press release 14
Common tasks 15
Troubleshooting 16
Resources and support 17

Quick reference

This guide is for the editors and content managers who will run Škoda Storyboard and the Škoda Media Room on Adobe Experience Manager Edge Delivery Services. It explains where content lives, how pages are built from blocks, what each block and page type expects, and how to preview and publish.

Resource	Address
Document Authoring (all content)	https://da.live/#/skoda-storyboard/demo/
Block Library	Library icon in the editor sidebar (configured for `skoda-storyboard/demo`)
Bulk Operations	https://da.live/apps/bulk
Preview site	https://main--demo--skoda-storyboard.aem.page/en
Live site	https://main--demo--skoda-storyboard.aem.live/en

Sites

The project is a single site. Storyboard and the Media Room share one content tree, and the Media Room look (navigation, footer, Media Room tab) is applied to its folders automatically.

Site	Content source (Document Authoring)	Preview	Live
demo	`skoda-storyboard/demo`	`main--demo--skoda-storyboard.aem.page`	`main--demo--skoda-storyboard.aem.live`

Getting started

What you need

- ☐ A Document Authoring account with access to `skoda-storyboard/demo` (ask a project admin).
- ☐ The **Author** role to edit, plus the **Publish** role if you will publish to the live site.
- ☐ The **AEM Sidekick** browser extension (Chrome or Edge) for previewing and publishing from any page.

Your first page in six steps

1. Open Document Authoring and go to the right folder, for example `/en/emobility` for an eMobility story.
2. Create a new document, or open the **Library** and insert a page template (Story, Press release, Press kit hub, Press kit chapter or Model page).
3. Replace every `[bracketed]` prompt with your content.
4. Add blocks from the Library sidebar. Don't type block tables by hand.
5. Fill in the **Metadata** table at the bottom of the page (see "Page metadata").
6. **Preview**, check the page on the preview site, then **Publish**.

> **Golden rule:** a page appears in feeds, rails, listings and search only after it is **published**. Previewing is not enough.

Where content lives

Site structure

All English content sits under `/en`. The main folders are:

Folder	What it holds	Page type (`template`)
`/en`	Storyboard homepage	`page`
`/en/emobility`, `/en/lifestyle`, `/en/skoda-world`, `/en/simply-clever`	Stories, in sub-folders by category	`story`
`/en/category/…`, `/en/tag/…`	Category and tag archive pages	`page`
`/en/series/…`, `/en/series-2`	Series hubs and the series directory	`skoda_series`, `page`
`/en/media-room`	Media Room homepage	`page`
`/en/press-releases`	Press releases	`press_release`
`/en/press-kits`	Press kit hubs and their chapter pages	`press_kit`, `press_kit_chapter`
`/en/skoda-model`, `/en/models`	Model pages	`skoda_model`
`/en/news`, `/en/images`, `/en/videos`, `/en/search`	Listing and search pages	`page`
`/en/media-cart`	The media cart page	`page`
`/en/fragments`	Shared pieces reused on many pages (see “Shared content”)	—
`/nav`, `/footer`, `/nav-newsletter`	Storyboard navigation, footer and subscribe panel	—
`/media-room/nav`, `/media-room/footer`	Media Room navigation and footer	—
`/library`	Block Library and page templates. **Never publish or link to it.**	—
`/drafts`	Work in progress and test pages	—

Do not edit the `/en/fragments/media-feed-images-*` documents. They are generated by the migration tools to feed the Images and Videos listings.

Languages

The published site is in English (`/en`). Czech, German, Slovak and Serbian navigation already exists and more languages follow at go-live. Each language gets its own folder (`/cs`, `/de`, …) with the same structure, its own navigation and footer, and its own index. The language switcher in the header shows only the languages a page actually exists in. These links are managed centrally in the bulk metadata sheet, not on each page.

How a page is built

Default content first

Most of a page is ordinary document content: headings, paragraphs, lists, images and links. Use it wherever you can. Blocks are for the parts that need a specific layout or behaviour.

Buttons. A link that sits alone in its own paragraph becomes a button if you format it:

Formatting	Result
Bold link	Primary button
Italic link	Secondary button
Bold and italic link	Accent button

Embeds. Paste a YouTube, Vimeo, Buzzsprout or Spotify URL on a line of its own and it becomes an embedded player automatically.

Blocks

A block is a table. Its first row names the block, and the rows below hold its content. Variants go in brackets after the name and can be combined with commas, for example `Cards (overlay, toolbar)`.

Always insert blocks from the **Library** sidebar. Each Library entry shows a working example of the block and its variants, with a short note on how to fill it in.

Sections and Section Metadata

Sections split a page into horizontal bands. Start a new section with a horizontal rule (`---`). To style a section, put a **Section Metadata** table **at the end of that section** with a `Style` row:

Section Metadata	
Style	dark, full-width, media-box

Available section styles

Style	Use it for
`body-column`	The article column of a story, press release or press kit chapter (sits beside the sidebar)
`sidebar`	The story or press release sidebar (newsletter card, Explore more, Tags)
`body-column, highlight-dark`	A dark highlight box inside the article. Consecutive ones join into one box.
`body-column, highlight-grey`	A grey info or FAQ callout in a press release
`dark, full-width, media-box`	The Media Box band holding the downloads at the end of a page
`dark, full-width, related`	The dark related band at the end of a press release

Style	Use it for
`dark`	A dark green band, for example a Related Stories rail
`cover-box` or `cover-box, dark`	Storyboard homepage bands (light or dark)
`cover-box, compact` or `cover-box, compact, dark`	Media Room homepage bands (tighter spacing)
`press-kit-chapters`	The chapter navigation on a press kit
`press-kit-banners`	The download and share banners on a press kit

Write the key as `Style`, use lowercase style names in the order shown above, and don't use `light` or `highlight`. They are left over from the starter project.

Block reference

Content blocks

You edit these directly on the page.

Block	Variants	What you fill in	Where it's used
Hero Image	default, `overlay`, `archive`	Row 1: the image. Row 2: the heading (h1) and lead paragraph. `overlay`: an optional label line ("Models", "Series") above the heading. `archive`: a banner image row (may be empty) and the heading.	Top of every page, once. Default for stories; `overlay` for model, series and press kit hubs; `archive` for category and tag pages.
Cards	`overlay`, `tiles`, `key-facts`, `social`, `series-directory`, `media`, `toolbar`	One row per card: image, then linked title (and optional text). `tiles`: a size word, the image, then the linked title. `social`: one link per row, its text being the handle.	Story sidebar "Explore more" (`overlay`), series and press kit mosaics (`overlay`, `tiles`), model highlights (`key-facts`), homepage social band (`social`).
Columns	`split-NN`, `portrait-NNN`, `banners`, `callout`, `stats`	One row, one cell per column. `stats`: a bold value with its unit, and a label below. `callout`: an icon, then the text.	Side-by-side content, press contacts, model key numbers. `split-62` makes the first column 62% wide.
Gallery	`slider`, `preview`, `story`	One row per image: the image, then its caption.	Opens a full-screen lightbox. `slider`: in-article carousel. `preview`: sidebar thumbnails with a "+N" link to the Media Box. `story`: a large image with four thumbnails.
Downloads	`media-box`, `gallery`	One row per asset: the image, its title, a links cell (link text = Original, 1920px, PDF or MP4), and an optional date (d. m. yyyy). Optional first rows: `collapse` (auto or none) and `columns` (a number).	The **Media Box** at the end of stories, releases and chapters. Put it in a section styled `dark, full-width, media-box` under an h2 "Media Box". `gallery` is for press kit Images chapters. Adds "add to media cart" buttons.
Quote	`left`	One row: the quote, then the author in bold with their role.	Pull quotes. `left` is the press kit style with a vertical rule.
Accordion	`faq`	One row per item: the question, then the answer.	Press kit FAQ and collapsible chapters. `faq` also tells search engines it is an FAQ.
Embed	none	Usually nothing: paste the URL on its own line. Or a table with `url`, and optionally `ratio` (e.g. 16:9), `title`, `poster` and `height`.	Video and podcast players. An `.mp4` URL plays as a native video.
Footnotes	none	One cell of small-print text.	Press kit notes such as "[1] Available at a later date."
Tags	default, `chips`, `chips, outline`	Tag links, or **leave it empty** to show the page's metadata tags automatically.	Story and press release sidebars. Page templates leave it empty on purpose.

Cards (tiles) rules. Tiles must be used with `overlay`, and each mosaic row must be filled exactly. If the last row is short, mark its last tile `end`. A badly formed row stops the block and shows an error, which tells you to fix it before publishing.

Feed blocks: lists that fill themselves

These blocks build their cards from the published pages in the site index. You don't add cards. You write **settings rows** (a setting name, then its value), and the block finds the matching pages.

A card always shows the **target page's own** title, description and image from its Metadata. To change a card, edit and publish that page, not the feed.

Story Rail

A horizontal scrolling rail, used for the homepage category rails and the model page rails. Variant: `press` for the dark "Related Press Releases" band.

Setting	What it does
`heading`	The rail title
`template`	Which page type to list: `story` (default), `press_release`, `press_kit`, `skoda_model`, `skoda_series`, `image`, `video`
`category`	Limit to a category, e.g. `emobility`
`tags`, or a facet such as `model`, `years` or `bodywork`	Limit to pages with those tags
`path`	Limit to a folder, e.g. `/en/press-kits`
`index`	Use `/en/media-feed.json` for image and video rails
`limit`	How many cards (default 10)
`sort`	`newest` (default) or `oldest`
`exclude`	Page names (slugs) to leave out, comma-separated
`order`	A hand-picked list of pages, in display order
`viewall`	The "View all" link. **Type it exactly as `viewall`, without a hyphen.**
`dots`	`true` or `false`, to show position dots

Values separated by commas in one row mean "any of these". Different rows must all match. If you add a setting name the block doesn't know, it treats the whole table as hand-made cards. Check spelling if a rail looks wrong.

Stories

A card grid with a "Load more" button, used for "Latest Stories" on the homepage and on category and tag archives.

Setting	What it does
`template`, `category`, `categories`, `tags`, `path`, `index`	Which pages to list (as for Story Rail). Archives use `categories`.
`heading`	Title above the grid
`sort`	`newest` or `oldest`
`initial`, `perpage`	Cards shown first (default 5) and added per "Load more" (default 6)

Setting	What it does
`columns`	`featured` (default: 2 large, then 3) or a number for an even grid
`offset`	Skip the first N pages
`exclude`, `excludefeatured`	Leave out given pages, or pages already featured higher up
`count`	`true` shows "6 / 204"

Listing

The filterable listing used by the **News**, **Images**, **Videos** and **Press Kits** pages.

Setting	What it does
`template`	`press_release`, `press_kit`, `image` or `video`
`index`	`/en/query-index.json` for pages, `/en/media-feed.json` for images and videos
`path`	Limit to a folder
`facets`, `facetlabels`	The filter groups to offer and their display names, in the same order
`sort`, `perpage`, `columns`	Default sort, cards per page (6), and 3 or 4 columns

Promo Box

The featured mosaic at the top of the Storyboard and Media Room homepages. Use **either** settings rows (`template`, `path`, `category`, `tags`, `limit` (default 3), `sort`, `index`) to fill it automatically, **or** hand-made rows (a linked image, then a linked title), never both.

One-off blocks

Block	What you fill in	Notes
Media Cart	Nothing: an empty block under the heading "Your downloads"	Only on `/en/media-cart`. Shows each visitor their own cart.
Search	Nothing	Only on `/en/search`. Searches titles, descriptions and tags.
Newsletter Stub	Settings: `label`, `placeholder`, `button`, `consent`, `manage`, `message`. Variant `card` adds `image`, `heading` and error texts.	Lives in `/nav-newsletter`, the Media Room footer and the shared story card. The form does not submit to a newsletter service yet.
Fragment	One cell with a link to a fragment page	Inserts shared content. A plain link to a `/fragments/…` page on its own line does the same.

Not authored

The **header** and **footer** are built from the navigation and footer documents. The **floating dock** (share, media cart badge, back to top) and the **carousel** inside rails are added by the site code. You never insert these.

Page types and templates

The `template` value in the page Metadata decides the page's layout and which feeds it appears in. A typo removes the page from every rail, so copy values exactly.

Page type	**`template` value**	Library template	Appears in
Story	`story`	Story	Latest Stories, category rails, model Stories rails
Press release	`press_release`	Press release	News listing, Media Room news, model News rails
Press kit hub	`press_kit`	Press kit (hub)	Press Kits listing and rails
Press kit chapter	`press_kit_chapter`, plus `theme: press-kit`	Press kit chapter	Not in rails (on purpose). Search labels it "Press Kits".
Model page	`skoda_model`	Model page	Models rails
Series hub	`skoda_series`	—	Series rail and directory
Homepage, archive, listing, company page	`page`	—	Not listed in feeds

Model pages: keep the section headings exactly as in the template (Introduction, Highlights, Technical Data, Bodywork, News, Press Kits, Stories, Images, Videos). The page's in-page navigation finds its sections by these headings.

Page metadata

Every page ends with a **Metadata** table. Feeds, rails and listings depend on it.

Property	Required	Purpose	Example
`Title`	Yes	Page title and card title. Don't add " - Škoda Storyboard".	Škoda Epiq Now Dresses Up in Sportline Trim
`Description`	Recommended	Search summary and card text	One or two sentences
`Image`	Recommended	Social sharing image **and** the card image in every feed	The lead image
`publisheddate`	Yes	Sort order in feeds	2026-10-12
`template`	Yes	Page type (see "Page types")	`story`
`category`	Stories, releases	The main family the page belongs to	`emobility`
`categories`	Stories	Every category of the story, including the parent categories	`design, skoda-world`
`tags`	Recommended	Comma-separated tag names that model and tag rails filter on	`epiq, sportline`
Facets: `model`, `bodywork`, `derivative`, `years`, `technology`, `company`, `happening`, …	When relevant	Filter values for the listings	`model: epiq`
`theme`	Press kit chapters	Applies the press kit layout	`press-kit`

Use the agreed tag and facet names. They are lowercase words with hyphens, such as `karoq-6` or `new-fabia`. When in doubt, copy the value from an existing page of the same kind.

Tags: use the picker, then set the metadata

The **Tag picker** in the Library lists the agreed tags, grouped and searchable. Tick tags and choose **Insert** to add a Tags block to the page.

> **Important:** the Tag picker fills the **visible Tags block only**. Feeds and archives read the **Metadata** `tags` and facet rows. After using the picker, add the same tags to the Metadata table, or the page will be missing from model and tag rails. One picker that fills both is planned.

Shared content and configuration sheets

Fragments: edit once, used everywhere

Fragment	What it controls
`/nav`	Storyboard header navigation and mega-menu
`/footer`	Storyboard footer
`/nav-newsletter`	The "Subscribe" panel in the header
`/media-room/nav`, `/media-room/footer`	Media Room header and footer
`/en/fragments/newsletter-card`	The newsletter card in every story sidebar, added automatically

Always publish a fragment after editing it. If a fragment is previewed but not published, the live site shows it empty, even though the preview looks fine.

Configuration sheets

Sheet	Location	Purpose	When to update
Bulk metadata	`/metadata`	Applies metadata to whole folders by URL pattern. Today it gives Media Room folders their navigation, footer and Media Room tab, keeps `/library` out of search engines, and holds the language links.	When adding a new Media Room section, or a folder-wide default
Redirects	`/redirects`	Sends old addresses (Source) to new ones (Destination)	Before deleting, moving or re-naming a page
Placeholders	`/en/placeholders`	Interface text such as "Load more", "Search", "No results found" and the gallery labels	To change those labels, or add translations per language
Tags	`/config/tags`	The tag list the Tag picker offers (taxonomy, name, label)	When the editorial team agrees new tags

Sheets preview and publish just like documents. Publish them after editing.

Images and media

Task	How
Add an image	Drag it into the document, or pick an approved image from **AEM Assets** in the editor sidebar
Alt text	Always describe the image. Don't leave it empty or repeat the page title.
Image size	Images are optimised for every screen automatically. Avoid very large originals (over about 10 MB).
Card image	A page's Metadata `Image` is used for its card in every feed **and** for social sharing
Video	Paste the YouTube or Vimeo URL on its own line
PDFs and MP4 downloads	These are delivered from AEM Assets. For now, ask the project team to add new ones.

Document limits. A document can hold at most **200 images**. Very large press kit image chapters are split into fragments for this reason. If preview fails on a long gallery page, this limit is the likely cause.

The media cart. Every Media Box and Downloads block automatically adds "add to media cart" buttons. Visitors collect files across pages and download them as one zip from `/en/media-cart`. Authors don't need to do anything extra.

Publishing

Environment	Address	Purpose
Preview	…`aem.page`	Check your changes. This is your draft.
Live	…`aem.live`	The public site

Workflow: edit in Document Authoring → **Preview** → check the preview page → **Publish**. Use the Preview and Publish buttons in Document Authoring or in the Sidekick.

Bulk: to preview or publish many pages at once, use Bulk Operations at https://da.live/apps/bulk. Try it on a small set of pages first.

Publishing order and timing

1. **Fragments first.** Publish any new or changed fragment before the pages that use it.
2. **Then the page.** It appears on the live site straight away.
3. **Then the feeds.** The site index updates on publish, but feeds and listings can take **up to about two hours** to show a new or changed page because of caching.

Checklist for a new story or press release

- ☐ Created from the Library template, in the right folder
- ☐ One heading at the top (Hero Image), with an image that has alt text
- ☐ Media Box in a `dark, full-width, media-box` section, if the page has downloads
- ☐ Metadata complete: Title, Description, Image, `publisheddate`, `template`, `category` (and `categories` for stories), `tags` and facets
- ☐ Tags block inserted, or left empty to show the metadata tags
- ☐ Previewed and checked on desktop and mobile
- ☐ Published, and any new fragment published first

Common tasks

Task	Steps
Create a page	Go to the folder → New document → insert the Library template → fill in content and Metadata → Preview → Publish
Edit a page	Open it in Document Authoring → make changes → Preview → Publish
Change a card in a feed	Open the page the card points to → change its Metadata `Title`, `Description` or `Image` → Preview → Publish
Change a rail	Open the page holding the rail (e.g. `/en`) → edit the Story Rail settings → Preview → Publish
Reorder a rail by hand	Add an `order` row listing the pages in display order → Preview → Publish
Delete or move a page	Add a row to `/redirects` and publish it → then delete or move the document
Update navigation	Edit `/nav` (or `/media-room/nav`) → Preview → **Publish**
Update the footer	Edit `/footer` (or `/media-room/footer`) → Preview → **Publish**
Change the story newsletter card	Edit `/en/fragments/newsletter-card` → Preview → Publish
Change interface labels	Edit `/en/placeholders` → Preview → Publish

Troubleshooting

Problem	What to check
My page isn't in a rail or listing	Is it **published** (not just previewed)? Are its Metadata `template`, `category` and `tags` spelled exactly? Wait up to two hours for feeds to refresh.
I tagged the page but it's missing from model or tag rails	The Tag picker fills only the visible Tags block. Add the tags to the Metadata table as well.
The "View all" link doesn't appear on a rail	The setting must be written `viewall`, without a hyphen.
A rail shows strange cards	A setting name may be misspelled. An unknown setting makes the block treat the table as hand-made cards.
The header or footer is empty on the live site	The `/nav` or `/footer` fragment was previewed but not published. Publish it.
A block shows an error box	A row is malformed, for example an incomplete tile row or a wrong `collapse` or `columns` value. Compare with the Library example.
Preview fails on a long gallery page	The document probably has more than 200 images. Ask the project team to split it.
Changes don't show after publishing	Wait a minute or two and reload without the cache (Ctrl+Shift+R, or Cmd+Shift+R on Mac).
The page has the wrong layout	Check the Metadata `template` value (and `theme: press-kit` on press kit chapters).
An image is missing	Check the image is in the document and has finished uploading, then preview again.

Resources and support

Resource	Address
Document Authoring documentation	https://docs.da.live/
Authoring on Edge Delivery Services	https://www.aem.live/docs/authoring
Placeholders	https://www.aem.live/docs/placeholders
Redirects	https://www.aem.live/docs/redirects
Bulk metadata	https://www.aem.live/docs/bulk-metadata

Support contacts: access and roles are managed by the project admins. Ask the project team for new PDFs or videos in AEM Assets, new tags or facet values, new section styles, and changes to how a block behaves.