Variant 1

- 1. Which command downloads changes from a remote but does not automatically merge them?
 - a) git pull
 - b) git sync
 - c) git fetch ✓
 - d) git update
- 2. Which command removes a file from the staging area but leaves it in the working directory?
 - a) git rm --cached <file> \checkmark
 - b) git rm <file>
 - c) git checkout -- <file>
 - d) git unstage <file>
- 3. If you compile program.c with gcc program.c and no other options, what is the default name of the executable file?
 - a) program.exe
 - b) program
 - c) a.out √
 - d) main
- 4. Which command compiles calc.c and links the external math library?
 - a) gcc calc.c -o calc -lib m
 - $b) \ {\tt gcc \ calc.c \ -o \ calc \ --link \ math}$
 - c) gcc calc.c -o calc -lm \checkmark
 - d) gcc calc.c -o calc -m
- 5. To run the install target specified in a Makefile, which command would you use?
 - a) make run install
 - b) make install √
 - c) Makefile install
 - d) run make install

Variant 2

- 1. How do you add staged changes to the previous commit without creating a new one?
 - a) git rebase -i HEAD 1
 - b) git commit --amend ✓
 - c) git commit --continue
 - d) git merge --squash
- 2. Which command shows the differences between the tips of the main and develop branches?
 - a) git diff main..develop √
 - b) git show main..develop
 - c) git log main..develop
 - d) git status main develop
- 3. Which command compiles the C++ file ui.cpp into an executable ui using the C++14 standard?
 - a) g++ -std=c++14 ui.cpp -o ui √
 - b) g++ --version=14 ui.cpp -o ui
 - c) gcc -cpp14 ui.cpp -o ui
 - d) g++ ui.cpp -o ui --use-c++14
- 4. How do you compile test.c into an executable test with the highest level of optimization for speed?
 - a) gcc -Omax test.c -o test
 - b) gcc -Oall test.c -o test
 - c) gcc -03 test.c -o test \checkmark
 - d) gcc -O test.c -o test
- 5. In a Makefile rule, what does the automatic variable @represent?
 - a) The name of the first prerequisite
 - b) The list of all prerequisites
 - c) The name of the target \checkmark
 - d) The stem of a pattern rule

Variant 3

- 1. Which command discards all local changes in config.yml and restores the version from the last commit?
 - a) git reset --hard config.yml
 - b) git revert config.yml
 - c) git checkout -- config.yml \checkmark
 - d) git clean -f config.yml
- 2. Which command displays a compact, oneline log for all branches with a visual graph?
 - a) git log --graph --oneline --all \checkmark
 - b) git graph --all
 - c) git log --tree
 - d) git status --graph
- 3. Which gcc command compiles main.c into an executable main with debugging information?
 - a) gcc -debug main.c -o main
 - b) gcc --symbols main.c -o main
 - c) gcc -g main.c -o main √
 - d) gcc -d main.c -o main
- 4. Which g++ flag is used to create a shared library (.so file)?
 - a) -static
 - b) -dynamic
 - c) -shared √
 - d) -lib
- 5. In a Makefile, what character must each command line in a rule begin with?
 - a) Four spaces
 - b) Two spaces
 - c) A colon (:)
 - d) A tab character ✓