

Sets

A **set** is a collection of objects.

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z .

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”.

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{“natural numbers”})$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{“natural numbers”})$$

$$\mathbb{Z}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{“natural numbers”})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

\mathbb{Q}

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

$$\mathbb{Q} = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

$$\mathbb{Q} = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{"rational numbers"})$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

$$\mathbb{Q} = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{"rational numbers"})$$

$$\mathbb{R}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

$$\mathbb{Q} = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{"rational numbers"})$$

$$\mathbb{R} = \{\text{decimal numbers}\}$$

Sets

A **set** is a collection of objects. For example:

$$Z = \{\text{cow, pig, elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with “cow is an element of Z ”. Frequently encountered sets are

$$\mathbb{N} = \{1, 2, 3, \dots\} \quad (\text{"natural numbers"})$$

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{"integer numbers"})$$

$$\mathbb{Q} = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{"rational numbers"})$$

$$\mathbb{R} = \{\text{decimal numbers}\} \quad (\text{"real numbers"})$$