

# Teacher Rate API Documentation

Description	Method	Fields	Response example
<b>Check authentication</b>  <a href="#">/api/check</a>	GET	{ }	{ "data":{ "is_auth":true } }
<b>Departments list</b>  <a href="#">/api/departments</a>	GET	{ }	{ "data":[ { "id": 8379, "name": "Архітектурні конструкції" }, ... ] }
<b>Institutes list</b>  <a href="#">/api/institutes</a>	GET	{ }	{ "data":[ { "id": 1, "name": "IAPX" }, ... ] }
<b>Identifier types list</b>  <a href="#">/api/identifier/types</a>	GET	{ }	{ "data":[ { "id": 1, "name": "Scopus" }, ... ] }
<b>Get profile</b>  <a href="#">/api/profile</a>	GET	{ }	{ "data": { "id": 1, "name": "Степан Скопівський", "email": "skopik.stepan@gmail.com", "department_id": 8379, "department": { "id": 8379, "name": "Архітектурні конструкції" }, "institute_id": 1, "institute": { "id": 1, "name": "IAPX" }, "identifiers": [ { "id": 1, "user_id": 1, "identifier_type_id": 1, "identifier_type": { "id": 1, "name": "Scopus" }, "identifier": "42962320400" "citations_count":null, "co_authors_count":22, "displayed_name":"Shakhovska, N. B.", "documents_count":20, "h_index":3, "last_sync_at":"2017-07-09 15:00:03" }, ... ] } }

## Teacher Rate API Documentation

Description	Method	Fields	Response example
<b>Update profile</b>  <a href="#">/api/profile</a>	PUT	"department_id"  Valid department id.  "institute_id"  Valid Institute Id.	<pre>{   "data": {     "id": 1,     "name": "Степан Скопівський",     "email": "skopik.stepan@gmail.com",     "department_id": 8379,     "department": {       "id": 8379,       "name": "Архітектурні конструкції"     },     "institute_id": 1,     "institute": {       "id": 1,       "name": "IAPX"     },     "identifiers": [       {         "id": 1,         "user_id": 1,         "identifier_type_id": 1,         "identifier_type": {           "id": 1,           "name": "Scopus"         },         "identifier": "42962320400",         "citations_count": null,         "co_authors_count": 22,         "displayed_name": "Shakhovska, N. B.",         "documents_count": 20,         "h_index": 3,         "last_sync_at": "2017-07-09 15:00:03"       }, ...     ]   } }</pre>
<b>Initiate synchronization for user</b>  <a href="#">/api/sync</a>	GET POST	{ }	<pre>{   "data": {     "code": 202,     "status": "started"   } }</pre>
<b>Identifiers list</b>  <a href="#">/api/identifiers</a>	GET	{ }	<pre>{   "data": [     {       "id": 1,       "user_id": 1,       "identifier_type_id": 1,       "identifier_type": {         "id": 1,         "name": "Scopus"       },       "identifier": "42962320400",       "displayed_name": "Shakhovska, N. B.",       "h_index": 3,       "co_authors_count": 22,       "documents_count": 20,       "citations_count": null,       "last_sync_at": "2017-07-09 15:00:03"     }, ...   ] }</pre>
<b>Delete identifier by id</b>  <a href="#">/api/identifiers/{id}</a>	DELETE	{ }	{ }

## Teacher Rate API Documentation

Description	Method	Fields	Response example
<b>Edit identifier by id</b>  <a href="#"><u>/api/identifiers/{id}</u></a>	PUT	"identifier_type_id"  Valid identifier type id.  "identifier"  User identifier.	<pre>{   "data": {     "id":1,     "user_id":1,     "identifier_type_id":1,     "identifier_type": {       "id": 1,       "name": "Scopus"     },     "identifier":"42962320400",     "displayed_name":"Shakhovska, N. B.",     "h_index":3,     "co_authors_count":22,     "documents_count":20,     "citations_count":null,     "last_sync_at":"2017-07-09 15:00:03"   } }</pre>
<b>Create identifier</b>  <a href="#"><u>/api/identifiers</u></a>	POST	"identifier_type_id"  Valid identifier type id.  "identifier"  User identifier.	<pre>{   "data": {     "id":1,     "user_id":1,     "identifier_type_id":1,     "identifier_type": {       "id": 1,       "name": "Scopus"     },     "identifier":"42962320400",     "displayed_name":null,     "h_index":null,     "co_authors_count":null,     "documents_count":null,     "citations_count":null,     "last_sync_at":null   } }</pre>