ICPSR 21660

New York Police Department (NYPD) Stop, Question, and Frisk Database, 2006

New York Police Department

Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/21660.xml

Bibliographic Description

ICPSR Study No.: 21660

Title: New York Police Department (NYPD) Stop, Question, and Frisk

Database, 2006

Alternate Title: NYPD SQF Database

Principal Investigator(s): New York Police Department

Funding Agency: New York Police Department

Bibliographic Citation: New York Police Department. NEW YORK POLICE DEPARTMENT

(NYPD) STOP, QUESTION, AND FRISK DATABASE, 2006 [Computer file]. ICPSR21660-v1. New York Police Department [producer]. Ann Arbor, MI: Inter-University Consortium for Political and Social Research

[distributor], 2008.

Scope of Study

Summary: These data were originally collected by New York Police Department

officers and record information gathered as a result of stop question and frisk (SQF) encounters during 2006. These data were used in a study carried out, under contract to the New York City Police Foundation, by the Rand Corporation's Center on Quality Policing. The release of the study, "Analysis of Racial Disparities in the New York Police Department's Stop, Question, and Frisk Practices" (Rand Document TR-534-NYCPF, 2007) generated interest in making the data available for secondary analysis. This data collection contains information on the officer's reasons for initiating a stop, whether the stop led to a summons or arrest,

demographic information for the person stopped, and the suspected

criminal behavior.

Subject Term(s): police, police citizen interactions, search and seizure

Smallest Geographic Unit: precinct

Geographic Coverage: New York City, New York (state), United States

Time Period: 2006

Date(s) of Collection: March 2007

Unit of Observation: police-citizen encounter

- ICPSR 21660 -

Universe: All street encounters between New York Police Department officers and

citizens within New York City resulting in completion of NYPD form

UF250 (Unified Form 250) during 2006.

Data Type: administrative records data

Data Collection Notes: At the request of the NYPD, several variables were removed from the

original data file. These variables reflected notes made by NYPD officers during stop-question-frisk encounters, and thus contained potentially

identifying information about officers and suspects.

Methodology

Sample: inap.

Weight: none

Mode of Data Collection: record abstracts

Response Rates: Not applicable.

none

Presence of Common

Scales:

Extent of Processing: CDBK.ICPSR/ CONCHK.ICPSR/ DDEF.ICPSR/ FREQ.ICPSR/

MDATA.PR/ REFORM.DATA/ UNDOCCHK.ICPSR

Access and Availability

Extent of Collection: 1 data file + machine-readable documentation (PDF) + SAS setup file

+ SPSS setup file + Stata setup file

Restrictions: This data collection may not be used for any purpose other than statistical

reporting and analysis. Use of these data to learn the identity of any

person or establishment is prohibited.

Data Format: Logical Record Length with SAS, SPSS, and Stata setup files, SAS

transport (CPORT) file, SPSS system file, Stata system file, and

tab-delimited ASCII data file

Original ICPSR Release: 2008

Note: Detailed file-level information (such as LRECL, case count, and variable

count) may be found in the file manifest.

Codebook for ICPSR 21660

New York Police Department (NYPD) Stop-and-Frisk Questionnaire

Dataset 1: da21660-0001

CASEID	ICPSR CA	SE IDENTIFICATION NUMBER
Location:	1-6 (width:	6; decimal: 0)
Variable Type:	numeric (ISO)	
Interval:	discrete	
YEAR	YEAR OF	STOP
Location:	7-10 (width	: 4; decimal: 0)
Variable Type:	numeric (IS	SO)
Interval:	discrete	
PCT	PRECINCT	OF STOP (FROM 1 TO 123)
Location:	11-13 (widt	h: 3; decimal: 0)
Variable Type:	numeric (IS	SO)
Interval:	discrete	
BORO	BOROUGH	HOF STOP (ICPSR)
Location:	14-15 (widt	th: 2; decimal: 0)
Variable Type:	numeric (IS	
Interval:	discrete	
	Value	Label
	1	Manhattan
	2	Bronx
	3	Brooklyn
	4	Queens
	5	Staten IslAND
	. (M)	-
DATESTOP	DATE OF S	STOP (YYYY-MM-DD)
Location:		th: 10; decimal: 0)
Variable Type:	character (
Interval:	discrete	
DATESTP2		STOP (DD-MM-YYYY) (ICPSR)
Location:	26-36 (widt	th: 11; decimal: 0)
Variable Type:	character (·
Interval:	discrete	
MNTHNUM	MONTH O	F STOP - NUMERIC (ICPSR)
Location:	37-38 (width: 2; decimal: 0)	
Variable Type:	numeric (ISO)	
••	. (•

Interval: discrete

DAYNUM DAY OF STOP - NUMERIC (ICPSR)

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

DAYSTOP2 WEEKDAY OF STOP (ICPSR)

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
-9	Missing
1	Sunday
2	Monday
3	Tuesday
4	Wednesday
5	Thursday
6	Friday
7	Saturday
. (M)	

TIMESTOP TIME OF STOP (HH:MM)

Location: 43-48 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

TIMESTP2 TIME OF STOP (CATEGORICAL) (ICPSR)

Location: 49-53 (width: 5; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value Label BETWEEN MIDNIGHT AND 2 AM 1 2 BETWEEN 2 AM AND 4 AM 3 BETWEEN 4 AM AND 6 AM BETWEEN 6 AM AND 8 AM 4 5 BETWEEN 8 AM AND 10 AM 6 BETWEEN 10 AM AND NOON 7 BETWEEN NOON AND 2 PM 8 BETWEEN 2 PM AND 4 PM 9 BETWEEN 4 PM AND 6 PM 10 BETWEEN 6 PM AND 8 PM 11 BETWEEN 8 PM AND 10 PM 12 BETWEEN 10 PM AND MIDNIGHT

Value)	Label
. (M)		-

INOUT WAS STOP INSIDE OR OUTSIDE?

Location: 54-54 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
	-
I	Inside
0	Outside

TRHSLOC WAS LOCATION HOUSING OR TRANSIT AUTHORITY?

Location: 55-55 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
	-
•	Neither
Н	Housing
T	Transit

PEROBS PERIOD OF OBSERVATION (MMM)

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

CRIMSUSP CRIME SUSPECTED

Location: 59-88 (width: 30; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

OFFCODE SUSPECTED OFFENSE (ICPSR)

Location: 89-96 (width: 8; decimal: 2)

Variable Type: numeric (ISO)

Value	Label
1.00	ABANDONMENT OF A CHILD
2.00	ABORTION
3.00	ABSCONDING
4.00	ADULTERY
5.00	AGGRAVATED ASSAULT
6.00	AGGRAVATED HARASSMENT
7.00	AGGRAVATED SEXUAL ABUSE

Value	Label
8.00	ARSON
9.00	ASSAULT
10.00	AUTO STRIPPING
11.00	BIGAMY
12.00	BRIBE RECEIVING
13.00	BRIBERY
14.00	BURGLARY
15.00	COERCION
16.00	COMPUTER TAMPERING
17.00	COMPUTER TRESPASS
18.00	COURSE OF SEXUAL CONDUCT
19.00	CPSP
20.00	CPW
21.00	CREATING A HAZARD
22.00	CRIMINAL CONTEMPT
23.00	CRIMINAL MISCHIEF
24.00	CRIMINAL POSSESSION OF CONTROLLED SUBSTANCE
25.00	CRIMINAL POSSESSION OF COMPUTER MATERIAL
26.00	CRIMINAL POSSESSION OF FORGED INSTRUMENT
27.00	CRIMINAL POSSESSION OF MARIHUANA
28.00	CRIMINAL SALE OF CONTROLLED SUSBTANCE
29.00	CRIMINAL SALE OF MARIHUANA
30.00	CRIMINAL TAMPERING
31.00	CRIMINAL TRESPASS
32.00	CUSTODIAL INTERFERENCE
33.00	EAVESDROPPING
34.00	ENDANGER THE WELFARE OF A CHILD
35.00	ESCAPE
36.00	FALSIFY BUSINESS RECORDS
37.00	FORGERY
38.00	FORGERY OF A VIN
39.00	FORTUNE TELLING
40.00	FRAUD
41.00	FRAUDULENT ACCOSTING
42.00	FRAUDULENT MAKE ELECTRONIC ACCESS DEVICE
43.00	FRAUDULENT OBTAINING A SIGNATURE
44.00	GAMBLING
45.00	GRAND LARCENY
46.00	GRAND LARCENY AUTO
47.00	HARASSMENT
48.00	HAZING

Value	Label
49.00	HINDERING PROSECUTION
50.00	INCEST
51.00	INSURANCE FRAUD
52.00	ISSUE A FALSE CERTIFICATE
53.00	ISSUE A FALSE FINANCIAL STATEMENT
54.00	ISSUING ABORTION ARTICLES
55.00	JOSTLING
56.00	KIDNAPPING
57.00	KILLING OR INJURING A POLICE ANIMAL
58.00	LOITERING
59.00	MAKING GRAFFITI
60.00	MENACING
61.00	MISAPPLICATION OF PROPERTY
62.00	MURDER
63.00	OBSCENITY
64.00	OBSTRUCTING FIREFIGHTING OPERATIONS
65.00	OBSTRUCTING GOVERNMENTAL ADMINISTRATION
66.00	OFFERING A FALSE STATEMENT
67.00	OFFICIAL MISCONDUCT
68.00	PETIT LARCENY
69.00	POSSESSION OF BURGLAR TOOLS
70.00	POSSESSION OF EAVESDROPPING DEVICES
71.00	POSSESSION OF GRAFITTI INSTRUMENTS
72.00	PROHIBITED USE OF WEAPON
73.00	PROMOTING SUICIDE
74.00	PROSTITUTION
75.00	PUBLIC DISPLAY OF OFFENSIVE SEXUAL MATERIAL
76.00	PUBLIC LEWDNESS
77.00	RAPE
78.00	RECKLESS ENDANGERMENT
79.00	RECKLESS ENDANGERMENT PROPERTY
80.00	REFUSING TO AID A PEACE OR POLICE OFFICER
81.00	RENT GOUGING
82.00	RESISTING ARREST
83.00	REWARD OFFICIAL MISCONDUCT
84.00	RIOT
85.00	ROBBERY
86.00	PERFORMING ABORTION UPON SELF
87.00	SEXUAL ABUSE
88.00	SEXUAL MISCONDUCT
89.00	SEXUAL PERFORMANCE BY A CHILD

Value	Label
90.00	SODOMY
91.00	SUBSTITUTION OF CHILDREN
92.00	TAMPERING WITH A PUBLIC RECORD
93.00	TAMPERING WITH CONSUMER PRODUCT
94.00	TAMPERING WITH PRIVATE COMMUNICATIONS
95.00	TERRORISM
96.00	THEFT OF SERVICES
97.00	TRADEMARK COUNTERFEITING
98.00	UNLAWFULLY DEALING WITH FIREWORKS
99.00	UNAUTHORIZED RECORDING
100.00	UNAUTHORIZED USE OF A VEHICLE
101.00	UNAUTHORIZED USE OF COMPUTER
102.00	UNLAWFUL ASSEMBLY
103.00	UNLAWFUL DUPLICATION OF COMPUTER MATERIAL
104.00	UNLAWFUL POSSESSION OF RADIO DEVICES
105.00	UNLAWFUL USE OF CREDIT CARD OR DEBIT CARD
106.00	UNLAWFUL USE OF SECRET SCIENTIFIC MATERIAL
107.00	UNLAWFUL WEARING A BODY VEST
108.00	UNLAWFUL IMPRISONMENT
109.00	UNLAWFULLY DEALING WITH A CHILD
110.00	UNLAWFULLY USING SLUGS
111.00	VEHICULAR ASSAULT
112.00	OTHER
113.00	FORCIBLE TOUCHING

PERSTOP PERIOD OF STOP (MMM)

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

TYPEOFID STOPPED PERSON'S IDENTIFICATION TYPE

Location: 100-100 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
	-
0	Other
Р	Photo
R	Refused
V	Verbal

EXPLNSTP DID OFFICER EXPLAIN REASON FOR STOP?

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

OTHPERS WERE OTHER PERSONS STOPPED, QUESTIONED, OR FRISKED?

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

ARSTMADE WAS AN ARREST MADE?

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

ARSTOFFN OFFENSE SUSPECT ARRESTED FOR

Location: 104-133 (width: 30; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

SUMISSUE WAS A SUMMONS ISSUED?

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

SUMOFFEN OFFENSE SUSPECT WAS SUMMONSED FOR

Location: 135-164 (width: 30; decimal: 0)

Variable Type: character (ISO)

COMPYEAR COMPLAINT YEAR (IF COMPLAINT REPORT PREPARED)

Location: 165-168 (width: 4; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

COMPPCT COMPLAINT PRECINCT (IF COMPLAINT REPORT PREPARED)

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

OFFUNIF WAS OFFICER IN UNIFORM

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
-9	Unknown
0	No
1	Yes
. (M)	-

OFFICRID ID CARD PROVIDED BY OFFICER (IF NOT IN UNIFORM)

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

FRISKED WAS SUSPECT FRISKED?

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

SEARCHED WAS SUSPECT SEARCHED?

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Value	Label	
0	No	

Value	Label
1	Yes
. (M)	-

CONTRABN WAS CONTRABAND FOUND ON SUSPECT?

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

ADTLREPT WERE ADDITIONAL REPORTS PREPARED?

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

PISTOL WAS A PISTOL FOUND ON SUSPECT?

Location: 179-184 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

RIFLSHOT WAS A RIFLE FOUND ON SUSPECT?

Location: 185-190 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

ASLTWEAP WAS AN ASSAULT WEAPON FOUND ON SUSPECT?

Location: 191-196 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

KNIFCUTI WAS A KNIFE OR CUTTING INSTRUMENT FOUND ON SUSPECT?

Location: 197-202 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

MACHGUN WAS A MACHINE GUN FOUND ON SUSPECT?

Location: 203-208 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

OTHRWEAP WAS ANOTHER TYPE OF WEAPON FOUND ON SUSPECT?

Location: 209-214 (width: 6; decimal: 0)

Variable Type: character (ISO)

PF_HANDS PHYSICAL FORCE USED BY OFFICER - HANDS

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF_GRND PHYSICAL FORCE USED BY OFFICER - SUSPECT ON GROUND

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF_WALL PHYSICAL FORCE USED BY OFFICER - SUSPECT AGAINST WALL

Location: 217-217 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF_DRWEP PHYSICAL FORCE USED BY OFFICER - WEAPON DRAWN

Location: 218-218 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

. (M) -

PF_PTWEP PHYSICAL FORCE USED BY OFFICER - WEAPON POINTED

Location: 219-219 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value Label
0 No

Value	Label
1	Yes
. (M)	-

PF_BATON PHYSICAL FORCE USED BY OFFICER - BATON

Location: 220-220 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF_HCUFF PHYSICAL FORCE USED BY OFFICER - HANDCUFFS

Location: 221-221 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF_PEPSP PHYSICAL FORCE USED BY OFFICER - PEPPER SPRAY

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

PF OTHER PHYSICAL FORCE USED BY OFFICER - OTHER

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RADIO RADIO RUN

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_REPT ADDITIONAL CIRCUMSTANCES - REPORT BY VICTIM / WITNESS / OFFICER

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_INVES ADDITIONAL CIRCUMSTANCES - ONGOING INVESTIGATION

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

RF_VCRIM REASON FOR FRISK - VIOLENT CRIME SUSPECTED

Location: 227-227 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_OTHSW REASON FOR FRISK - OTHER SUSPICION OF WEAPONS

Location: 228-228 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_PROXM ADDITIONAL CIRCUMSTANCES - PROXIMITY TO SCENE OF OFFENSE

Location: 229-229 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_ATTIR REASON FOR FRISK - INAPPROPRIATE ATTIRE FOR SEASON

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_OBJCS REASON FOR STOP - CARRYING SUSPICIOUS OBJECT

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_DESCR REASON FOR STOP - FITS A RELEVANT DESCRIPTION

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_CASNG REASON FOR STOP - CASING A VICTIM OR LOCATION

Location: 233-233 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_LKOUT REASON FOR STOP - SUSPECT ACTING AS A LOOKOUT

Location: 234-234 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_VCACT REASON FOR FRISK - ACTIONS OF ENGAGING IN A VIOLENT CRIME

Location: 235-235 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

CS_CLOTH REASON FOR STOP - WEARING CLOTHES COMMONLY USED IN A CRIME

Location: 236-236 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_DRGTR REASON FOR STOP - ACTIONS INDICATIVE OF A DRUG TRANSACTION

Location: 237-237 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_EVASV ADDITIONAL CIRCUMSTANCES - EVASIVE RESPONSE TO QUESTIONING

Location: 238-238 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Value	Label
0	No

Value	Label
1	Yes
. (M)	-

AC_ASSOC ADDITIONAL CIRCUMSTANCES - ASSOCIATING WITH KNOWN CRIMINALS

Location: 239-239 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_FURTV REASON FOR STOP - FURTIVE MOVEMENTS

Location: 240-240 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_RFCMP REASON FOR FRISK - REFUSE TO COMPLY WITH OFFICERS DIRECTIONS

Location: 241-241 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_CGDIR ADDITIONAL CIRCUMSTANCES - CHANGE DIRECTION AT SIGHT OF OFFICER

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF VERBL REASON FOR FRISK - VERBAL THREATS BY SUSPECT

Location: 243-243 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_VCRIM REASON FOR STOP - ACTIONS OF ENGAGING IN A VIOLENT CRIME

Location: 244-244 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

CS_BULGE REASON FOR STOP - SUSPICIOUS BULGE

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

CS_OTHER REASON FOR STOP - OTHER

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

discrete *Value*

Value	Label
0	No
1	Yes
. (M)	-

AC_INCID ADDITIONAL CIRCUMSTANCES - AREA HAS HIGH CRIME INCIDENCE

Location: 247-247 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_TIME ADDITIONAL CIRCUMSTANCES - TIME OF DAY FITS CRIME INCIDENCE

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_KNOWL REASON FOR FRISK - KNOWLEDGE OF SUSPECTS PRIOR CRIMINAL BEHAVIOR

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_STSND ADDITIONAL CIRCUMSTANCES - SIGHTS OR SOUNDS OF CRIMINAL ACTIVITY

Location: 250-250 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

AC_OTHER ADDITIONAL CIRCUMSTANCES - OTHER

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

SB_HDOBJ BASIS OF SEARCH - HARD OBJECT

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

SB_OUTLN BASIS OF SEARCH - OUTLINE OF WEAPON

Location: 253-253 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

SB_ADMIS BASIS OF SEARCH - ADMISSION BY SUSPECT

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

SB_OTHER BASIS OF SEARCH - OTHER

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

REPCMD REPORTING OFFICER'S COMMAND (1 TO 999)

Location: 256-261 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

REPRANK REPORTING OFFICER'S RANK

Location: 262-267 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

REVCMD REVIEWING OFFICER'S COMMAND (1 TO 999)

Location: 268-273 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

REVRANK REVIEWING OFFICER'S RANK

Location: 274-279 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

RF_FURT REASON FOR FRISK - FURTIVE MOVEMENTS

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

RF_BULG REASON FOR FRISK - SUSPICIOUS BULGE

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

OFFVERB VERBAL STATEMENT PROVIDED BY OFFICER (IF NOT IN UNIFORM)

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

 Value
 Label

 0
 No

 1
 Yes

 . (M)

OFFSHLD SHIELD PROVIDED BY OFFICER (IF NOT IN UNIFORM)

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Value	Label
0	No
1	Yes
. (M)	-

WEPFOUND WAS A WEAPON FOUND?

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Value	Label
0	No
1	Yes
. (M)	

DETTYP_O DETAILS TYPES CODE

Location: 285-290 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAILS_ OTHER REASONABLE SUSPICION OF WEAPONS DETAIL 1

Location: 291-368 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_1 DETAILS TYPES CODE

Location: 369-374 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_1 OTHER REASONABLE SUSPICION OF WEAPONS DETAIL 2

Location: 375-452 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_B DETAILS TYPES CODE

Location: 453-458 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_2 BULGE OBJECT DESCRIPTION DETAIL 1

Location: 459-536 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_2 DETAILS TYPES CODE

Location: 537-542 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_3 BULGE OBJECT DESCRIPTION DETAIL 2

Location: 543-620 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_C DETAILS TYPES CODE

Location: 621-626 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_4 CRIME CODE DESCRIPTION

Location: 627-704 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_3 DETAILS TYPES CODE

Location: 705-710 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL 5 CONTRABAND DESCRIPTION LOCATION DETAIL

Location: 711-788 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_D DETAILS TYPES CODE

Location: 789-794 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_6 DEMEANOR OF PERSON STOPPED

Location: 795-872 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_4 DETAILS TYPES CODE

Location: 873-878 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_7 OTHER FOR ADDITIONAL CIRCUMSTANCES DETAIL 1

Location: 879-956 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_5 DETAILS TYPES CODE

Location: 957-962 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_8 OTHER FOR ADDITIONAL CIRCUMSTANCES DETAIL 2

Location: 963-1040 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_F DETAILS TYPES CODE

Location: 1041-1046 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAIL_9 FRISK BASIS DETAIL

Location: 1047-1124 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_P DETAILS TYPES CODE

Location: 1125-1130 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_10 PHYSICAL FORCE DETAIL

Location: 1131-1208 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_R DETAILS TYPES CODE

Location: 1209-1214 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_11 REMARKS MADE BY PERSON

Location: 1215-1292 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_6 DETAILS TYPES CODE

Location: 1293-1298 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_12 OTHER REASON FOR STOP

Location: 1299-1376 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_7 DETAILS TYPES CODE

Location: 1377-1382 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_13 OTHER CIRCUMSTANCES LEADING TO STOP DETAIL 1

Location: 1383-1460 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_8 DETAILS TYPES CODE

Location: 1461-1466 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_14 OTHER CIRCUMSTANCES LEADING TO STOP DETAIL 2

Location: 1467-1544 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_9 DETAILS TYPES CODE

Location: 1545-1550 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_15 OTHER BASIS FOR SEARCH DETAIL 1

Location: 1551-1628 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTY_10 DETAILS TYPES CODE

Location: 1629-1634 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_16 OTHER BASIS FOR SEARCH DETAIL 2

Location: 1635-1712 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETTYP_W DETAILS TYPES CODE

Location: 1713-1718 (width: 6; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DETAI_17 WEAPONS DESCRIPTION DETAIL

Location: 1719-1796 (width: 78; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

SEX SUSPECT'S SEX

Location: 1797-1797 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
•	Not listed
F	Female
M	Male
Z	Unknown

RACE SUSPECT'S RACE

Location: 1798-1798 (width: 1; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
•	Not listed
Α	Asian/Pacific Islander
В	Black
I	American Indian/Alaskan native
Р	Black-Hispanic
Q	White-Hispanic
W	White
X	Unknown
Z	Other

DOB SUSPECT'S DATE OF BIRTH (YYYY-MM-DD)

Location: 1799-1808 (width: 10; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

DOBNUM YEAR OF SUSPECT'S BIRTH - NUMERIC (ICPSR)

Location: 1809-1812 (width: 4; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

AGE SUSPECT'S AGE

Location: 1813-1815 (width: 3; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

HT_FEET SUSPECT'S HEIGHT (FEET)

Location: 1816-1816 (width: 1; decimal: 0)

Variable Type: numeric (ISO)
Interval: discrete

HT_INCH SUSPECT'S HEIGHT (INCHES)

Location: 1817-1817 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

HT_TOTAL SUSPECT'S TOTAL HEIGHT IN INCHES (ICPSR)

Location: 1818-1819 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

WEIGHT SUSPECT'S WEIGHT

Location: 1820-1822 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

HAIRCOLR SUSPECT'S HAIRCOLOR

Location: 1823-1824 (width: 2; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
•	Not listed
ВА	Bald
BK	Black
BL	Blond
BR	Brown
GY	Gray
RD	Red
SP	Salt and pepper
WH	White
XX	Unknown
ZZ	Other

EYECOLOR SUSPECT'S EYE COLOR

Location: 1825-1826 (width: 2; decimal: 0)

Variable Type: character (ISO)

Interval: discrete

Value	Label
•	Not listed
ВК	Black
BL	Blue
BR	Brown
DF	Two different
GR	Green
GY	Gray
XX	Unknown
ZZ	Other

BUILD SUSPECT'S BUILD

Location: 1827-1827 (width: 1; decimal: 0)

Variable Type: character (ISO)

Value	Label
•	Not listed
Н	Heavy
M	Medium
T	Thin

Value	Label
U	Muscular
Z	Unknown

OTHFEATR SUSPECT'S OTHER FEATURES (SCARS, TATOOS ETC.)

Location: 1828-1847 (width: 20; decimal: 0)

Variable Type: character (ISO)