

arXiv withdrawal of 1210.0026

От e-prints@arxiv.org <e-prints@arxiv.org>
Получатель artiomkovnatsky@pm.me
Дата понедельник, 3 ноября 2025 г., 11:12 ДП

We have received your withdrawal request. Your temporary submission identifier for this withdrawal is: submit/6949552.

You may update your withdrawal at: <https://arxiv.org/submit/6949552>

Your withdrawal is scheduled to be announced at Tue, 4 Nov 2025 01:00:00 GMT. The abstract will appear in the subsequent mailing as displayed below, except that the submission identifier will be replaced by the official arXiv identifier. Updates before Mon, 3 Nov 2025 19:00:00 GMT will not delay announcement.

If you have a problem that you are not able to resolve through the web interface, contact help@arxiv.org with a description of the issue and reference the submission identifier.

arXiv admin

\\

arXiv:submit/6949552

From: Artiom Kovnatsky <artiomkovnatsky@pm.me>

Date: Fri, 28 Sep 2012 20:29:37 GMT (8414kb,D)

Date (revised v2): Mon, 3 Nov 2025 05:12:30 EST (0kb,I)

Title: Coupled quasi-harmonic bases

Authors: A. Kovnatsky, M.M.Bronstein, A.M.Bronstein, K. Glashoff, R. Kimmel

Categories: [cs.CV](#) [cs.GR](#)

Comments: Symbolic retrieval of my first PhD paper

(<https://arxiv.org/pdf/1210.0026>) as an open call to reform peer review.

Fig.7 is NOT reproducible (MSER not used, manual fix ignored). I propose implementing my S.V.E. framework

(<https://github.com/skovnats/SVE-Systemic-Verification-Engineering/blob/master/Papers/SVE-3.pdf>)

and can assist if requested.

License: <http://arxiv.org/licenses/nonexclusive-distrib/1.0/>

\\

The use of Laplacian eigenbases has been shown to be fruitful in many computer graphics applications. Today, state-of-the-art approaches to shape analysis, synthesis, and correspondence rely on these natural harmonic bases that allow using classical tools from harmonic analysis on manifolds. However, many applications involving multiple shapes are obstructed by the fact that Laplacian eigenbases computed independently on different shapes are often

incompatible with each other. In this paper, we propose the construction of common approximate eigenbases for multiple shapes using approximate joint diagonalization algorithms. We illustrate the benefits of the proposed approach on tasks from shape editing, pose transfer, correspondence, and similarity.

\\