

arXiv Withdrawal -> 1210.0026 in cs.CV from artiomkovnatsky@pm.me

От e-prints@arxiv.org <e-prints@arxiv.org>

Получатель artiomkovnatsky@pm.me

Дата вторник, 4 ноября 2025 г., 4:18 ДП

Your withdrawal of 1210.0026 by submission submit/6949552 has been made public. When you view the page you may need to refresh your browser to see the updates. The withdrawn version is available at:

<http://arxiv.org/abs/1210.0026>

Abstract will appear in today's mailing as:

\\

arXiv:1210.0026

From: Artiom Kovnatsky <artiomkovnatsky@pm.me>

Date: Fri, 28 Sep 2012 20:29:37 GMT (8414kb,D)

Date (revised v2): Mon, 3 Nov 2025 10:12:30 GMT (0kb,I)

Title: Coupled quasi-harmonic bases

Authors: A. Kovnatsky, M.M.Bronstein, A.M.Bronstein, K. Glashoff, R. Kimmel

Categories: [cs.CV](#) [cs.GR](#)

Comments: Symbolic withdrawal of my first PhD paper as an open call to reform peer review. Fig.7 is NOT reproducible (MSER not used, manual fix ignored). I propose implementing my S.V.E. framework

(<https://github.com/skovnats/SVE-Systemic-Verification-Engineering/blob/master/Papers/SVE-3.pdf>)

and can assist if requested

License: <http://arxiv.org/licenses/nonexclusive-distrib/1.0/>

\\

The use of Laplacian eigenbases has been shown to be fruitful in many computer graphics applications. Today, state-of-the-art approaches to shape analysis, synthesis, and correspondence rely on these natural harmonic bases that allow using classical tools from harmonic analysis on manifolds. However, many applications involving multiple shapes are obstructed by the fact that Laplacian eigenbases computed independently on different shapes are often incompatible with each other. In this paper, we propose the construction of common approximate eigenbases for multiple shapes using approximate joint diagonalization algorithms. We illustrate the benefits of the proposed approach on tasks from shape editing, pose transfer, correspondence, and similarity.

\\