

US Amateur Band Plan

Privileges shown for **Extra** class, per 47 CFR 97.301 and 97.305. Activity segments are convention, not law. Regional segments from the Minnesota Repeater Council (MRC), fetched 2026-09-04.

CW

Digital / data

Phone

Image / SSTV

Beacons

Satellite

Repeaters

FM simplex

■ Calling frequency

■ Special use

160 m — 1.8 to 2 MHz

From	To	Activity	What happens there	You?
1.8	1.81	Digital / data	Digital modes	yes
1.81		Calling frequency	CW QRP calling	yes
1.81	1.843	CW	CW	yes
1.84	1.845	Digital / data	FT8 and weak-signal digital	yes
1.843	2	Phone	SSB, SSTV and other wideband modes	yes
1.91		Calling frequency	SSB QRP calling	yes
1.995	2	Special use	Experimental	yes

80 m — 3.5 to 4 MHz

From	To	Activity	What happens there	You?
3.5	3.51	CW	CW DX window	yes
3.51	3.56	CW	CW	yes
3.56		Calling frequency	CW QRP calling	yes
3.57	3.6	Digital / data	Digital modes	yes
3.573		Calling frequency	FT8	yes
3.59		Digital / data	RTTY DX	yes
3.6	3.79	Phone	SSB	yes
3.79	3.8	Phone	DX window	yes
3.845		Image / SSTV	SSTV	yes
3.885		Phone	AM calling	yes

60 m — 5.33 to 5.407 MHz

From	To	Activity	What happens there	You?
5.3305	5.4065	Special use	Five fixed channels, USB, 2.8 kHz, 100 W ERP	yes

Outside your privileges on this band: 5.33–5.3305, 5.4065–5.407 MHz.

40 m — 7 to 7.3 MHz

From	To	Activity	What happens there	You?
7	7.04	CW	CW, DX at the bottom	yes
7.04		Calling frequency	CW QRP calling	yes
7.04	7.07	CW	CW	yes
7.07	7.125	Digital / data	Digital modes	yes
7.074		Calling frequency	FT8	yes
7.125	7.171	Phone	SSB	yes
7.171		Image / SSTV	SSTV	yes
7.171	7.29	Phone	SSB	yes
7.29		Phone	AM calling	yes

30 m — 10.1 to 10.15 MHz

From	To	Activity	What happens there	You?
10.1	10.13	CW	CW	yes
10.13	10.14	Digital / data	RTTY	yes
10.136		Calling frequency	FT8	yes
10.14	10.15	Digital / data	Unattended digital	yes

20 m — 14 to 14.35 MHz

From	To	Activity	What happens there	You?
14	14.06	CW	CW, DX at the bottom	yes
14.06		Calling frequency	CW QRP calling	yes
14.06	14.07	CW	CW	yes
14.07	14.095	Digital / data	Digital modes	yes
14.074		Calling frequency	FT8	yes
14.095	14.0995	Digital / data	Unattended digital	yes
14.1		Beacons	NCDXF/IARU international beacons	yes
14.1005	14.112	Digital / data	Unattended digital	yes
14.112	14.23	Phone	SSB	no
14.23		Image / SSTV	SSTV	yes
14.23	14.286	Phone	SSB	yes
14.286		Phone	AM calling	yes
14.286	14.35	Phone	SSB	yes

17 m — 18.068 to 18.168 MHz

From	To	Activity	What happens there	You?
18.068	18.1	CW	CW	yes
18.096		Calling frequency	CW QRP calling	yes
18.1	18.11	Digital / data	Digital modes	yes
18.1		Calling frequency	FT8	yes
18.11		Beacons	IBP beacons	yes
18.11	18.168	Phone	SSB	yes
18.13		Calling frequency	SSB QRP calling	yes

15 m — 21 to 21.45 MHz

From	To	Activity	What happens there	You?
21	21.06	CW	CW, DX at the bottom	yes
21.06		Calling frequency	CW QRP calling	yes
21.06	21.07	CW	CW	yes
21.07	21.11	Digital / data	Digital modes	yes
21.074		Calling frequency	FT8	yes
21.11	21.15	Digital / data	Unattended digital	yes
21.15		Beacons	IBP beacons	yes
21.151	21.34	Phone	SSB	no
21.34		Image / SSTV	SSTV	yes
21.34	21.45	Phone	SSB	yes
21.385		Calling frequency	SSB QRP calling	yes

12 m — 24.89 to 24.99 MHz

From	To	Activity	What happens there	You?
24.89	24.92	CW	CW	yes
24.906		Calling frequency	CW QRP calling	yes
24.92	24.925	Digital / data	Digital modes	yes
24.915		Calling frequency	FT8	yes
24.93		Beacons	IBP beacons	yes
24.931	24.99	Phone	SSB	yes

10 m — 28 to 29.7 MHz

From	To	Activity	What happens there	You?
28	28.06	CW	CW	yes
28.06		Calling frequency	CW QRP calling	yes
28.07	28.12	Digital / data	Digital modes	yes
28.074		Calling frequency	FT8	yes
28.12	28.189	Digital / data	Unattended digital	yes
28.19	28.225	Beacons	Beacons	yes
28.2		Beacons	IBP beacons	yes
28.3	28.68	Phone	SSB	yes
28.385		Calling frequency	SSB QRP calling	yes
28.68		Image / SSTV	SSTV	yes
28.68	29	Phone	SSB	yes
29	29.2	Phone	AM	yes
29.3	29.51	Satellite	Satellite downlinks	yes
29.52	29.59	Repeaters	FM repeater inputs	yes
29.6		Calling frequency	FM simplex calling	yes
29.62	29.68	Repeaters	FM repeater outputs	yes

6 m — 50 to 54 MHz

From	To	Activity	What happens there	You?
50	50.1	CW	CW and beacons	yes
50.06	50.08	Beacons	Beacon sub-band	yes
50.1	50.125	Phone	DX window, SSB and CW	yes
50.125		Calling frequency	SSB calling	yes
50.125	50.3	Phone	SSB	yes
50.3	50.6	Digital / data	All modes, digital and weak signal	yes
50.313		Calling frequency	FT8	yes
50.6	50.8	Digital / data	Non-voice, RTTY and data	yes
51	51.1	Phone	Pacific DX window	yes
51.12	51.98	Repeaters	FM repeaters	yes
52	52.525	FM simplex	FM simplex and repeaters	yes
52.525		Calling frequency	FM simplex calling	yes
52.525	54	Repeaters	FM repeaters and simplex	yes

MRC coordinated segments for 6 m

From	To	Activity	Coordinated use
50	50.1	Beacons	CW and Beacons
50.06	50.08	Beacons	Automatic Control Beacons
50.1	50.6	Phone	SSB & AM
50.6	51	Special use	Experimental/Special Modes
50.8	50.98	Special use	R/C Model Radio Control
51	51.1	Special use	Pacific DX Window
51.1	52	FM simplex	FM Simplex
52	52.05	Special use	Pacific DX Window
52	54	Repeaters	FM Repeater and Simplex NOTES:

2 m — 144 to 148 MHz

From	To	Activity	What happens there	You?
144	144.05	CW	EME, CW	yes
144.05	144.1	CW	General CW and weak signal	yes
144.1	144.2	CW	EME and weak-signal SSB	yes
144.2		Calling frequency	SSB calling	yes
144.2	144.275	Phone	General SSB	yes
144.275	144.3	Beacons	Propagation beacons	yes
144.3	144.5	Satellite	Satellite	yes
144.5	144.6	Satellite	Linear translator inputs	yes
144.6	144.9	Repeaters	FM repeater inputs	yes
144.9	145.1	Digital / data	Weak signal, packet and FM simplex	yes
145.1	145.2	Satellite	Linear translator outputs	yes
145.2	145.5	Repeaters	FM repeater outputs	yes
145.5	145.8	Digital / data	Packet, miscellaneous, experimental	yes
145.8	146	Satellite	Satellite	yes
146.01	146.4	Repeaters	FM repeater inputs	yes
146.4	146.58	FM simplex	FM simplex	yes
146.52		Calling frequency	FM national simplex calling	yes
146.61	147.39	Repeaters	FM repeaters	yes
147.42	147.57	FM simplex	FM simplex	yes
147.6	147.99	Repeaters	FM repeater inputs	yes

MRC coordinated segments for 2 m

From	To	Activity	Coordinated use
144	144.05	CW	Earth-Moon-Earth (EME) using CW
144.05	144.1	CW	General CW and weak signal
144.1	144.2	CW	EME and weak signal SSB
144.2	144.275	Phone	General SSB operations
144.275	144.3	Beacons	Propagation beacons
144.3	144.5	Satellite	OSCAR (Satellite communications)
144.5	144.6	Satellite	Linear translator inputs
144.6	144.9	Repeaters	FM repeater Inputs
144.9	145.1	FM simplex	Weak Signal, packet and FM simplex
145.1	145.2	Satellite	Linear translator outputs
145.2	145.5	Repeaters	FM repeater Outputs
145.5	145.8	Digital / data	Packet, misc and experimental
145.8	146	Satellite	OSCAR (Satellite communications)
146.01	146.4	Repeaters	FM repeater Inputs
146.415	146.595	Repeaters	Simplex - except where 147.XX repeaters use low inputs
146.61	147.39	Repeaters	FM repeater Outputs

147.42	147.595	FM simplex	FM simplex
--------	---------	------------	------------

1.25 m — 222 to 225 MHz

From	To	Activity	What happens there	You?
222	222.15	CW	Weak signal, EME and CW	yes
222.1		Calling frequency	SSB and CW calling	yes
222.15	222.25	Phone	Weak signal SSB	yes
222.25	223.38	Repeaters	FM repeaters	yes
223.4	223.52	FM simplex	FM simplex	yes
223.5		Calling frequency	FM simplex calling	yes
223.52	223.64	Digital / data	Digital and packet	yes
223.64	225	Repeaters	FM repeaters and links	yes

MRC coordinated segments for 1.25 m

From	To	Activity	Coordinated use
222	222.25	CW	Weak Signal: EME, CW SSB
222.05	222.06	Beacons	Beacons
222.1	222.15	CW	Novice weak signal
222.15	222.25	CW	Various weak signal
223.4	223.85	FM simplex	FM Voice Simplex and Packet
223.4		Digital / data	1200 Baud Packet
223.42		Digital / data	1200 Baud Packet
223.44		Digital / data	1200 Baud Packet
223.46		Digital / data	1200 Baud Packet
223.47		Digital / data	9600 Baud Packet trunk
223.48		Digital / data	1200 Baud Packet
223.52	223.84	FM simplex	FM Voice Simplex - 13 channels
223.55		Digital / data	9600 Baud Packet trunk, if used 223.54 and
223.56		Special use	are not useable
223.6	223.85	FM simplex	FM Voice Simplex or Packet

70 cm — 420 to 450 MHz

From	To	Activity	What happens there	You?
420	426	Image / SSTV	ATV repeater outputs	yes
426	432	Image / SSTV	ATV simplex	yes
432	432.07	CW	EME	yes
432.07	432.1	CW	Weak signal CW	yes
432.1		Calling frequency	SSB and CW calling	yes
432.1	432.3	Phone	Weak signal SSB	yes
432.3	432.4	Beacons	Propagation beacons	yes
432.4	433	Phone	Mixed mode weak signal	yes
435	438	Satellite	Satellite	yes
438	444	Image / SSTV	ATV repeater inputs and links	yes
442	445	Repeaters	FM repeaters	yes
446		Calling frequency	FM simplex calling	yes
446	447	FM simplex	FM simplex	yes
447	450	Repeaters	FM repeaters	yes

MRC coordinated segments for 70 cm

From	To	Activity	Coordinated use
420	426	Repeaters	ATV Repeater Output
420.1	420.2	Digital / data	Auxiliary Links and experimental
426	432	FM simplex	ATV Simplex
430.05	430.95	FM simplex	Digital Simplex (Six 100 Khz wide channels)
431.025		FM simplex	Digital Simplex (25 Khz wide channel)
432	432.07	CW	EME
432.07	432.1	CW	Weak Signal CW
432.1	432.3	CW	Mixed mode and weak signal
432.3	432.4	Beacons	Propagation Beacons
432.4	433	CW	Mixed mode and weak signal
433	435	Special use	Auxiliary
435	438	Special use	Satelite only (International)
438	444	Repeaters	ATV repeater
440.975		FM simplex	Digital Simplex (25 Khz wide channel)
441	441.075	FM simplex	Digital Simplex (Four 25 Khz wide channels)
441.1	441.2	Digital / data	Digital full
442	445	Repeaters	FM repeater
445	447	Digital / data	Auxiliary Links
446.975		Special use	Mhz
447	450	Repeaters	FM repeater
433		Special use	Mhz and 435.000 to 438.000 Mhz area of this band

33 cm — 902 to 928 MHz

From	To	Activity	What happens there	You?
902	902.8	CW	Weak signal and EME	yes
902.1		Calling frequency	SSB and CW calling	yes
903	906	Digital / data	Digital, mixed modes	yes
906	909	Repeaters	FM repeater inputs	yes
909	915	Image / SSTV	ATV	yes
918	921	Repeaters	FM repeater outputs	yes
921	928	Image / SSTV	ATV and mixed modes	yes

23 cm — 1240 to 1300 MHz

From	To	Activity	What happens there	You?
1240	1246	Image / SSTV	ATV channel 1	yes
1246	1252	Digital / data	Digital and links	yes
1252	1258	Image / SSTV	ATV channel 2	yes
1258	1260	Digital / data	Digital	yes
1260	1270	Satellite	Satellite uplinks	yes
1270	1276	Repeaters	FM repeater inputs	yes
1276	1282	Image / SSTV	ATV channel 3	yes
1282	1288	Repeaters	FM repeater outputs	yes
1288	1294	Digital / data	Broadband experimental	yes
1294	1295	FM simplex	FM simplex	yes
1294.5		Calling frequency	FM simplex calling	yes
1295	1297	Digital / data	Narrow band, mixed modes	yes
1296.1		Calling frequency	SSB and CW calling, EME	yes
1297	1300	Digital / data	Digital and links	yes

MRC coordinated segments for 23 cm

From	To	Activity	Coordinated use
1246.03	1247.97	Digital / data	Narrowband FM links and digital, 25 kHz channels,
1248	1260	Digital / data	Wideband digital
1258.03	1259.97	Digital / data	Narrowband FM links, 25 kHz channels,
1260	1270	Digital / data	Satellite uplinks and wideband experimental
1270	1290	FM simplex	FM simplex ATV, secondary, occasional/emergency use,
1270.03	1275.97	Repeaters	Narrowband FM repeater inputs, 25 kHz channels,
1282.03	1287.97	Repeaters	Narrowband FM repeater outputs, 25 kHz channels,
1288	1294	Special use	Wideband experimental
1294.03	1294.97	FM simplex	Narrowband FM simplex, 25 kHz channels (39 channels)
1295	1297	CW	Weak signal modes:
1295	1295.8	Image / SSTV	SSTV, fax, ACSSB, experimental
1295.8	1296	CW	Reserved for EME, CW expansion
1296	1296.05	CW	EME
1296.07	1296.08	Beacons	CW beacons
1296.4	1296.6	Satellite	Crossband linear translator input
1296.6	1296.8	Satellite	Crossband linear translator output
1296.8	1297	Beacons	Experimental beacons
1297	1300	Digital / data	Digital (further specified?)

Privileges are law. Activity segments are voluntary band plan convention and carry no legal force, but operating against them is what causes complaints. Regional segments come from the local frequency coordinator and are reproduced from their published plan; check with them before relying on it. Produced by ELMER.