## **DMR Copy of Record**

| Permit   |                           |                   |                        |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
|--|---------------------------|-------------------|------------------------|----------------------|--|-----------------|-------------|-------------------|------------------------------|--------------------------|-------------------------|--|--|--------------------------------|--|
| Permit #: AF   | RS000002                  |                   | Permittee:             | LITTL                | LITTLE ROCK, CITY OF/AHTD-MS4                |                 |             |                   |                              | Facility:                |                         | LITTLE ROCK, CITY OF/AHTD MS4                |  |                                |  |
| Major: Ye  | es                        |                   | Permittee Addres       |                      | 701 WEST MARKHAM<br>LITTLE ROCK, AR 72201    |                 |             |                   |                              | Facility Location:       |                         | 10324 INTERSTATE 30<br>LITTLE ROCK, AR 72203 |  |                                |  |
| Permitted Feature: 00 Ex   | 1<br>kternal Outfall      |                   | Discharge:             |                      | 001-Q<br>001-SEASONAL QTR-STORM WATER RUNOFF |                 |             |                   |                              |                          |                         |  |  |                                |  |
| Report Dates & Status  |                           |                   | ,                      |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| Monitoring Period: Fr  | From 09/01/18 to 11/30/18 |                   |                        | 12/25                | 12/25/18                                     |                 |             |                   |                              | Status: NetDMR Validated |                         |  |  |                                |  |
| Considerations for Form Comple                                   | tion                      |                   | ·                      |                      |  |                 |             |                   | ·                            |                          |                         |  |  |                                |  |
| UNIVERSITY AVENUE & INTERST                                      | TATE 30 STORM SEV         | VER SEASON        | AL QUARTERS: (JUN-A    | AUG), (SEP-NOV), (DE | EC-FEB) & (MAR-MA                            | AY). DISCHARO   | SE MONIT    | ORING REPORTS     | MUST BE SUBM                 | ITTED EVEN               | WHEN NO DI              | SCHARGE (                                    | OCCURS. 60-00408                         |                                |  |
| Principal Executive Officer                                      |                           |                   |                        |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| First Name:  |                           |                   | Title:                 | Title:               |  |                 |             |                   |                              | Telephone:               |                         |  |  |                                |  |
| Last Name:   |                           |                   |                        |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| No Data Indicator (NODI)   |                           |                   |                        |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| Form NODI:   |                           |                   |                        |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| Parameter  | Monitoring Locat          | ion Season # Para |                        | Qua                  | ntity or Loading  Qualifier 2  Value         | a O Huita       | Ouglifier 4 | Value 1 Qualifier | Quality or Cond<br>2 Value 2 |                          | Value 2                 | Units  | # of Ex. Frequency of Ana                | llysis Sample Typ              |  |
| Code Name  |                           |                   | Sample                 | mer i value i        | Qualifier 2 Value                            | e 2 Units       | Qualifier 1 | value i Qualifier | 3.6                          | Qualifier 3 = 3.6        | Value 3                 | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 00310 BOD, 5-day, 20 deg. C                                      | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           |  | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI<br>Sample   |                      |  |                 | =           | 6.4               |                              | = 6.4                    |                         | 12 - SU                                      | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 00400 pH   | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             | 6 MINIMUM         |                              |                          | IAXIMUM                 |  | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI             |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| 00530 Solids, total suspended                                    | 1 - Effluent Gross        | 0                 | Sample Permit Req.     |                      |  |                 |             | =                 | 12<br>Req Mon AVERAGI        | = 12<br>Rec              | g Mon MAXIMUM           | 19 - mg/L<br>19 - mg/l                       | 01/90 - Quarterly<br>0 01/90 - Quarterly | GR - GRAB                      |  |
|  | . Ziiiddiii Greed         |                   | Value NODI             |                      |  |                 |             |                   | 1.04 11.01.711 21.010        |                          | 4                       |  | o ones quanting                          | 0.1. 0.1.12                    |  |
| 00556 Oil & Grease   | 4 577                     |                   | Sample                 |                      |  |                 |             | =                 | 1.5                          | = 1.5                    |                         | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | 0                 | Permit Req. Value NODI |                      |  |                 |             |                   | Req Mon AVERAGI              | : Ke                     | q Mon MAXIMUM           | 19 - mg/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
| 00630 Nitrite + Nitrate total [as N] 00666 Phosphorus, dissolved |                           |                   | Sample                 |                      |  |                 |             | =                 | 1.06                         | = 1.0                    |                         | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | 0                 | Permit Req. Value NODI |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           | 19 - mg/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Sample                 |                      |  |                 |             | =                 | 0.16                         | = 0.1                    | 6                       | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           | 19 - mg/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI<br>Sample   |                      |  |                 |             | =                 | 32                           | = 32                     |                         | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 00900 Hardness, total [as CaCO3]                                 | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              |                          | q Mon MAXIMUM           | -  | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI<br>Sample   |                      |  |                 |             | <                 | 0.5                          | < 0.5                    |                         | 28 - ug/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 01079 Silver total recoverable                                   | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              |                          | q Mon MAXIMUM           |  | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI             |                      |  |                 |             |                   |                              |                          |                         |  |  |                                |  |
| 01094 Zinc, total recoverable                                    | 1 - Effluent Gross        | 0                 | Sample Permit Req.     |                      |  |                 |             | =                 | 64.26<br>Req Mon AVERAGI     | = 64.:<br>Rec            | 26<br>g Mon MAXIMUM     | 28 - ug/L<br>28 - ug/L                       | 01/90 - Quarterly<br>0 01/90 - Quarterly | GR - GRAB                      |  |
|  |                           |                   | Value NODI             |                      |  |                 |             |                   |                              |                          |                         |  | ,  |                                |  |
| 01113 Cadmium, total recoverable                                 | 1 - Effluent Gross        | 0                 | Sample<br>Permit Req.  |                      |  |                 |             | =                 | 1.63<br>Reg Mon AVERAGI      | = 1.6                    | 3<br>g Mon MAXIMUM      | 28 - ug/L                                    | 01/90 - Quarterly<br>0 01/90 - Quarterly | GR - GRAB                      |  |
|  | i - Eilideili Gioss       | 0                 | Value NODI             |                      |  |                 |             |                   | Req Mon AVERAGI              | : Rec                    | ų ivioni ivia Anivioivi | 20 - ug/L                                    | 0 01/90 - Quarterly                      | GR - GRAD                      |  |
| 01114 Lead, total recoverable                                    |                           |                   | Sample                 |                      |  |                 |             | =                 | 7.93                         | = 7.9                    |                         | 28 - ug/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | 0                 | Permit Req. Value NODI |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           | 28 - ug/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
| 01119 Copper, total recoverable                                  |                           |                   | Sample                 |                      |  |                 |             | =                 | 4.75                         | = 4.7                    | 5                       | 28 - ug/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           | 28 - ug/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI<br>Sample   |                      |  |                 |             | =                 | 2019                         | = 201                    | 19                      | 13 - #/100mL                                 | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 31679 Fecal streptococci, MF m-enterococcu                       | us ag 1 - Effluent Gross  | 0                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              | Red                      | q Mon MAXIMUM           | 13 - #/100mL                                 | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI Sample =    | 5.16672              | = 5.16672                                    | 03 - MGI        | )           |                   |                              |                          |                         |  | 01/90 - Quarterly                        | GR - GRAB                      |  |
| 50050 Flow, in conduit or thru treatment plant                   | nt 1 - Effluent Gross     | 0                 | Permit Req.            | Req Mon AVERAGE      |  | AXIMUM 03 - MGI |             |                   |                              |                          |                         |  | 0 01/90 - Quarterly                      | GR - GRAB                      |  |
|  |                           |                   | Value NODI             |                      |  |                 |             |                   | 0440                         |                          |                         | 10   | 0.122 2                                  | <b>CD CD CD CD CD CD CD CD</b> |  |
| 51040 E. coli  | 1 - Effluent Gross        | 0                 | Sample Permit Req.     |                      |  |                 |             | =                 | 2410<br>Req Mon AVERAGI      | = 241<br>E Rec           | 10<br>g Mon MAXIMUM     | 13 - #/100mL<br>13 - #/100mL                 | 01/90 - Quarterly<br>0 01/90 - Quarterly | GR - GRAB                      |  |
|  |                           |                   | Value NODI             |                      |  |                 |             |                   |                              | 1.00                     | ,                       | JOINE  |  | 5 0.0.0                        |  |
| 70295 Solids, total dissolved                                    | 4 50000                   |                   | Sample                 |                      |  |                 |             | =                 | 128                          | = 128                    |                         | 19 - mg/L                                    | 01/90 - Quarterly                        | GR - GRAB                      |  |
|  | 1 - Effluent Gross        | U                 | Permit Req.            |                      |  |                 |             |                   | Req Mon AVERAGI              | Rec                      | q Mon MAXIMUM           | 19 - mg/L                                    | 0 01/90 - Quarterly                      | GR - GRAB                      |  |

Value NODI

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Environmental Services Company, Inc. 13715 West Markham Little Rock, Arkansas 72211 (501) 221-2565

Attachments

No attachments.

Report Last Saved By

LITTLE ROCK, CITY OF/AHTD-MS4

 User:
 nedr@esclabs.com

 Name:
 Ned Ryerson

 E-Mail:
 nedr@esclabs.com

Date/Time: 2018-12-16 17:58 (Time Zone: -06:00)

Report Last Signed By

User: SKREIMEYER

Name: Samuel Kreimeyer

E-Mail: skreimeyer@littlerock.gov

Date/Time: 2018-12-26 07:18 (Time Zone: -06:00)