[{"Name":"Structured Refit HttpClient","Link":"https://github.com/reactiveui/refit/issues/1142"},{"Name":"Refit.Exception when deserializing using System.Text.Json","Link":"https://github.com/reactiveui/refit/issues/1128"},{"Name":"[BUG] Unable to cast object when initialising interface","Link":"https://github.com/reactiveui/refit/issues/1125"},{"Name":"Refit.ApiException : Response status code does not indicate success: 500 (Internal Server Error)","Link":"https://github.com/reactiveui/refit/issues/1122"},{"Name":"Refit - change default HTTP protocol from 1.1 to 2.0","Link":"https://github.com/reactiveui/refit/issues/1111"},{"Name":"[TYPO] Minor README.md correction","Link":"https://github.com/reactiveui/refit/issues/1109"},{"Name":"Is it possible to pull EnsureSuccessStatusCodeAsync into the IApiResponse<T> interface?","Link":"https://github.com/reactiveui/refit/issues/1108"},{"Name":"Complex object list in Query params object doesn't get put into query string format properly","Link":"https://github.com/reactiveui/refit/issues/1106"},{"Name":"[BUG] HeaderCollection attribute doesn't seem to work with POSTs","Link":"https://github.com/reactiveui/refit/issues/1102"},{"Name":"Refit code generation doesn't work with extern aliases","Link":"https://github.com/reactiveui/refit/issues/1101"},{"Name":"Attribute for sending null values in a request body","Link":"https://github.com/reactiveui/refit/issues/1098"},{"Name":"map datetime error for '0001-01-01T00:00:00' in version 6.0.24","Link":"https://github.com/reactiveui/refit/issues/1093"},{"Name":"Support returning null for 20x response codes","Link":"https://github.com/reactiveui/refit/issues/1092"},{"Name":"[BUG] Complex object not being flattened correctly","Link":"https://github.com/reactiveui/refit/issues/1082"},{"Name":"[BUG] Inherited interface level Headers attribute does not work","Link":"https://github.com/reactiveui/refit/issues/1027"},{"Name":"[DOCUMENTATION] Documentation conflict","Link":"https://github.com/reactiveui/refit/issues/1025"},{"Name":"feature: Access Full Response Message with Serialization Exceptions","Link":"https://github.com/reactiveui/refit/issues/1017"},{"Name":"Integration testing??","Link":"https://github.com/reactiveui/refit/issues/1015"},{"Name":"Is it possible to use refit with HttpClientFactory in .net framework winform application?","Link":"https://github.com/reactiveui/refit/issues/1004"},{"Name":"feature: C# 9 Source Generator for programmatically generating Refit clients based off controllers","Link":"https://github.com/reactiveui/refit/issues/1003"},{"Name":"[BUG] Cannot access internal class AuthenticatedHttpClientHandler","Link":"https://github.com/reactiveui/refit/issues/999"},{"Name":"[BUG] How to upload IFormFile within an object model using refit in .Net core","Link":"https://github.com/reactiveui/refit/issues/991"},{"Name":"[BUG] Blazor WebAssembly","Link":"https://github.com/reactiveui/refit/issues/984"},{"Name":"issue with IHttpFactory DI in constructor","Link":"https://github.com/reactiveui/refit/issues/956"},{"Name":"Question: Multipart form-data with Refit","Link":"https://github.com/reactiveui/refit/issues/930"}]