

Unified Profile 360

for Data Cloud Profile Explorer

Implementation Guide

For Salesforce Data Cloud customers, SI partners and internal delivery teams

AT-A-GLANCE

DOCUMENT	Implementation Guide
PRODUCT	Unified Profile 360 — enhanced Data Cloud Profile Explorer record page
RELEASE	20 packaged members across 3 metadata types, API 67.0
PACKAGE TYPE	Salesforce unmanaged package, password-gated — 04tKh000001lrUH
SOURCE	https://github.com/sksurajali-sf/UnifiedProfile360
WHAT IT DELIVERS	Winner attributes with their evidence, unified engagement and order timelines, calculated insights, segment membership, and SQL-free access to any related DMO
AUDIENCE	Salesforce Admins, Data Cloud Architects, SI Implementation Partners
DATE	03 August 2026

Contents

Implementation Guide • Unified Profile 360

- | | |
|-----|--|
| 1. | Executive Summary |
| 2. | Solution Architecture |
| 3. | Component Inventory |
| 4. | Data Cloud Sources |
| 5. | Apex Class Reference |
| 6. | Lightning Components — LWC and the Aura shell |
| 7. | Security Model & Access |
| 8. | Installation — Package URL |
| 9. | Page Setup — Unified Individual, and any other ruleset |
| 10. | Alternative Deployment — Salesforce CLI & Git |
| 11. | Validation & Smoke Tests |
| 12. | Troubleshooting & FAQs |
| 13. | Appendix A — Configuration Reference |
| 14. | Appendix B — How the winner is decided |

1. Executive Summary

The gap this closes, what the page delivers, and who should deploy it.

Data Cloud Profile Explorer answers one question well: *does a unified profile exist?* Search for a customer, click **View**, and the standard record page lists the unified attributes as a flat field dump. Everything a marketer or an architect asks next lives somewhere else. Which source record won the email, and why should anyone trust it? What has this customer actually done across email and web? What have they bought? Which segments are they in? Answering those means leaving the page — Data Explorer, the query workbench, a SQL editor, and a colleague who knows the segment membership table names.

Unified Profile 360 replaces the destination of that **View** button with a single page that answers all of it, and shows its working. The search screen is untouched — the same Profile Explorer tab, the same data space and attribute pickers, the same result list. Only what opens afterwards changes.

What the page delivers

- **Reconciled winner values, with the evidence.** Name, unified id, email, phone and address as Identity Resolution reconciled them — and beneath each one, every contributing source record, the winning row marked in green, and a tooltip stating why it won and when it was linked. Trust in the ruleset stops being an article of faith.
- **A true unified engagement timeline.** Email and web engagement for every source individual behind the profile, newest first, with event type, campaign and a filter per event type.
- **Order history at profile level.** Every order with its status, a status filter, and total order value per currency — no mixed-currency arithmetic.
- **Calculated insights in place.** Pick any insight in the org keyed by a unified individual and read its measures and dimensions for this profile, without opening the insight builder.
- **Segment membership without SQL.** Which published segments this profile belongs to, with publish status, schedule, member counts, and a NEW badge on recent joins — previously a manual query against an org-specific membership table.
- **Explore Related Data.** Any DMO related to the individual, directly or one hop away: pick the fields to show, pick the column to match on, and page through the latest 100 rows. Consent, campaign membership, loyalty, cases — all reachable by click.

7

Panels on the
page

21

Packaged
members

5

Apex classes

9

LWC bundles

116

Apex tests

1

Component to
drop

0

Writes to Data
Cloud

ONE PAGE, EVERY RULESET

The page is not bound to a single Unified Individual DMO. It reads the DMO name it is rendered against and derives that ruleset's link and contact-point DMOs at runtime, so **UnifiedIndividual__dlm**, **UnifiedssotIndividualMc__dlm** and any future ruleset all work from the same components with no code change — only a page assignment.

Who should deploy this

- Data Cloud teams whose marketers and analysts need a single trustworthy view of a unified profile.
- Architects who must evidence that an Identity Resolution ruleset is behaving as designed.
- SI partners who want a turn-key profile experience to hand to a customer at go-live.

1.1 Before and after

The search screen is deliberately left alone: the same data space, object, attribute and search controls people already know.




Figure 1 — Profile Explorer search, unchanged by this package.

The standard landing page reached by **View** is a field dump. Winner attributes are stated without any trace of which source record produced them, and engagement, orders and segments are absent.




Figure 2 — The standard Profile Explorer record page: attributes, and little else.

UNIFIED PROFILE 360
DR Divya Reddy
 UnifiedssotIndividualMc_dlm

Identity Resolution Last Run
Jul 30, 2026, 04:09 PM

First Name Divya	Last Name Reddy	Unified Individual Id 3e8a9f779132e9a9d8231dc1fb7a84ae	Unified Email (Winner) divya.reddy@gmail.com	Unified Phone (Winner) -9820000915	Address Line 1 146 Market St	City San Francisco
State/Province California	Postal Code —	Country United States				

Individuals 3 records

SOURCE RECORD	SOURCE	CREATED
REC-0006	UploadedFiles	Jun 25, 2026
SFMC-X06	SFMC7236752	Jun 29, 2026
003Kh0001vPDYzIA0	Salesforce_Home	Jun 25, 2026

All Emails 3 records

SOURCE RECORD	SOURCE	CREATED
003Kh0001vPDYzIA0	Salesforce_Home	Jun 25, 2026
REC-0006	UploadedFiles	Jun 25, 2026
SFMC-X06	SFMC7236752	Jun 29, 2026

Why this record is the winner

- Winning value: the reconciled name on the unified record.
- The unified record is attributed to this source record by the ruleset.
- 3 of 3 contributing records carry this value.
- Contributing source systems: UploadedFiles, SFMC7236752, Salesforce_Home.
- The green row was linked to this profile on Jun 25, 2026—the date in its Created column.

The value itself is read from the unified record, so it is whatever your Identity Resolution reconciliation rule produced. That rule definition is not exposed to the API, so the green row is the source record the unified record is attributed to, falling back to the most recent record carrying the value.

Engagement Timeline

All (3) Email (0) Web (3) Video Play

- Video Play** Nov 27, 2026, 02:08 AM
https://www.salesforce.com/resources/whitepaper
- Video Play** Oct 06, 2026, 06:50 PM
https://www.salesforce.com/contact-us
- Video Play** Sep 22, 2026, 04:08 AM
https://www.salesforce.com/products/data-cloud

Sales Order Timeline All statuses

Figure 3 — Unified Profile 360. Winner values in the header; below them every contributing record, the winning row in green, and the reason it won.

All Emails 3 records

SOURCE RECORD	SOURCE	CREATED	VALUE
003Kh0001vPDYzIA0	Salesforce_Home	Jun 25, 2026	divya.reddy@gmail.com WINNER
REC-0006	UploadedFiles	Jun 25, 2026	divya.reddy@gmail.com
SFMC-X06	SFMC7236752	Jun 29, 2026	divya.reddy@gmail.com

All Phone Numbers 1 record

SOURCE RECORD	SOURCE	CREATED	VALUE
003Kh0001vPDYzIA0	Salesforce_Home	Jun 25, 2026	-9820000915 WINNER

All Addresses 3 records

SOURCE RECORD	SOURCE	CREATED	VALUE
003Kh0001vPDYzIA0	Salesforce_Home	Jun 25, 2026	—
CPA-0011	UploadedFiles	Jul 28, 2026	4209 Park Lane, Bangalore, Karna
CPA-0012	UploadedFiles	Jul 28, 2026	146 Market St, San Francisco, Cali

Calculated Insights

Insight Object
Cg Monthly Count

Engagement Timeline

Form Submit Jun 27, 2026, 02:21 AM
https://www.salesforce.com/demo-request

Form Submit Jun 27, 2026, 02:19 AM
https://www.salesforce.com/home

Form Submit Jun 27, 2026, 02:17 AM
https://www.salesforce.com/products/marketing-cloud

Email Sent Jun 24, 2026, 01:37 AM
@ New Product Launch

Email Open May 06, 2026, 07:25 AM
@ Welcome to the Platform

Email Sent May 05, 2026, 05:29 AM
@ Welcome to the Platform

Email Sent Jan 17, 2026, 05:41 PM
@ Exclusive Offer Just for You

Email Open Jan 17, 2026, 11:47 AM
@ Welcome to the Platform

Sales Order Timeline All statuses

Total Order Value
£55,884.05 €53,610.30 across 5 orders

ORD-2025-1032 **£41,610.95**
May 12, 2026 · Reseller **Placed**

Figure 4 — Email, phone and address breakdowns beside the unified engagement timeline and the sales order timeline with its status filter and per-currency total.




Figure 5 — Calculated insight measures for this profile, and the segments it belongs to with publish status and schedule.




Figure 6 — Explore Related Data: choose a DMO, the columns to show and the column to match on. No SQL, no separate workbench.

2. Solution Architecture

How a page finds its profile, which DMOs it reads, and why it stays inside governor limits.

2.1 The surface

Profile Explorer's **View** link stays on the **standard-ProfileExplorer** tab and hands over `c__id` and `c__objectName`. The only supported hook for that destination is a **CDP Record Page**, activated per unified DMO. Because the search screen is the same tab rendered *without* those parameters, replacing the landing page leaves search untouched.

WHY AN AURA SHELL WRAPS THE LWCs

A Lightning web component has no target value for a CDP record page, so custom LWCs never appear in that page's palette. Aura components implementing **flexipage:availableForAllPageTypes** do appear. The package therefore ships one thin Aura shell, **dcProfileLayout**, which receives **recordId** and **sObjectName** through **force:hasRecordId** / **force:hasSObjectName** and passes them to the LWC that arranges all eight panels. It is the single component you drop, and the only one this package adds to the palette.

WHY NO LIGHTNING PAGE IS PACKAGED

A CDP record page must name one concrete DMO. Packaging a page bound to `UnifiedIndividual__dlm` makes the whole package refuse to install in any org whose ruleset produces a different name — `UnifiedssotIndividualTicu__dlm`, for instance — because the page cannot be created against a DMO that is not there. Leaving the page out keeps the install working in every Data Cloud org whatever its rulesets are called. You build the page once after installing, in about five clicks, using Section 9.

2.2 Resolving the record to a unified profile

A CDP record page supplies an 18-character DMO *row id* (qHJ000...), not the 32-character unified id (3e8a9f7791320ea9d8231dc1fb7a84ae) that every downstream query needs. Resolution runs in three steps, each cached for the request:

Step	What happens	Why
1. Page context	The shared dcPageContext module reads <code>recordId</code> and <code>objectApiName</code> from the component attributes, falling back to the URL path <code>/lightning/cdp/<dmo>/<rowId>/view</code> , which is authoritative on a CDP page.	Aura attributes are not always populated on this page type; the URL always is.
2. Row id → unified id	A 32-character hex value is used as-is. Otherwise the row id is validated with Id.valueOf and the unified DMO is queried for <code>ssot__Id__c</code> .	Filtering a Data Cloud object by a malformed id fails inside the query service with an uncatchable exception; validating first turns that into an ordinary one.
3. Unified id → source ids	The ruleset's identity link DMO returns every contributing source record id.	Engagement, orders and related objects key off source ids, not the unified id.

2.3 Resolving the DMO family

Identity Resolution names each ruleset's DMOs by convention. **UnifiedProfileRegistry** derives the whole family from the Unified Individual DMO name on the page, so a new ruleset needs no code change:

```
UnifiedIndividual__dlm → IndividualIdentityLink__dlm, UnifiedContactPointEmail__dlm,
ContactPointEmailIdentityLink__dlm, ...
UnifiedssotIndividualMc__dlm → UnifiedLinkssotIndividualMc__dlm,
```

UnifiedssotContactPointEmailMc__dml, ...

2.4 Read paths

Panel	Reads	Path
Header, identity breakdown	DMO SOQL (cacheable)	Unified individual + unified contact points, then the identity link DMOs and their source records.
Engagement timeline	DMO SOQL (cacheable)	Email engagement matched on <i>both</i> source individual ids and every email address on the profile, then web engagement on source individual ids. Results merge and de-duplicate, newest first.
Sales order timeline	ConnectApi.CdpQuery	ssot__SalesOrder__dml filtered by the profile's ids.
Calculated insights	ConnectApi.CdpQuery	Each __cio is probed once for its unified-individual key column, then read for this profile.
Segments	SOQL + ConnectApi.CdpQuery	Membership table names come from MarketSegment.SegmentMembershipTable ; a window function returns the newest membership row per segment in one query.
Explore Related Data	ConnectApi metadata + CdpQuery	The metadata service supplies the object catalogue and each object's mapped fields; the chosen columns are then queried against the profile's ids.

WHY SOME PANELS ARE NOT CACHEABLE

Calculated insights, orders, segments and the related-data explorer go through **ConnectApi.CdpQuery**, which performs a callout. Apex forbids **cacheable=true** on a method that calls out, so those panels load once per page view while the SOQL-backed panels are client-cached.

2.5 Staying inside the limits

- Every panel calls its own endpoint, so panels load in parallel and paint independently — one slow DMO never blocks the page.
- Source-id fan-out is bulkified into single IN clauses. No SOQL runs inside a loop.
- Every query carries an explicit LIMIT; row counts are design attributes with hard caps (100 rows for related data, 200 segments, 50 insight rows).
- Segment membership is one query for the whole profile, not one per segment, and the newest row per segment is selected inside the query service rather than in Apex.
- A missing or unmapped DMO degrades to an empty panel: queries that reference an unmapped column are retried with a leaner select before the panel gives up.

3. Component Inventory

Every metadata artefact in the package.

Type	Count	Members
ApexClass	10	UnifiedProfileController, UnifiedProfileRegistry, UnifiedInsightController, UnifiedSegmentController, UnifiedDmoExplorerController — each with its test class
AuraDefinitionBundle	1	dcProfileLayout — the shell that makes the layout placeable on a CDP record page
LightningComponentBundle	9	unifiedProfileView, unifiedProfileHeader, unifiedIdentityBreakdown, unifiedEngagementTimeline, unifiedOrderTimeline, unifiedInsightPanel, unifiedSegmentPanel, unifiedDataExplorer, dcPageContext

Total: 20 members across 3 metadata types — one component to drop and the code behind it. The package creates no custom object, stores no data, schedules no job and writes nothing back to Data Cloud.

NO LIGHTNING PAGE IS PACKAGED — ON PURPOSE

Every unified DMO name depends on the Identity Resolution ruleset that produced it, and a CDP record page has to name one. A packaged page bound to `UnifiedIndividual__dln` therefore blocks installation in any org that names its ruleset differently. Shipping none of them keeps the package installable everywhere and makes the procedure identical for every customer: build the page in App Builder, once per ruleset, as described in Section 9.

4. Data Cloud Sources

Read-only. Nothing here is part of the package — all of it already exists in a Data Cloud org with Identity Resolution running.

Object (API name)	Feeds	Notes
<Unified Individual>__dlm	Header, breakdown, id resolution	Whichever DMO the page is rendered against.
<Identity Link>__dlm	Individuals breakdown, all fan-out	Ruleset-specific; supplies the source record ids behind the profile.
<Unified Contact Point>__dlm	Winner email / phone / address	Email, phone and address, per ruleset.
<Contact Point Identity Link>__dlm	Created dates in each breakdown	The date a contact point was linked to the profile.
ssot__Individual__dlm	Source names in the breakdown	Standard source individual.
ssot__ContactPointEmail / Phone / Address__dlm	Source values in each breakdown	Standard source objects.
ssot__EmailEngagement__dlm	Engagement timeline	Matched on source individual ids <i>and</i> on every email address on the profile.
ssot__WebsiteEngagement__dlm	Engagement timeline	Event type falls back across the action, action-status and engagement-type columns.
ssot__BulkEmailMessage__dlm	Campaign names on email events	Optional; absent campaigns simply omit a name.
ssot__SalesOrder__dlm	Sales order timeline	Order number, status, date and grand total per currency.
<ruleset>_Unified_SM* __dlm	Segments panel	Membership tables carry an org-specific numeric suffix; names are read from MarketSegment, never guessed.
*__cio	Calculated insights panel	Every insight in the org keyed by a unified individual id.
Any related DMO	Explore Related Data	Chosen by the user from the metadata catalogue at runtime.

CRM objects read: **MarketSegment** (segment names, publish status, schedule, membership table names), **MktCalculatedInsight** (the insight catalogue) and **IdentityResolution** (the ruleset's last successful run, shown in the page header). All read-only, all in USER_MODE.

5. Apex Class Reference

Five controllers, one per concern, each with a test class.

Class	Role	Key entry points
UnifiedProfileRegistry	Derives a ruleset's DMO family from the Unified Individual DMO name. No queries, fully cached.	resolve(unifiedDmo)
UnifiedProfileController	Header, identity breakdown, engagement and order timelines. Also owns id resolution reused by the other controllers.	getProfileHeader; getIndividualBreakdown; getContactPointBreakdown; getEngagementTimeline; getOrderTimeline; resolveUnifiedIdFor; profileIdentifiers
UnifiedInsightController	Calculated insight catalogue and per-profile values through the query service.	getInsightOptions; getInsightData
UnifiedSegmentController	Segment membership for the profile, joined to segment metadata and publish schedule.	getSegments
UnifiedDmoExplorerController	Runtime DMO catalogue, mapped-field lists and the ad-hoc query behind Explore Related Data.	getRelatedObjects; describeObject; search

5.1 Test classes

Five test classes, 116 tests, every class above 75% coverage. Data Cloud objects cannot be created in a test context and **ConnectApi** cannot be called from one, so the controllers are written with their logic behind pure helpers that take plain maps: the tests drive those helpers directly with synthetic rows, and separately assert that each endpoint degrades to a stated message rather than an exception when the query service is unreachable.

Test class	Covers
UnifiedProfileControllerTest	Winner selection, breakdown assembly, engagement and order shaping, guards
UnifiedProfileRegistryTest	DMO family resolution for default and suffixed rulesets, caching
UnifiedInsightControllerTest	Catalogue parsing, key-column discovery, measure vs dimension split
UnifiedSegmentControllerTest	Membership collection, exit handling, publish schedule rendering, ordering
UnifiedDmoExplorerControllerTest	Metadata parsing, one-hop relationship discovery, column alignment

Coverage on the last verified run: UnifiedProfileRegistry 100%, UnifiedDmoExplorerController 91%, UnifiedInsightController 84%, UnifiedProfileController 81%, UnifiedSegmentController 81%.

6. Lightning Components

Eight panels, a shared context module, and the single Aura shell that carries them onto a CDP record page.

6.1 The one component you drop

Aura component	Palette label	Wraps	Design attributes
dcProfileLayout	Unified Profile Page	unifiedProfileView — the whole arranged layout	none

A CDP record page region is one column wide, so the side-by-side arrangement is built inside the component rather than by the page. **Unified Profile Page** therefore renders all seven panels in their intended positions from a single drop, and needs no configuration — which is why it exposes no design attributes. Row limits and page sizes are set inside **unifiedProfileView** and listed in Appendix A.

6.2 Lightning web components

Bundle	Role
unifiedProfileView	The arranged page: header, breakdown and insights at 60% beside the timelines at 40%
unifiedProfileHeader	Winner name, unified id, email, phone, address, and the last Identity Resolution run
unifiedIdentityBreakdown	Individuals, emails, phones and addresses with winner marking and evidence tooltip
unifiedEngagementTimeline	Email and web events with All / Email / Web tabs and an event-type filter
unifiedOrderTimeline	Orders with a status filter and totals grouped per currency
unifiedInsightPanel	Insight picker, measures in a five-across grid, dimensions as chips
unifiedSegmentPanel	Paged segment list with publish status, schedule and NEW badges
unifiedDataExplorer	DMO picker, field picker, key column, paged results
dcPageContext	Shared module that resolves recordId and objectApiName, URL-first on a CDP page

Every panel is exposed with **lightning__RecordPage** and **lightning__AppPage** targets, so an admin can also place an individual panel on an ordinary Lightning page. Placing them on a CDP record page would need an Aura shell per panel; those are not part of this package.

7. Security Model & Access

No permission sets ship, because nothing new needs permitting.

Every class is declared **with sharing** and every CRM query runs in **USER_MODE**, so a user sees exactly what their profile and sharing rules already allow. The package creates no custom objects holding data, no fields on standard objects, and writes nothing back to Data Cloud.

A user needs	Why
A Data Cloud user licence and access to the Data Cloud app	To reach Profile Explorer at all.
Read access to the Data Cloud objects behind the profile	The panels query DMOs on the user's behalf; anything they cannot read renders as an empty panel.
Read on MarketSegment	Segment names, publish status and membership table names.
Read on MktCalculatedInsight	The calculated insight picker. Without it the picker cannot list the insights in the org and the panel reports that.
Read on IdentityResolution	The "Identity Resolution Last Run" stamp in the header. Without it the header falls back to the record's own last-modified date.

DEGRADE, NEVER BREAK

Each panel is independently guarded. A missing object permission, an unmapped column or an unavailable query service produces an empty panel with a plain-language notice — never a page-level error and never a fabricated value.

8. Installation — Package URL

One-click install through the standard Salesforce package screen. No CLI required.

UNIFIED PROFILE 360 — PACKAGE INSTALL

INSTALL URL

`https://login.salesforce.com/packaging/installPackage.apexp?p0=04tKh000001lRUH`

INSTALLATION PASSWORD **GDC@India**

Package id: **04tKh000001lRUH** • Type: **Unmanaged** • API version: **67.0** • Sandbox: replace **login** with **test** in the URL

- 1 Open the install URL as a System Administrator of the target org.**
For a sandbox use test.salesforce.com. Complete SSO if your org enforces it.
- 2 Enter the installation password: GDC@India**
Case-sensitive and contains an @. Type it manually rather than pasting from rich text, to avoid character substitution.
- 3 Choose Install for Admins Only.**
Recommended. Access is then granted through the profiles and permission sets you already use for Data Cloud.
- 4 Approve any third-party access prompt.**
The package calls no external service; only the standard Lightning component acknowledgement may appear.
- 5 Click Install and wait.**
Typically 30–90 seconds. Salesforce emails the result to the installing admin.
- 6 Verify in Setup → Installed Packages.**
Confirm Unified Profile 360 is listed, then click View Components — 20 members should be present.
- 7 Build the record page (Section 9) and run the smoke tests (Section 11).**
The package ships the components but no page; nothing changes until you create one and assign it.

AFTER INSTALL — DO NOT SKIP

The package contains no Lightning page, so installing it changes nothing on its own. Until you create a CDP record page for your unified individual DMO and assign it as the org default, the **View** button keeps opening the standard page. Section 9.1 takes about five clicks.

9. Page Setup

Build the CDP record page — the one manual step after installing, about five clicks.

9.1 Build the page for your unified individual DMO

The package deliberately contains no Lightning page, because a CDP record page has to name one concrete DMO and that name depends on the Identity Resolution ruleset behind it — `UnifiedIndividual__dlm` on the standard ruleset, `UnifiedssotIndividualMc__dlm` or similar elsewhere. Building the page yourself takes five clicks and works identically for every ruleset: the page reads whichever DMO it is bound to and resolves that ruleset's link and contact-point DMOs at runtime.

1 Setup → Lightning App Builder → New → CDP Record Page → Next.




Figure 7 — Create a new Lightning page and choose **CDP Record Page**.

2 Give the page a label and pick the Data Cloud object.

For example label **Unified Profile 360** and Data Cloud Object Name **Unified Individual** — or the unified individual DMO of the ruleset you are building for. Click **Next**, then choose a template.

Create a new Lightning page

*** Label**

Unified Profile 360

*** Data Cloud Object Name**

Unified Individual 🔍

Back Next

Figure 8 — Label the page and bind it to the unified individual DMO of your ruleset.

3

Drag Unified Profile Page onto the canvas.

It appears in the palette under **Custom**. Search for **Unified Profile Page** — not the LWC names, which a CDP record page never lists. In the builder the panels show empty states, because no profile is in context during preview. Save.

Components

Q Search...

- AI Agent Monitor Entry
- AI Agent Monitor Window
- Einstein - Mockenstein Discover...
- Einstein Builder Mega
- FSL - Asset Details (SDO_FSL_a...
- Personas - Utility
- Platform - Events Bubble Chart
- Platform - Events Chart
- Platform - Events Gauge
- Platform - Events Simulator
- Platform - Google Maps Compon...
- Platform - Notification Console (...)
- Platform - Twitter Feed (SDO_PL...
- Q Insight
- Sales - Activity Scorecard (SDO_...
- SDO_Sales_ToolImageInsertCmp
- SDO_Service_RealTimeChart
- Service - Case Milestones (SDO_...
- Service - Change Tab Label (Cha...
- Service - Omni Channel Status (...)
- Service - Omni CTI Sync (OmniL...
- Tool - Personas - Multi (SDO_To...
- Tool - Rewind (SalesforceRewind)
- Unified Profile Page
- Xdo Tool

Unified Profile Page

Complete unified profile: header, identity breakdown and insights beside the timelines. Supported form factors: desktop and phone.

Custom - Manage View

Unified Individual

UnifiedIndividual__dln

Identity Resolution Last Run: 28 Nov 2025, 14:33

First Name	Last Name	Unified Individual Id	Unified Email (Winner)	Unified Phone (Winner)	Address Line 1
City	State/Province	Postal Code	Country		

Individuals 0 records

No contributing source records found.

All Emails 0 records

No contributing source records found.

All Phone Numbers 0 records

No contributing source records found.

All Addresses 0 records

No contributing source records found.

Calculated Insights

Insight Object: Prompt Template Feedback Reasons

Segments

This profile is not a member of any published segment.

Engagement Timeline

All (0) Email (0) Web (0)

No engagement to display.

Sales Order Timeline

No orders for this unified profile.

Figure 9 — Unified Profile Page dropped on a CDP record page. Empty panels in the builder are expected: no profile is in context yet.

4

Click Activation.

Custom Data Cloud record pages are assigned at org-default level for their object.




Figure 10 — Activation → Org Default → Assign.

5**Review the assignment and Save.**

The new page replaces whatever was the org default for that object — usually CDPDefaultRecordPage.

6**Open Profile Explorer, pick that unified DMO, search, and click View.**

The page opens against your ruleset. The header shows the DMO name under the profile name, so you can always confirm which ruleset you are looking at.




Figure 11 — Setting the new page as the org default for its Data Cloud object.

ONE PAGE PER UNIFIED DMO, ZERO CODE

Repeat 9.1 for every unified individual DMO you want covered. Nothing is duplicated but the page assignment: the same Apex, the same LWCs and the same Aura shell serve every ruleset, resolving the correct link and contact-point DMOs from the DMO name they are rendered against.

9.2 Shortcut for orgs on the standard ruleset

If your org has UnifiedIndividual__dml, a ready-made version of this page is kept in the source repository, outside the package, and can be deployed instead of building it by hand. It is excluded from the package only because it would break installation everywhere else — deploy it only into an org that actually has that DMO:

```
mkdir -p force-app/main/default/flexipages
cp optional/flexipages/Unified_Profile_360.flexipage-meta.xml \
  force-app/main/default/flexipages/
sf project deploy start --metadata FlexiPage:Unified_Profile_360 \
  --target-org TARGET_ORG
```

The page still has to be assigned as the org default afterwards, exactly as in step 4 above.

10. Alternative Deployment — Salesforce CLI & Git

For DevOps pipelines, scratch orgs and source-controlled rollouts.

Prerequisites

- Salesforce CLI v2.x. Install with `npm install -g @salesforce/cli`.
- Target org admin credentials (web login or JWT).
- Target org has Data Cloud provisioned with at least one Identity Resolution ruleset that has run.
- Target org API version $\geq$ 67.0.

Clone and deploy

```
git clone https://github.com/sksurajali-sf/UnifiedProfile360.git
cd UnifiedProfile360
sf org login web --alias TARGET_ORG
sf project deploy start --manifest manifest/package.xml --target-org TARGET_ORG --wait 30
```

Run the tests

```
sf apex run test --target-org TARGET_ORG \
  --tests UnifiedProfileControllerTest --tests UnifiedProfileRegistryTest \
  --tests UnifiedSegmentControllerTest --tests UnifiedInsightControllerTest \
  --tests UnifiedDmoExplorerControllerTest \
  --code-coverage --result-format human --wait 20
```

VALIDATE BEFORE YOU DEPLOY

Run `sf project deploy validate --manifest manifest/package.xml --test-level RunSpecifiedTests --tests UnifiedProfileControllerTest --wait 30` for a check-only dry run against the target org first.

Repository layout

Path	Contents
<code>force-app/main/default/classes</code>	5 controllers + 5 test classes
<code>force-app/main/default/aura</code>	dcProfileLayout
<code>force-app/main/default/lwc</code>	9 Lightning web component bundles
<code>manifest/package.xml</code>	The deployable manifest used above
<code>optional/flexipages</code>	Unified_Profile_360 — ready-made page for standard-ruleset orgs, outside the package on purpose (Section 9.2)
<code>docs/</code>	This guide and its figures

The manifest mirrors the package exactly, so deploying it leaves an org in the same state as installing from the URL in Section 8 — components only, no page. Anything under **optional/** is outside the manifest and is never installed by the package.

11. Validation & Smoke Tests

Confirm the install is healthy before handing over.

11.1 Sanity checks

- Setup → Installed Packages lists **Unified Profile 360**, with 21 components.
- Setup → Lightning App Builder shows **Unified Profile 360** as the org default CDP record page for Unified Individual.
- Data Cloud → Profile Explorer → search → **View** opens the enhanced page; the header paints within a couple of seconds.
- The header shows a name, a unified id and an **Identity Resolution Last Run** stamp.
- At least one row in each breakdown carries a green **WINNER** badge, and the **i** button explains why.
- The engagement timeline lists events newest first; the channel tabs and the event-type filter both change the list.
- The calculated insight picker lists the insights in your org; choosing one paints measures.
- The segments panel lists published segments with a publish status and schedule.
- Explore Related Data lists objects, and a search returns rows whose columns line up with their headings.

11.2 Run the Apex tests

```
sf apex run test --target-org TARGET_ORG \  
  --tests UnifiedProfileControllerTest --tests UnifiedProfileRegistryTest \  
  --tests UnifiedSegmentControllerTest --tests UnifiedInsightControllerTest \  
  --tests UnifiedDmoExplorerControllerTest \  
  --code-coverage --result-format human --wait 20
```

Expect 116 tests, a 100% pass rate, and every class in the package above 75% coverage. The tests use no org data, so they behave identically in a fresh sandbox.

EMPTY PANELS ARE NOT FAILURES

A profile with no web engagement, no orders or no segment membership shows a plain empty state. Validate against a profile you know is rich — several contributing sources, recent engagement and at least one order.

12. Troubleshooting & FAQs

Common symptoms and the fix in each case.

Symptom	Likely cause	Resolution
Install rejects the password.	Case-sensitive, and it contains an @.	Type GDC@India manually rather than pasting it from rich text.
View still opens the standard page.	No CDP record page has been built and assigned yet.	Build one for your unified individual DMO and set it as the org default (Section 9.1). The package ships no page.
Install fails on a DMO name.	An older build packaged a page bound to UnifiedIndividual__dlm, which does not exist when the ruleset uses a custom suffix.	Install the current version, which contains no page at all and so has nothing to bind.
The page is blank after activation.	No component on the page, or the page has no record in context.	Confirm Unified Profile Page sits in a region, and open the page through Profile Explorer rather than a bare URL.
Custom components are missing from the palette.	You are looking for the LWC names.	A CDP record page only lists Aura components. Search the palette for Unified Profile Page , not unifiedProfileView.
Every panel is empty for every profile.	The record id is not resolving to a unified id.	Check the URL is /lightning/cdp/<dmo>/<rowId>/view and that the DMO in it is a unified individual DMO.
Header shows values but the breakdowns are empty.	The ruleset's identity link DMO is not readable.	Grant read on the link DMO for the ruleset; the DMO name appears under the profile name in the header.
Engagement timeline is empty for a profile you know is active.	Events carry an email address but no individual id, or the DMO has unmapped columns.	Both are handled: events are matched on addresses as well as ids, and queries retry with a leaner select. If it persists, confirm the engagement DMO is mapped in this data space.
Calculated insight picker is empty.	No read on MktCalculatedInsight, or no insight is keyed by a unified individual.	Grant read on MktCalculatedInsight and confirm at least one __cio carries a unified individual id column.
An insight says it is not keyed by a unified individual id.	The insight has no unified individual column.	Expected. Such an insight cannot be shown for one profile; it is left out of the picker.
Segments panel says no published segments are built on this DMO.	No segment in the org uses that ruleset.	Confirm in Data Cloud → Segments that at least one published segment targets that unified individual.
Order amounts show as —.	The order carries no grand total in this data space.	Deliberate: no value is fabricated. Confirm the amount columns of ssot__SalesOrder__dlm are mapped.
Explore Related Data lists no objects.	The Data Cloud metadata service is unreachable.	Confirm Data Cloud is provisioned and the user has Data Cloud access; the panel degrades to an empty picker rather than erroring.
Deployment fails on a design attribute.	An earlier version of a component is present with different attributes.	Design attributes cannot be removed once published. Deploy over the existing components rather than deleting and recreating them.

13. Appendix A — Configuration Reference

What an admin controls after install, and the limits the page ships with.

Where	Setting	Default
Lightning App Builder → Activation	Which CDP record page is the org default per unified DMO	Not assigned — you assign it
Engagement timeline	Maximum events fetched / shown before expanding	50 / 10
Sales order timeline	Maximum orders fetched / shown before expanding	25 / 10
Segment membership	Segments per page	5
Related data explorer	Records per page (the search always fetches the latest 100)	5
In-page controls	Channel tabs, event-type filter, order status filter, insight picker, page size	Chosen by the user, not persisted

The four row limits are set where **unifiedProfileView** composes the panels, so a single page-wide change is a one-line edit if you deploy from source. There is no custom setting or custom metadata to populate: the page is configuration-free by design, and everything else it needs it learns from the DMO it is bound to.

Component API names, for scripted assignment

```
Aura: dcProfileLayout (palette label: Unified Profile Page)
LWC: unifiedProfileView, unifiedProfileHeader, unifiedIdentityBreakdown,
      unifiedEngagementTimeline, unifiedOrderTimeline, unifiedInsightPanel,
      unifiedSegmentPanel, unifiedDataExplorer, dcPageContext
```

14. Appendix B — How the winner is decided

What the green row means, and what the tooltip can and cannot tell you.

Identity Resolution publishes the reconciled value, not the rule that produced it. No Metadata API type and no Apex surface returns a ruleset's per-attribute reconciliation rule, so the page never claims to quote one. Instead it marks the single row the evidence points to and states that evidence plainly.

Signal	How it is used
Attributed source record	Where the ruleset publishes ssot__ExternalRecordId__c on the unified record, that source row is the winner outright — the ruleset itself named it.
Unified contact point identity	For email, phone and address, the unified contact point whose id matches the unified individual is preferred, provided it actually carries a value.
Populated over empty	A blank unified contact point never wins over one holding a value; the header and the breakdown badge always agree because both use the same selection.
Contribution count, then id	Where several unified contact points are populated and none is attributed, the one with the most contributing source records wins, with the id as a stable tie-break so the answer never flickers between page loads.
Link date	The tooltip reports the date in the winning row's Created column — the date that contact point was linked to this profile, read from the ruleset's contact point identity link DMO.

WHAT THE TOOLTIP SAYS

The winner tooltip lists the winning value, whether the ruleset attributed the profile to that row, how many contributing records carry the same value, which source systems they came from, and the date the green row was linked to the profile. It closes by stating that the value itself is read from the unified record — whatever your reconciliation rule produced — and that the rule definition is not exposed by the API.

The same honesty runs through the rest of the page: an order with no amount shows a dash rather than a zero, a profile in no segments says so rather than showing an empty grid, and a panel that could not read its data says why.

End of Implementation Guide • Unified Profile 360

Source: <https://github.com/sksurajali-sf/UnifiedProfile360> • Install: 04tKh000001lrUH