Top 200 Brand-Name Drugs by Retail Dollars in 2008

Compiled and Produced by the Njardarson Group (Cornell University): Matthew Brichacek, Nicholas McGrath, Dan Mack, Jón T. Njarðarson A platelet aggregation inhibitor used to A corticosteroid and a bronchodilator A COX-2 inhibitor NSAID used to treat A selective serotonin reuptake inhibitor An antipsychotic used to treat A wakefullness-promoting agent used to treat narcolepsy.

A wakefullness-promoting agent used to treat narcolepsy.

A wakefullness-promoting agent used to treat narcolepsy.

A nantipsychotic used to treat acute treat narcolepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat of treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat of treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat of treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat of treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat and agitation in patients with epilepsy.

A nantipsychotic used to treat and agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A nantipsychotic used to treat acute agitation in patients with epilepsy.

A proposition in patients with epilepsy.

A prop A phosphodiesterase inhibitor used to treat erectile dysfunction.

A proton pump inhibitor used to treat type 2 treat erectile dysfunction.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension.

A proton pump inhibitor used to treat hypertension.

A proton pump inhibitor used to treat type 2 diuretic used to treat hypertension. An immunosuppressant used to prevent liver or kidney transplant rejection.

An NMDA-receptor antagonist used to treat Alzheimer-type dementia.

An aromatase inhibitor used to treat breast cancer.

A bronchodilator and beta-receptor stimulant used to treat COPD. A tumor necrosis factor-blocker used to treat rheumatoid arthritis.

A tumor necrosis factor-blocker used to treat rheumatoid arthritis.

A tumor necrosis factor-blocker used to treat men treat rheumatoid arthritis.

A tumor necrosis factor-blocker used to treat men bacterial infections.

A tumor necrosis factor-blocker used to treat men to treat rheumatoid arthritis.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A tumor necrosis factor-blocker used to treat men to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat men bacterial infections.

A fluoroquinolone antibiotic used to treat and bronchodilator used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolone antibiotic used to treat and bacterial infections.

A fluoroquinolo **106** NovoLog Mix **107 109** Yasmin 28 | 111 Lantus SoloSTAR | 112 Norvir **113** Focalin XR An estrogen and progestin combination used to treat severe acne vulagirs.

A semi synthetic tetracycline derivative used to treat diabetes.

A long-acting insulin analog used to treat bliv.

A protease inhibitor used to treat HIV.

A central nervous system stimulant used to treat ADHD. An immune response modifier used to A mixture of insulin analogs used to An immunomodulator used to treat An estrogen and progestin combination A ß-adrenergic blocking agent used to Two reverse transcriptase inhibitors A long-acting insulin analog used to An opioid analgesic used to manage An antipsychotic used to treat An oxizolidinone antibiotic used to treat A cough-suppressant and antihistamine An antipsychotic used to treat A bisphosphonate used to treat Paget's An opiate analgesic used to treat An antihistamine used to treat nasal A prostaglandin analog used to treat Combination of bronchodialator and A combination of two complementary serious bacterial infections. **144** Humalog Mix A serotonin receptor agonist used to treat migranes.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer.

An antihistamine used to relieve watery, treat prostate cancer. An antibiotic and a drying agent used A fluoroquinolone antibiotic used to treat A bisphosphonate and vitamin D used A serotonin receptor agonist used to A carbonic anhydrase inhibitor and a A dopamine agonist used to treat 173 Micardis HCT **171** Rhinocort Aqua | **172** Temodar Endocet AstraZeneca \$0.18 Billion | 173 \$0.19 Billion | 142 \$0.18 Billion | 191 Boehringer \$0.18 Billion | N/A An orally active angiotensin II antagonist used to treat hypertension.

A retinoid that inhibits sebaceous gland used to treat hypertension.

A retinoid that inhibits sebaceous gland used to treat nodular acne

Three reverse transcriptase inhibitors used to treat HIV.

A muscarinic receptor antagonist used to treat HIV.

An antibiotic and a glucocorticoid used to treat seizures in patients with epilepsy.

A non-nucleoside reverse transcriptase used to treat HIV. A norepinephrine and dopamine reuptake An interferon used to treat chronic An analgesic used to treat severe to

An opeoid analgesic intended for opeoid | A corticosteroid inhaler used to treat | A corticosteroid used to treat nasal 189 Klor-Con **197** Humulin 70/30 **Source Source Source

An antihistamine and a decongestant

An opiate analgesic used to treat

A serotonin receptor agonist used to treat diabetes. An insulin analog used to treat diabetes. A combination of hormones used to treat An insulin analog used to treat diabetes. A bronchodilator used to treat and menopausal symptoms. A combination of hormones used to treat diabetes. A bronchodilator used to treat and menopausal symptoms.

http://drugtopics.modernmedicine.com/drugtopics/data/articlestandard//drugtopics/192009/597083/article.pdf

A chloride channel activator that is used to for chronic constipation.

An opioid analgesic used to treat the symptoms to freat continual breakthrough cancer pain.

An opioid analgesic used to treat the symptoms and allergies.

An opioid analgesic used to treat the symptoms of herpes simplex virus infections.

An opioid analgesic used to manage used for the treatment of to treat nasal symptoms and allergies.

An opioid analgesic used to manage used for the treatment of to treat nasal symptoms and allergies.

An opioid analgesic used to manage used for the treatment of to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.

An opioid analgesic used to treat nasal symptoms and allergies.