

RAINFALL at Glendevon No. 8

County of Clackmannan. Observer Life County Council

River Basin Forth Low. Life bank trib

Snorodon Rain Gauge, by _____

Diameter ...		8		8							
Height		1 0		1 0							
Altitude ...		1721		1721							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...		6.65	3.29	5.11	4.22	4.03	8.60	4.68	9.30	1.61	5.12
February ...		1.58	3.10	5.03	7.0	3.37	6.30	2.96	6.30	1.90	(1.23)
March		8.40	3.68	3.07	1.10	1.03	3.70	5.05	4.65	.85	2.68
April		1.65	2.63	2.98	2.69	6.84	3.16	3.21	1.76	1.06	1.85
May		3.97	5.01	1.82	6.22	6.33	4.10	3.45	1.97	4.85	2.80
June		3.4	2.39	2.37	2.60	1.06	4.66	4.95	5.28	3.18	2.50
July		4.88	5.74	4.36	8.00	2.35	3.35	5.67	5.20	5.20	4.74
August		7.93	3.06	8.10	6.12	4.95	4.23	7.62	7.00	7.15	7.79
September...		2.84	3.11	8.08	7.47	4.00	5.27	8.37	6.15	1.83	6.30
October		6.43	3.10	8.28	5.10	4.73	4.62	7.40	8.70	6.50	7.72
November...		3.63	4.11	2.81	4.33	1.39	6.82	5.45	7.20	6.30	5.67
December...		7.27	4.47	3.48	7.80	3.90	1.98	1.05	3.50	6.40	3.60
TOTALS...		55.57	43.69	55.49	56.35	43.98	56.79	59.86	67.01	46.83	(52.00)

1925. Seems low, but Obs. confirms a.w.
Obs. admits g. may be over exposed Enc 134F f 819174/28

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1921	56°12'41"	3°46'18"					
1925			Blackford	3 1/8 m	N	Blackford	3 m. N.

RAINFALL at 11 Glandewon (Burnfoot Hill) No 8.

County of Blackmannan
1-70th-Lower-Left Bank

Observer H.F. Hodge, C.E.

River Basin H.F. Hodge

Type of Gauge

* Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter	8.										
Height	1. 0.										
Altitude	1721										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	2.86	6.65	4.22	8.06	1.61	4.03	5.07	10.55	6.69	9.4	
February	2.48	21	2.55	1.04	6.30	3.04	4.87	2.47	8.43	2.45	
March	.95	3.48	3.90	2.60	2.69	3.23	2.17	6.20	4.93	4.50	
April	2.52	4.28	2.46	4.97	4.76	1.80	3.70	.87	3.51	5.65	
May	5.27	4.27	1.89	2.55	.62	1.31	2.97	7.63	2.37	1.79	
June	6.50	2.26	2.35	3.15	5.78	2.81	3.93	8.37	3.49	1.22	
July	7.50	6.76	5.11	4.45	1.96	5.35	6.37	7.46	7.50	6.67	
August	3.03	2.70	4.25	5.91	6.04	4.66	3.99	3.77	2.54	2.39	
September	2.40	3.98	2.46	8.03	9.18	4.80	4.65	8.07	2.76	4.37	
October	4.90	7.30	5.41	8.90	11.75	6.17	3.70	9.85	5.53	5.87	
November	11.07	3.81	3.30	2.90	6.46	5.28	1.26	10.98	11.43	7.60	
December	4.36	8.96	2.54	8.84	3.90	6.28	3.67	5.16	3.42	5.10	
TOTALS	53.84	54.66	40.44	61.40	61.05	48.76	46.35	81.38	62.60	48.55	

1931. Gauge overexposed. Observer will move gauge to selected site in Summer 1932.

* Average computed x11/36 from records 1921-32 rejected as 12" low.

11 Gauge overexposed (B.R.) This footnote was printed in B.R. 1939 but presumably was not appropriate from 1934-9. It was deleted 1940-

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

Station No. 5462

RAINFALL at Glendevon (Burnfoot Hill) No. 8. 41

County of Clackmannan Observer H.F. Hodge Esq. C.E.
River Basin 1 - Forth, Lower-Left Bank J.D. Cape Esq. C.E. 1947
Type of Gauge County Engineer, (1947)

Annual Average in. based on years obs. un-weighted. Period of average Ref Five

File No.

Diameter	8"				894	481					
Height	1'0"					1					
Altitude	1721'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	(3.50)	4.50	9.08	9.04	2.83	6.95	6.27	9.64	8.24	4.56	
February	5.70	3.18	7.25	2.88	11.32	4.84	(3.75)	7.15	6.63	5.81	
March	5.96	8.13	3.94	0.61	5.72	5.11	6.45	7.55	2.54	4.81	
April	4.35	4.43	4.22	4.75	2.72	1.67	11.07	4.45	6.76	4.86	
May	4.58	4.68	4.89	4.32	7.67	1.86	4.27	4.82	3.50	2.11	
June	1.51	1.91	5.76	5.80	6.59	4.93	5.54	8.55	1.79	2.79	
July	4.93	4.78	3.48	4.60	4.87	5.76	3.74	6.75	2.46	6.69	
August	6.34	8.84	7.95	4.24	3.05	6.59	.04	12.73	5.26	8.25	
September	2.18	8.56	6.10	4.34	8.23	8.63	5.83	7.45	3.21	11.13	
October	6.18	6.79	12.94	6.77	8.69	0.64	4.42	7.75	6.30	6.70	
November	4.90	1.43	3.35	9.85	1.06	10.15	6.43	4.37	6.01	6.47	
December	5.34	8.98	4.67	9.20	5.76	6.95	3.62	6.72	9.47	2.56	
TOTALS	55.47 M	66.21 M	73.63 M	66.40 M	68.51 M	64.08 M	61.43 M	87.93 M	62.11 M	66.74	

1941 Jan and Feb corr. for snow.
1945 gauge is on open hillside.
1947 Feb. corr. for snow

20004

40004

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge.	Direction
1945	56°12'4"N	3°46'18"W	Blackford	3 1/8 m.	N	Blackford	3 m	N

Station No. 5462

RAINFALL at Glendevon (Burnfoot Hill) No. 8

51

County of Clackmannan Observer County Engineer, Fife.

River Basin Fife Lower-Left Bank-1

Type of Gauge Corless cap 14"

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No.

Diameter ...	8"				894	481					
Height ...	1'0"					1					
Altitude ...	1721					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	6.07	2.84	2.71	4.32	3.47	3.86					
February ...	4.75	1.39	(3.50)	3.60	1.58	3.07					
March ...	3.58	5.89	(2.70)	5.34	1.97	2.20					
April ...	4.53	3.03	3.95	2.28	3.50	1.53					
May ...	2.12	2.10	3.27	5.95	5.39	3.97					
June ...	4.46	-100	-100	4.11	3.17	6.40					
July ...	6.76			3.75	(1.50)	5.07					
August ...	8.63			5.68	(1.75)	6.18					
September ...	5.33			8.77	(4.60)	5.05					
October ...	1.53			11.96	6.21	-100					
November ...	10.73			12.03	2.86	-100					
December ...	10.07	-100	-100	9.60	10.76	-100					
TOTALS ...	68.56	-100	-100 inc	77.39	46.76	-100					
	M		n.p.	n.p.	NP. low	n.p.					

1952 gauge "Readup discontinued".
1955 22/7 Insp Mr Thomson over condy. leaky; to be repaired. Incl wire rope fence on slope down to N.
g. is overpaid & too near hill top. Gauge in all districts except W. & S.
New site chosen off 100' E. in fairly open space. Alt. 1721. Old g. to be paid for by W. & S.
1954 n.p. gauge leaking
30004
Input new read out next serial No 11458

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 27/901.036

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

	1910-19	1920-30	1931-40	1941-50	1951-60
Record D, or d		C 21	✓	✓	
		-	-	-	

Station No. 5462/1

51

RAINFALL at Glendevon (Burnsfoot Burn) n.g.

County of CLACKMANNAN Observer County Engineer, Fife

River Basin FORTH - lower - left bank - 1.

Type of Gauge.....

Annual Average 1.7 in. based on 17 years obs. un-weighted. Period of average..... Ref.....

File No.....

Diameter ...			894	510			8"				
Height ...				1			1' 0"				
Altitude ...				51			1250'			1450	
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...						-100	8.60	5.54	1.78	6.85	
February ...							5.73	4.39	3.41	7.45	
March ...							6.84	1.83	5.80	4.28	
April ...							3.36	4.86	5.32	4.62	
May ...							3.04	4.90	1.58	3.58	
June ...							2.49	4.51	4.60	3.68	
July ...							7.43	5.18	7.04	5.47	
August ...							6.57	6.02	3.03	5.10	
September ...						-100	2.67	8.36	1.38	4.28	
October ...						3.78	5.27	2.84	6.60	7.55	
November ...						1.55	2.88	2.67	10.21	8.57	
December ...						7.17	8.24	10.99	13.87	9.23.	
TOTALS ...						-100 inc.	63.12 M	62.09 M	64.62 M	70.66 M	

Position of Station on Ordnance One-Inch map : No. of Map..... National Grid Reference 27/948237

Date.	Lat. N.	Long.	Railway Station.	Distance	Direction	Parish Church.	Distance	Direction
				from gauge			from gauge.	

Summary of Earlier Records from 10-year Sheets :

	1910-19	1920-30	1931-40	1941-50	1951-60
Record D, or d					