

12	11	10	9	8	7	▼	6	5	4	3	2	1	
					REVISION HISTORY-ALL SHEETS ARE THE SAME STATUS								
					REV	ZONE	DESCRIPTON			DCN / ECN NO.		DATE	APPD
					01	-	New Release			-		12/02/2024	Kenneth_Hu

EU, Non-console, table 1

F/G P/N	MODEL Description	REGULATORY	FIRMWARE P/N	FIRMWARE Ver.	FCI SPEC	FCI NO.	EAN/UPC	UNIT ASSY P/N	PRODUCT CODE	PCBA PRODUCT CODE	AABB	CCCC
F810594322200	MBU-MF4322	CE	TBD	Factory FW version:MF4322-11.5.1.1f-FACT Customer FW version:MF4322-11.5.1.1f-NOSH	PS-MF4322-01-B	591	4715309382837	C810594322200	6290	5282	3371	0591

Factory P/N
74Y0G000010

BOM


Item	CBN Part NO.	Part Description	QTY.	CMT.
Paper board	1470400000092	R01 PAPER BOARD 408x247mm MF4322 YUEN FOONG YU	0.334	101
Partition A	1470400000093	R01 PARTITION A 408x136mm MF4322 YUEN FOONG YU	0.334	102
Partition B	1470400000094	R01 PARTITION B 136x247mm MF4322 YUEN FOONG YU	1.167	103
Carton	1470000000164	R01 CARTON 418x257x170mm MF4322 YUEN FOONG YU	0.167	104
Paper sleeve	1479900000001	R01 PAPER SLEEVE Moisture-proof paper 135x400mm MF4322 YUEN FOONG YU	1	105
Seal sticker	1462000000149	R01 LABEL Seal Sticker 30x10mm MF4322 WARTON	1	106
Warning label	1464000000028	R01 WARNING LABEL (Warranty Void if Broken) 8x8mm MF4322 WARTON	1	107
Carton label	1462000000139	R02 Carton LABEL 150x100mm WARTON	0.167	108
Pallet	1471500000011	R01 PALLET EURO 1200x800x145mm EPM	0.005	109
Adapter	1311001820009	R04 ADP 18W 100~240Vac 12V/1.5A EU 2.5/6.3mm Black 0135064Q900R FRECOM	1	110

DESIGN By Dian_Ku		 鎂寶科技股份有限公司 COMPAL BROADBAND NETWORKS, INC.		
DRAWN By Sally_Chuang		DWG TITLE Fixed Wireless F/G FW 4322 EU 059 EU LGI Non-Console		
APPROVED By Kenneth_Hu				
SIZE: A3	SCALE: 1:1	MODEL NAME MF4322	DWG NO. F810594322200	REV. 01
		DATE : 12 / 02 / 2024	SHEET 1 of 7	

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF COMPAL BROADBAND NETWORKS, INC. AND SHALL NOT BE REPRODUCED OR COPIED OR TRANSFORMED TO ANY OTHER FORMAT WITHOUT PRIOR PERMISSION OF COMPAL BROADBAND NETWORKS, INC..

12	COMPUTER GENERATED PRINT DO NOT SCALE DO NOT REVISE MANUALLY	10	9	8	7		6	5	4	3	2	1
----	--	----	---	---	---	---	---	---	---	---	---	---

BOX & CONTENTS ASSEMBLY




REFER TO SHEET 1 OF THIS PRINT FOR REVISION HISTORY, COPYRIGHT NOTICE AND FULL TITLE BLOCK INFORMATION	DWG NO. F810594322200	REV. 01
	SHEET 2 of 7	


PALLET ANALYSIS EU

EU Pallet Ship by (1200x800 mm)	Sea 20" Container Q'ty (Maximum High 2270 mm)		Sea 40" Container Q'ty (Maximum High 2270mm)	
Q'ty per Carton	6			
Carton Q'ty per Layer	7			
Carton Layers	5			
1 Pallet Q'ty	210			
Pallet Layers	1	2	1	2
Pallets	11		24	
Total Q'ty	2310	4620	5040	10080


40" Container (1200 x 800 pallet)



20" Container (1200 x 800 pallet)



For carton layers, illustration purposes only.
For detailed layers information, please refer to the table on the left.



REFER TO SHEET 1 OF THIS PRINT FOR
REVISION HISTORY, COPYRIGHT NOTICE
AND FULL TITLE BLOCK INFORMATION

DWG NO. F810594322200


REV.
01

SHEET 3 of 7

VIEW A

Chassis Label 84 x 39 mm

The distance between printing and edge of label is 3 mm
(indicated by dotted lines) 印刷與貼紙離邊間距為 3 mm



1) Generation Rule		
Print Type	Label Item	Description
Helvetica Neue Condensed Bold 6 pt Helvetica Regular 6pt	LAN MAC	1.1 LAN MAC Digit definition 1.1.1 The value is assigned by BCD Test station. 1.1.2 MAC 是 12 碼十六進制字串 (由 0、1、2、3、4、5、6、7、8、9、A、B、C、D、E、F 組成)。
	S/N	1.1 S/N Digit definition 1.1.1 SHPMYDDD0000 1.1.2 S/N 是 12 碼組成
	IMEI	1.1 IMEI Digit definition 1.1.1 會從 CBN Board level station 讀取板子資料導入資料庫後，會在印 chassis label 時從資料庫取出該機台資料 1.1.2 IMEI 是 15 碼組成
1.2 Bar code definition 1.2.1 Use the 'CODE 128' font and follow the 128 hex decimal encoded barcode protocol where specified. 1.2.2 The device label Barcode width MUST be 28mm and a minimum height of 3.81mm. 1.2.3 The Barcode MUST have a white perimeter around the barcode which is wide enough so that the scanner does not confuse the edge as part of the code. 1.2.4 The barcode MUST be readable by both LED and Laser readers.		

1.1.3 S/N Digit Description Example			
Digit Number	Digit type	Description	Example
1	S	Supplier code. "D" for Compal	D
1	H	Hardware version. "A" for new HW - Any change to be handled via CR.	A
1	P	Production location. "L" for Taiwan	L
1	M	Model code. "V" for MBU	V
1	Y	Year of built	3: Year 2023
3	DDD	Day of built	092:April 2, 2023 is the 92nd day of the year 2023
4	0000	Unique serial number. random unique number that day of production	A123/0999

VIEW B

CARTON Label 100 x 150 mm

The distance between printing and edge of label is 3 mm
(indicated by dotted lines) 印刷與貼紙離邊間距為 3 mm

100 mm

150 mm

MODEL NAME:MF4322
MODEL NUMBER:MF4322
PRODUCT DESCRIPTION:
SKU NUMBER:
SW RELEASE:
FCI NO:

P/N:
QTY
EAN CODE

Date/Time that modem was assembled
Date:day/month/year
Time:XX:XX

WEIGHT:
XXX LBS
XXX KGS

ASSEMBLED IN VIETNAM

01 SN:XXXXXXXXXXXX
02 SN:XXXXXXXXXXXX
03 SN:XXXXXXXXXXXX
04 SN:XXXXXXXXXXXX
05 SN:XXXXXXXXXXXX
06 SN:XXXXXXXXXXXX

01 SN:XXXXXXXXXXXX
02 SN:XXXXXXXXXXXX
03 SN:XXXXXXXXXXXX
04 SN:XXXXXXXXXXXX
05 SN:XXXXXXXXXXXX
06 SN:XXXXXXXXXXXX

Carton No.
YJJJTTTTTSSMM

MODEL NAME:MF4322
MODEL NUMBER:MF4322
PRODUCT DESCRIPTION:
SKU NUMBER:
SW RELEASE:
FCI NO:

P/N:
QTY
EAN CODE

Date/Time that modem was assembled
Date:day/month/year
Time:XX:XX

WEIGHT:
XXX LBS
XXX KGS

ASSEMBLED IN VIETNAM

Carton No.
YJJJTTTTTSSMM

1) General Label items			
Print Type	Label Item	Description	Example
Arial Regular 8 pt	MODEL NAME	Fixed text:MF4322	
	MODEL NUMBER	Fixed text:MF4322	
	SKU NUMBER	Fixed test:MF4322	
	SW RELEASE	The readout version number in the 'FIRMWARE Ver.' column of Table 1	Factory FW version:MF4322-11.5.1.1f-SH Customer FW version:MF4322-11.5.1.1f-NOSH The Firmware Revision should be: MF4322-11.5.1.1f-SH
	FCI NO:	Fixed text:591	
Arial Regular 10 pt	QTY	Fixed text:6	
	Item	Date/Time that modem wa assembled	
	Date :	dd/mm/yyyy	
	Time:	hh:mm	
	WEIGHT:	XX LBS XX LBS	
	ASSEMBLED IN	Fixed:VIETNAM	

2) Generation Rule			
Print Type	Label Item	Description	Example
Arial Regular 10 pt	P/N:	2.1 P/N Digit definition 2.1.1 Refer to Table 1 column "F/G P/N" 2.1.2 S/N 是 13 碼組成	
	S/N:	2.1 S/N Digit definition 2.1.1 SHPMYDDD0000 2.1.2 S/N 是 12 碼組成	
2.2 Bar code definition 2.2.1 Use the 'CODE 128' font and follow the 128 hex decimal encoded barcode protocol where specified. 2.2.2 Ensure that Barcodes can be scanned with mobile phones and scanners. (條碼需保證手機和掃描槍均可掃描)			

2.1.3 S/N Digit Description Example			
Digit Number	Digit type	Description	Example
1	S	Supplier code. "D" for Compal	D
1	H	Hardware version. "A" for new HW - Any change to be handled via CR.	A
1	P	Production location. "L" for Taiwan	L
1	M	Model code. "V" for MBU	V
1	Y	Year of built	3: Year 2023
3	DDD	Day of built	092:April 2, 2023 is the 92nd day of the year 2023
4	0000	Unique serial number. random unique number that day of production	A123/0999

1

2

1

1

1

0

9

8

7

6

5

4

3

2

1

3) EAN CODE Bar code Definition

Print Type	Label Item	Description	Example
Arial Regular 10 pt	EAN CODE	EAN CODE Bar code definition 3.1.1 Refer to Table 1 column "EAN/UPC" 3.1.2 EAN CODE 是 13 碼組成	

3.2 Bar code definition
3.2.1 Use the 'EAN-13' font
3.2.2 Ensure that Barcodes can be scanned with mobile phones and scanners.
(條碼需保證手機和掃描槍均可掃描)

4)Carton No Generation Rule

Print Type	Label Item	Description	Example
Arial Regular 10 pt	Carton No.	4.1 Carton No Digit definition 4.1.1 YJJJTTTTSSMM 4.1.2 Carton No 是 13 碼組成	

4.2 Bar code definition
4.2.1 Use the 'CODE 128' font and follow the 128 hex decimal encoded barcode protocol where specified.
4.2.2 Ensure that Barcodes can be scanned with mobile phones and scanners.
(條碼需保證手機和掃描槍均可掃描)

4.1.3 Carton No. Digit Description Example

Digits	Digit type	Description	Example
1	Y	Year. Last digit of the year	3: Year 2023
3	JJJ	Julian Day of the year, 001 to 366 days (for leap year)	001: January1
5	TTTTT	Serial Number 00001-99999 reset daily	00001: Sequential number to be unique number
2	SS	Family ID • CM01 (CD): Data cable modem • CM02 (CG): Cable gateway • CM03 (CH): Cable voice gateway • CM04 (CV): Data cable modem w/ voice • CM05 (AP): Router • CM06 (RGW): Residential gateway • CM07 (ETC): Set-top box/ others	
2	MM	Manufacture site code • 81: CDE • 82: TWOWING • 83: 協益 • 84: EMPLUS • 85: FLEX • 86: TELEPLAN • 87: ATOP • 88: CHV • 89: KC	

REFERT TO SHEET 1 OF THIS PRINT FOR
REVISION HISTORY, COPYRIGHT NOTICE
AND FULL TITLE BLOCK INFORMATION

DWG NO. F810594322200

REV.
01

SHEET 6 of 7

1

2

COMPUTER GENERATED PRINT
DO NOT SCALE
DO NOT REVISE MANUALLY

1

0

9

8

7

6

5

4

3

2

1

VIEW C

PALLET Label 100 x 150 mm The distance between printing and edge of label is 3 mm
(indicated by dotted lines) 印刷與貼紙離邊間距為 3 mm

150 mm

100 mm

BATCH:XXXX

Recipient:LGI

SHIPPING DATE:
DD/MM/YY-HH/MM/SS

DELIVER ADDRESS:
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX

Model Name:
MF4322

Model Number:
MF4322

SKU Number:
XXXXX

Delivery Note Number:
CODCXXXXXX

Pallet ID:
PL-NEYDXXXXXX

SUPPLIED BY:

PALLET
QTY
XXX

QTY
CONTENTS
XXX

NET
WEIGHT
XXX

BATCH:XXXX
Recipient:LGI

SHIPPING DATE:
DD/MM/YY-HH/MM/SS

DELIVER ADDRESS:
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX

Model Name:
MF4322

Model Number:
MF4322

SKU Number:
XXXXX

Delivery Note Number:
CODCXXXXXX

Pallet ID:
PL-NEYDXXXXXX

SUPPLIED BY:

PALLET
QTY
XXX

QTY
CONTENTS
XXX

NET
WEIGHT
XXX

1) General Label items			
Print Type	Label Item	Description	Example
Arial Regular16 pt	BATCH:	Manufacturing and warehousing date: MMDD	July 13, 2016 manufacturing and warehousing date→ "0713"
Arial Regular12pt	Recipient:	Fixed text:LGI	
Arial Regular 10 pt	SHIPPING DATE:	DD/MM/YY-HH/MM/SS	
	DELIVER ADDRESS	Shipping Plan	
	Model Name	Fixed text:MF4322	
	Model Number	Fixed text:MF4322	
	SKU Numner		
	Delivery Note Number		
Arial Regular/ Bold 10 pt	PALLET QTY	Carton number	
Arial Regular/ Bold 10 pt	QTY CONTENTS	Units number	
Arial Regular/ Bold10 pt	NET WEIGHT	Weight without pallet	
Arial Regular10 pt	Item	SUPPLIED BY:	

2)Pallet ID Generation Rule			
Print Type	Label Item	Description	Example
Arial Regular 10 pt	Carton No.	2.1 Pallet ID Digit definition 2.1.1 NEYYDDDMXXXX 2.1.2 Pallet ID 是 12 碼組成	
2.2 Bar code definition 2.2.1 Use the 'CODE 128' font and follow the 128 hex decimal encoded barcode protocol where specified. 2.2.2 Ensure that Barcodes can be scanned with mobile phones and scanners. (條碼需保證手機和掃描槍均可掃描)			

2.1.3 Pallet ID Digit Description Example			
Digits	Digit type	Description	Example
1	N	Fixed value: N	
1	E	Fixed value: E	
2	YY	Year, last two digit of the year	23=2023, 24=2024...
3	DDD	Julian Day of the year, 001 to 366 days (for leap year)	
1	M	Manufacture site code • 0: CDE • 1: TWOWING • X: 協益 • 3: EMPLUS • 2: FLEX • 4: TELEPLAN • 5: ATOP • 6: CHV • 7: KC	
4	XXXX	Serial Number 0001-9999 reset daily	0001: Sequential number to be unique number

REFER TO SHEET 1 OF THIS PRINT FOR
REVISION HISTORY, COPYRIGHT NOTICE
AND FULL TITLE BLOCK INFORMATION

DWG NO. F810594322200

REV.
01

SHEET 7 of 7