

APARNA B. S

Department of Science and Humanities



#### **SEQUENCES AND SERIES**

Aparna B. S

Department of Science and Humanities

# PES UNIVERSITY ONLINE

#### **Class Content**

- Basic concepts and definitions
- Sequences of real numbers
- Limit of a sequence
- Convergence and Divergence of a sequence
- Examples using the definition of Limit

## PES UNIVERSITY ONLINE

## **Basic Concepts and Definitions**

 $1. \\ Sequences \ play \ an \ important \ role \ in \ many \ areas \ of \ Engineering$ 



- 1. Sequences play an important role in many areas of Engineering
- 2. Enables understanding patterns in numbers.



- $1.\mathsf{Sequences}$  play an important role in many areas of Engineering
- 2. Enables understanding patterns in numbers.
- $\ensuremath{\mathsf{3}}.$  Helps in understanding convergence or a sequence of numbers.



- 1. Sequences play an important role in many areas of Engineering
- 2. Enables understanding patterns in numbers.
- 3. Helps in understanding convergence or a sequence of numbers.
- 4. Lays a foundation for understanding series of terms.



- 1. Sequences play an important role in many areas of Engineering
- 2. Enables understanding patterns in numbers.
- 3. Helps in understanding convergence or a sequence of numbers.
- 4. Lays a foundation for understanding series of terms.
- 5. Helps in deciding the convergence or divergence of a series.

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

1.A sequence is merely a collection of numbers that are assigned a specific order.

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

- 1.A sequence is merely a collection of numbers that are assigned a specific order.
- 2. List/Collection could be a finite or an infinite list.

For example:  $\{2, 4, 6, 8, 10\}$  is a finite sequence.

 $\{1,2,3,4,\cdots\infty\}$  is an infinite sequence.

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

- 1.A sequence is merely a collection of numbers that are assigned a specific order.
- 2. List/Collection could be a finite or an infinite list. For example:  $\{2,4,6,8,10\}$  is a finite sequence.  $\{1,2,3,4,\cdots\infty\}$  is an infinite sequence.
- 3.  $\{a_1, a_2, a_3, \cdots\}$  is a sequence.

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

- 1.A sequence is merely a collection of numbers that are assigned a specific order.
- 2. List/Collection could be a finite or an infinite list. For example:  $\{2,4,6,8,10\}$  is a finite sequence.  $\{1,2,3,4,\cdots\infty\}$  is an infinite sequence.
- 3.  $\{a_1, a_2, a_3, \cdots\}$  is a sequence.

# PES UNIVERSITY ONLINE

## **Sequence of real numbers**

In this course, we study sequences of real numbers, where the index set I is the set of natural numbers  $\mathbb{N}$ .

1. Collection of numbers is indexed by natural numbers.

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

In this course, we study sequences of real numbers, where the index set I is the set of natural numbers  $\mathbb{N}$ .

- 1. Collection of numbers is indexed by natural numbers.
- 2. Sequence of terms are denoted by  $(a_i)$  or  $\langle a_i \rangle$  or  $\{a_n\}_{n=1}^{n=\infty}$ .

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

In this course, we study sequences of real numbers, where the index set I is the set of natural numbers  $\mathbb{N}$ .

- 1. Collection of numbers is indexed by natural numbers.
- 2. Sequence of terms are denoted by  $(a_i)$  or  $(a_i)$  or  $\{a_n\}_{n=1}^{n=\infty}$ .
- 3. Each  $a_i \in \mathbb{I}$  where  $\mathbb{I} \in \mathbb{N}$  or  $\mathbb{I} \in \mathbb{R}$  or  $\mathbb{I} \in \mathbb{C}$

## PES UNIVERSITY ONLINE

## Sequence of real numbers

In this course, we study sequences of real numbers, where the index set I is the set of natural numbers  $\mathbb{N}$ .

- 1. Collection of numbers is indexed by natural numbers.
- 2. Sequence of terms are denoted by  $(a_i)$  or  $(a_i)$  or  $\{a_n\}_{n=1}^{n=\infty}$ .
- 3. Each  $a_i \in \mathbb{I}$  where  $\mathbb{I} \in \mathbb{N}$  or  $\mathbb{I} \in \mathbb{R}$  or  $\mathbb{I} \in \mathbb{C}$
- \*\* The sequence of real numbers  $\{a_n\}$  need not begin with the index n=1.

# PES UNIVERSITY ONLINE

## Sequence of real numbers

$$\left\{ \frac{1}{n} \right\}_{n=1}^{n=\infty} = \left\{ \underbrace{1}_{\text{when n=1}}, \underbrace{\frac{1}{2}}_{\text{when n=2}}, \underbrace{\frac{1}{3}}_{\text{when n=3}}, \underbrace{\frac{1}{4}}_{\text{when n=4}}, \cdots \right\}.$$

$$\left\{ \frac{n^2 + 1}{2n + 3} \right\}_{n=0}^{n=\infty} = \left\{ \underbrace{\frac{1}{3}}_{\text{when n=0 when n=1 when n=2 when n=3}}, \underbrace{\frac{5}{7}}_{\text{yhen n=2 when n=3}}, \underbrace{\frac{10}{9}}_{\text{yhen n=3}}, \cdots \right\}.$$

$$\left\{ \begin{array}{l} \{a_n\} = \{n^{th} \text{digit of 'e' }\} = \\ \\ \left\{ \begin{array}{l} 2 \\ \text{first digit of 'e' second digit of 'e' third digit of 'e' fourth digit of 'e'} \end{array} \right\}. \end{aligned} \right.$$

# PES UNIVERSITY ONLINE

## Sequence of real numbers

$$\left\{ \frac{1}{n} \right\}_{n=1}^{n=\infty} = \left\{ \underbrace{1}_{\text{when n=1}}, \underbrace{\frac{1}{2}}_{\text{when n=2}}, \underbrace{\frac{1}{3}}_{\text{when n=3}}, \underbrace{\frac{1}{4}}_{\text{when n=4}}, \cdots \right\}.$$

$$\left\{ \frac{n^2 + 1}{2n + 3} \right\}_{n=0}^{n=\infty} = \left\{ \underbrace{\frac{1}{3}}_{\text{when n=0 when n=1 when n=2 when n=3}}, \underbrace{\frac{5}{7}}_{\text{yhen n=2 when n=3}}, \underbrace{\frac{10}{9}}_{\text{yhen n=3}}, \cdots \right\}.$$

$$\left\{ \begin{array}{l} \{a_n\} = \{n^{th} \text{digit of 'e' }\} = \\ \\ \left\{ \begin{array}{l} 2 \\ \text{first digit of 'e' second digit of 'e' third digit of 'e' fourth digit of 'e'} \end{array} \right\}. \end{aligned} \right.$$

# PES UNIVERSITY ONLINE

## Sequence of real numbers

$$\left\{ \frac{1}{n} \right\}_{n=1}^{n=\infty} = \left\{ \underbrace{1}_{\text{when n=1}}, \underbrace{\frac{1}{2}}_{\text{when n=2}}, \underbrace{\frac{1}{3}}_{\text{when n=3}}, \underbrace{\frac{1}{4}}_{\text{when n=4}}, \cdots \right\}.$$

$$\left\{ \frac{n^2 + 1}{2n + 3} \right\}_{n=0}^{n=\infty} = \left\{ \underbrace{\frac{1}{3}}_{\text{when n=0 when n=1 when n=2 when n=3}}, \underbrace{\frac{5}{7}}_{\text{yhen n=2 when n=3}}, \underbrace{\frac{10}{9}}_{\text{yhen n=3}}, \cdots \right\}.$$

$$\left\{ \begin{array}{l} \{a_n\} = \{n^{th} \text{digit of 'e' }\} = \\ \\ \left\{ \begin{array}{l} 2 \\ \text{first digit of 'e' second digit of 'e' third digit of 'e' fourth digit of 'e'} \end{array} \right\}. \end{aligned} \right.$$

# PES UNIVERSITY ONLINE

## Sequence of real numbers

$$\left\{ \frac{1}{n} \right\}_{n=1}^{n=\infty} = \left\{ \underbrace{1}_{\text{when n=1}}, \underbrace{\frac{1}{2}}_{\text{when n=2}}, \underbrace{\frac{1}{3}}_{\text{when n=3}}, \underbrace{\frac{1}{4}}_{\text{when n=4}}, \cdots \right\}.$$

$$\left\{ \frac{n^2 + 1}{2n + 3} \right\}_{n=0}^{n=\infty} = \left\{ \underbrace{\frac{1}{3}}_{\text{when n=0 when n=1 when n=2 when n=3}}, \underbrace{\frac{5}{7}}_{\text{yhen n=2 when n=3}}, \underbrace{\frac{10}{9}}_{\text{yhen n=3}}, \cdots \right\}.$$

$$\left\{ \begin{array}{l} \{a_n\} = \{n^{th} \text{digit of 'e' }\} = \\ \\ \left\{ \begin{array}{l} 2 \\ \text{first digit of 'e' second digit of 'e' third digit of 'e' fourth digit of 'e'} \end{array} \right\}. \end{aligned} \right.$$

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

Some questions to ponder over :

1. Does a general term of a sequece exist ?

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

Some questions to ponder over :

- 1. Does a general term of a sequece exist ?
- 2. To what limiting value does a sequence tend to ?

## PES UNIVERSITY ONLINE

## Sequence of real numbers

Some questions to ponder over :

- 1. Does a general term of a sequece exist?
- 2. To what limiting value does a sequence tend to ?
- 3. Can we say that the terms of a sequence are bounded by a set of numbers ?

## PES UNIVERSITY ONLINE

## **Sequence of real numbers**

Some questions to ponder over :

- 1. Does a general term of a sequece exist?
- 2. To what limiting value does a sequence tend to ?
- 3. Can we say that the terms of a sequence are bounded by a set of numbers ?

Is the sequence increasing / decreasing ?



## **Sequence of real numbers**

Alternatively,

# **Sequence of real numbers**



## **DEFINITION** (Sequence)

A real sequence is an assignment of a real number f(n), to each natural number  $n = 1, 2, 3, \cdots$ .

Alternatively,

# Sequence of real numbers



#### **DEFINITION** (Sequence)

A real sequence is an assignment of a real number f(n), to each natural number  $n = 1, 2, 3, \cdots$ .

Alternatively,

Real sequence:

A function whose domain is the set  $\mathbb{N}$  of natural numbers and the range is a subset of  $\mathbb{R}$ .

# PES UNIVERSITY ONLINE

## **Sequence of real numbers**

## DEFINITION (Sequence)

A real sequence is an assignment of a real number f(n), to each natural number  $n = 1, 2, 3, \cdots$ .

Alternatively,

Real sequence:

A function whose domain is the set  $\mathbb{N}$  of natural numbers and the range is a subset of  $\mathbb{R}$ .

 $n^{th}$  term of a sequence is specified

 $\Rightarrow$  Any number of terms of the sequence can be generated

# **Sequence of real numbers**



#### **DEFINITION** (Range of a Sequence)

The set of all distinct terms of a sequence is called its range.

#### For example:

1. If 
$$x_n = (-1)^n$$
,  $n \in \mathbb{N}$ , then  $x_n = \{-1, 1, -1, 1, -1, \cdots\}$   
The range of the sequence  $x_n = \{-1, 1\}$  is a finite set.

# PES UNIVERSITY ONLINE

## Sequence of real numbers

## **DEFINITION** (Range of a Sequence)

The set of all distinct terms of a sequence is called its range.

#### For example:

1. If  $x_n = (-1)^n$ ,  $n \in \mathbb{N}$ , then  $x_n = \{-1, 1, -1, 1, -1, \cdots\}$ The range of the sequence  $x_n = \{-1, 1\}$  is a finite set.

## **DEFINITION** (Constant sequence)

A sequence  $x_n$  defined by  $x_n = c \ \forall n \in \mathbb{N}$ , where c is any real number is called a constant sequence.

# PES UNIVERSITY ONLINE

## Sequence of real numbers

## **DEFINITION** (Range of a Sequence)

The set of all distinct terms of a sequence is called its range.

#### For example:

1. If  $x_n = (-1)^n$ ,  $n \in \mathbb{N}$ , then  $x_n = \{-1, 1, -1, 1, -1, \cdots\}$ The range of the sequence  $x_n = \{-1, 1\}$  is a finite set.

## **DEFINITION** (Constant sequence)

A sequence  $x_n$  defined by  $x_n = c \ \forall n \in \mathbb{N}$ , where c is any real number is called a constant sequence.

# PES UNIVERSITY ONLINE

## Sequence of real numbers

## **DEFINITION** (Range of a Sequence)

The set of all distinct terms of a sequence is called its range.

#### For example:

1. If  $x_n = (-1)^n$ ,  $n \in \mathbb{N}$ , then  $x_n = \{-1, 1, -1, 1, -1, \cdots\}$  The range of the sequence  $x_n = \{-1, 1\}$  is a finite set.

## **DEFINITION** (Constant sequence)

A sequence  $x_n$  defined by  $x_n = c \ \forall n \in \mathbb{N}$ , where c is any real number is called a constant sequence.

# PES UNIVERSITY ONLINE

## Limit of a Real Sequence

Limit of a sequence:

#### DEFINITION (Limit of a Sequence )

A sequence  $\{a_n\}$  is said to converge to a limit I if for every  $\epsilon > 0$  there exists a natural number N such that  $|a_n - I| < \epsilon$  for all n > N.

# PES UNIVERSITY ONLINE

## Limit of a Real Sequence

Limit of a sequence:

#### DEFINITION (Limit of a Sequence )

A sequence  $\{a_n\}$  is said to converge to a limit I if for every  $\epsilon > 0$  there exists a natural number N such that  $|a_n - I| < \epsilon$  for all n > N.

# PES UNIVERSITY ONLINE

## Limit of a Real Sequence

Limit of a sequence:

#### DEFINITION (Limit of a Sequence )

A sequence  $\{a_n\}$  is said to converge to a limit I if for every  $\epsilon > 0$  there exists a natural number N such that  $|a_n - I| < \epsilon$  for all n > N.

# PES UNIVERSITY ONLINE

## Limit of a Real Sequence

Limit of a sequence:

#### DEFINITION (Limit of a Sequence )

A sequence  $\{a_n\}$  is said to converge to a limit I if for every  $\epsilon > 0$  there exists a natural number N such that  $|a_n - I| < \epsilon$  for all n > N.

# PES UNIVERSITY ONLINE

### Limit of a Real Sequence

- 1. Asserts that given any  $\epsilon>0$ , however small, all the terms of the sequence, except the first  ${\it N}-1$  terms, lie in the interval  $({\it I}-\epsilon,{\it I}+\epsilon)$ .
- 2. The first N-1 terms of the sequence, may be scattered anywhere.
- 3. The choice of  $\epsilon > 0$  decides the number of terms that are left ouside of the interval  $(I \epsilon, I + \epsilon)$ .
- 4. Smaller the value of  $\epsilon$ , larger will be the number of terms that remain outside of the interval  $(I \epsilon, I + \epsilon)$ .

# PES UNIVERSITY ONLINE

### Limit of a Real Sequence

- 1. Asserts that given any  $\epsilon>0$ , however small, all the terms of the se**f** quence, except the first N-1 terms, lie in the interval  $(I-\epsilon,I+\epsilon)$ .
- 2. The first N-1 terms of the sequence, may be scattered anywhere.
- 3. The choice of  $\epsilon > 0$  decides the number of terms that are left ouside of the interval  $(I \epsilon, I + \epsilon)$ .
- 4. Smaller the value of  $\epsilon$ , larger will be the number of terms that remain outside of the interval  $(I \epsilon, I + \epsilon)$ .

# PES UNIVERSITY ONLINE

### Limit of a Real Sequence

- 1. Asserts that given any  $\epsilon>0$ , however small, all the terms of the sequence, except the first N-1 terms, lie in the interval  $(I-\epsilon,I+\epsilon)$ .
- 2. The first N-1 terms of the sequence, may be scattered anywhere.
- 3. The choice of  $\epsilon > 0$  decides the number of terms that are left ouside of the interval  $(I \epsilon, I + \epsilon)$ .
- 4. Smaller the value of  $\epsilon$ , larger will be the number of terms that remain outside of the interval  $(I \epsilon, I + \epsilon)$ .

# PES UNIVERSITY ONLINE

### Limit of a Real Sequence

- 1. Asserts that given any  $\epsilon>0$ , however small, all the terms of the sequence, except the first N-1 terms, lie in the interval  $(I-\epsilon,I+\epsilon)$ .
- 2. The first N-1 terms of the sequence, may be scattered anywhere.
- 3. The choice of  $\epsilon > 0$  decides the number of terms that are left ouside of the interval  $(I \epsilon, I + \epsilon)$ .
- 4. Smaller the value of  $\epsilon$ , larger will be the number of terms that remain outside of the interval  $(I \epsilon, I + \epsilon)$ .



# Convergence of a sequence of real numbers

#### DEFINITION (Convergent sequence)

If  $\lim_{n\to\infty} a_n = l$ , we say that the sequence  $\{a_n\}$  converges to the limit l.



# Convergence of a sequence of real numbers

#### DEFINITION (Convergent sequence)

If  $\lim_{n\to\infty} a_n = l$ , we say that the sequence  $\{a_n\}$  converges to the limit l.



# Convergence of a sequence of real numbers

#### DEFINITION (Convergent sequence)

If  $\lim_{n\to\infty} a_n = l$ , we say that the sequence  $\{a_n\}$  converges to the limit l.



## Convergence of a sequence of real numbers

#### DEFINITION (Convergent sequence)

If  $\lim_{n\to\infty} a_n = l$ , we say that the sequence  $\{a_n\}$  converges to the limit l.

# PES UNIVERSITY ONLINE

## Divergence of a sequence and examples

#### DEFINITION (Divergence of a sequence)

If 
$$\lim_{n\to\infty} a_n = +\infty$$
 or  $-\infty$ , we say that the sequence  $\{a_n\}$  diverges.

- ▶ The sequence  $\{n\}$  diverges to  $\infty$ .
  - For  $\lim_{n \to \infty} n = +\infty$
- ► The sequence  $\{n^3\}$  diverges to  $\infty$ .

For 
$$\lim_{n\to\infty} n^3 = +\infty$$

# PES UNIVERSITY ONLINE

## Divergence of a sequence and examples

#### DEFINITION (Divergence of a sequence)

If 
$$\lim_{n\to\infty} a_n = +\infty$$
 or  $-\infty$ , we say that the sequence  $\{a_n\}$  diverges.

- ▶ The sequence  $\{n\}$  diverges to  $\infty$ .
  - For  $\lim_{n \to \infty} n = +\infty$
- ► The sequence  $\{n^3\}$  diverges to  $\infty$ .

For 
$$\lim_{n\to\infty} n^3 = +\infty$$

# PES UNIVERSITY ONLINE

## Divergence of a sequence and examples

#### DEFINITION (Divergence of a sequence)

If 
$$\lim_{n\to\infty} a_n = +\infty$$
 or  $-\infty$ , we say that the sequence  $\{a_n\}$  diverges.

- ▶ The sequence  $\{n\}$  diverges to  $\infty$ .
  - For  $\lim_{n \to \infty} n = +\infty$
- ► The sequence  $\{n^3\}$  diverges to  $\infty$ .

For 
$$\lim_{n\to\infty} n^3 = +\infty$$

# PES UNIVERSITY ONLINE

## Divergence of a sequence and examples

#### DEFINITION (Divergence of a sequence)

If 
$$\lim_{n\to\infty} a_n = +\infty$$
 or  $-\infty$ , we say that the sequence  $\{a_n\}$  diverges.

- ▶ The sequence  $\{n\}$  diverges to  $\infty$ .
  - For  $\lim_{n\to\infty} n = +\infty$
- ► The sequence  $\{n^3\}$  diverges to  $\infty$ .

For 
$$\lim_{n\to\infty} n^3 = +\infty$$

# **Examples of Convergent sequences**

- ▶ The sequence  $\left\{\frac{1}{n}\right\}$  is a convergent sequence.
  - For,  $\lim_{x \to 0} \frac{1}{x} = 0$ , a finite quantity.
- ► The sequence  $\left\{\frac{1}{n^2}\right\}$  is a convergent sequence. For,  $\lim_{n\to\infty}\frac{1}{n^2}=0$ , a finite quantity.

For, 
$$\displaystyle \lim_{n o \infty} rac{1}{n^2} = 0$$
, a finite quantity

# **Examples of Convergent sequences**

- ▶ The sequence  $\left\{\frac{1}{n}\right\}$  is a convergent sequence.
  - For,  $\lim_{x \to 0} \frac{1}{x} = 0$ , a finite quantity.
- ► The sequence  $\left\{\frac{1}{n^2}\right\}$  is a convergent sequence. For,  $\lim_{n\to\infty}\frac{1}{n^2}=0$ , a finite quantity.

For, 
$$\displaystyle \lim_{n o \infty} rac{1}{n^2} = 0$$
, a finite quantity

# **Examples of Convergent sequences**

- ▶ The sequence  $\left\{\frac{1}{n}\right\}$  is a convergent sequence.
  - For,  $\lim_{x \to 0} \frac{1}{x} = 0$ , a finite quantity.
- ► The sequence  $\left\{\frac{1}{n^2}\right\}$  is a convergent sequence. For,  $\lim_{n\to\infty}\frac{1}{n^2}=0$ , a finite quantity.

For, 
$$\displaystyle \lim_{n o \infty} rac{1}{n^2} = 0$$
, a finite quantity

# **Examples of Convergent sequences**

- ▶ The sequence  $\left\{\frac{1}{n}\right\}$  is a convergent sequence.
  - For,  $\lim_{x \to 0} \frac{1}{x} = 0$ , a finite quantity.
- ► The sequence  $\left\{\frac{1}{n^2}\right\}$  is a convergent sequence. For,  $\lim_{n\to\infty}\frac{1}{n^2}=0$ , a finite quantity.

For, 
$$\displaystyle \lim_{n o \infty} rac{1}{n^2} = 0$$
, a finite quantity



# Problems:

i) 
$$\{1, 2, 3, 4, \dots \}$$
 =  $\{n\}$ 

2) 
$$\{\frac{1}{1}, \frac{1}{2}, \frac{1}{3}, \dots, \infty\} = \{\frac{1}{n}, \frac{1}{n}\}$$

The term:  $\frac{1}{n}$ 

3) 
$$\{2n-1\}$$
 sequence ...  $\{n=1,2...\infty\}$   $\{1,3,5,7,...\infty\}$ 

4) 
$$\frac{2}{n} \frac{n+1}{n} \stackrel{?}{\rightarrow} 2$$
 and  $a_1 = \frac{1+1}{1} = 2$ ,  $a_2 = \frac{2+1}{2} = \frac{3}{2}$ ,  $a_3 = \frac{4}{3}$ 

$$9$$
  $\{2, \frac{3}{2}, \frac{4}{3}, \dots \infty\}$ 



5) 
$$\left\{ \frac{-1}{1}, \frac{1}{2}, -\frac{1}{3}, \frac{1}{4}, \dots, \infty \right\}$$

The term  $= \left\{ (-1)^n, \frac{1}{n} \right\} \rightarrow \text{sequence}$ 

6)  $\begin{cases} 2, 2, 2 \dots \infty \end{cases}$  constant sequence  $n^{th}$  term = 2  $sequence \begin{cases} sequence \end{cases} = \begin{cases} 23 \end{cases}$ 

Scapence is convergent, divergent or oscillatory....  $\frac{5}{n}\frac{1}{3} = \frac{5}{1}, \frac{1}{2}, \frac{1}{3} \dots \infty = \frac{5}{n}$ 



It an = It 
$$\perp$$
 = 0  
 $n + \infty$   $n + \infty$  converges to zero  
2)  $\frac{2n+1}{n}$  ... sequence .? convergent or divergent  $n^{th}$  term  $\frac{2}{n}$  and  $\frac{2}{n}$  and  $\frac{2}{n}$  is the  $n^{th}$  term  $\frac{2}{n}$  and  $\frac{2}{n}$  and  $\frac{2}{n}$   $\frac{$ 



3) 
$$\begin{cases} \frac{3n-4}{7n+3} \end{cases}$$
;  $a_n = \frac{3n-4}{7n+3}$ 

$$tt a_n = tt \frac{3n-4}{7n+3} = -\frac{4}{3} \frac{3}{7}$$

4) 
$$\begin{cases} 2 & n \\ 3 & n \end{cases}$$
  $a_n = n \Rightarrow ut \quad a_n = ut \quad a_n = \infty$ 

$$\Rightarrow \text{ Given Sequence diverges to } + \infty$$
5)  $\frac{5-n}{2}$ ;  $a_n = -\frac{n}{2} \Rightarrow \text{ It } a_n = \text{ It } -\frac{n}{2} = -\infty$ 

=) Given sequence diverges to -a



#### **THANK YOU**

Aparna B. S

Department of Science and Humanities

aparnabs@pes.edu