Duration: 1 m 49.037 s Start: Jun 02, 12:59:42.026 PM End: Jun 02, 1:01:31.063 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 12 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 Pass % 70 20 20 20 80 80 80 90 90 10 33 % 100 100


| Feature | | | Scer | nario | | | St | ер | |
|-------------------------------|--------------|---|------|-------|---|----|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Buy the product from LimeRoad | 1 m 49.037 s | 2 | 0 | 2 | 0 | 12 | 4 | 2 | 6 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|-------------------------------|--------------------------------|
| 1 | Buy the product from LimeRoad | Select the Product in LimeRoad |
| 2 | | Select the jeans in LimeRoad |

| TAG | Scenario | | | Feature | | | | |
|---------|----------|---|---|---------|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Tshirt | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Jeans | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration | |
|---|-------------------------------|---|---|---|---|--------------|--|
| 1 | Buy the product from LimeRoad | 2 | 0 | 2 | 0 | 1 m 49.037 s | |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------|--------------------------------|---|---|---|---|--------------|
| 1 | Buy the product from LimeRoad | Select the Product in LimeRoad | 6 | 3 | 1 | 2 | 1 m 12.435 s |
| 2 | | Select the jeans in LimeRoad | 6 | 1 | 1 | 4 | 36.577 s |

DETAILED SECTION -- 7 --

Buy the product from LimeRoad

| FAILED | DURATION - 1 m 49.037 s | Scenarios | | Steps | |
|----------------------|-------------------------|-----------|---|------------|----|
| | | Total - 2 | | Total - 12 | |
| / 12:59:42.026 PM // | 1:01:31.063 PM / | Pass - 0 | 2 | Pass - 4 | 12 |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 6 | |
| | | | | | |

Select the Product in LimeRoad




| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| 1 | When Launch the url "https://www.limeroad.com/?occasion=tshirt" | PASSED | 0.628 s |
| 2 | And Click on Shop Men | PASSED | 2.380 s |
| 3 | Then Click on Tshirt option | PASSED | 9.223 s |
| 4 | And go to select particular tshirt department | FAILED | 1 m 0.181 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'Step Out In Style')]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.BasePkg.BaseClass.expicitWait(BaseClass.java:139) at com.StepDefinitionPkg.StepDefinitionClass.go_to_select_particular_tshirt_department(StepDefinitionClass.java:41) at ?.go to select particular tshirt department(file:///E:/Muthukumar%20C/Storage-D/Java%20Code/IPTWorkSpace/CucumberScnd/src/test/java/com/FeaturePkg/Lime.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'Step Out In Style')]"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ILSTRY-LAP-08', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | C:\Users\MUTHUK~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60024}, javascriptEnabled: true, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), | | |
| | setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, | | |
| | webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49d63395fb497af3559819bf115c9a5d *** Element info: | | |
| | {Using=xpath, value=//div[contains(text(),'Step Out In Style')]} | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) | | |
| | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.lang.reflect.Constructor.newInstance(Constructor.java:423) | | |
| | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) | | |
| | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) | | |
| | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) | | |
| | at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) | | |
| | at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) | | |
| | at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) | | |
| | at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at com.sun.proxy.\$Proxy19.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) | | |
| | at com.BasePkg.BaseClass.expicitWait(BaseClass.java:139) | | |
| | at com.StepDefinitionPkg.StepDefinitionClass.go_to_select_particular_tshirt_department(StepDefinitionClass.java:41) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.lang.reflect.Method.invoke(Method.java:498) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) | | |
| | at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) | | |
| | at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. | | |
| 5 | And Select the product | SKIPPED | 0.001 s |
| 6 | Then Click on Add to cart | SKIPPED | 0.000 s |

Select the jeans in LimeRoad



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When Launch the url "https://www.limeroad.com/?occasion=tshirt" | PASSED | 6.487 s |
| 2 | And Click on Men | FAILED | 30.086 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='SHOP MEN]"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ILSTRY-LAP-08', ip: '192.168.0.104', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: C:USers\MUTHUK~1\AppDataLL}), goog:chromeOptions: {debuggerAddress: localhost:60024}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:true} Session ID: 49d63395fb497af3559819bf115c9a5d *** Element info: {Using=xpath, value=//span[text()='SHOP MEN']} at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:158) at org.openqa.seleniu | | |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy19.isDisplayed(Unknown Source) at com.BasePkg.BaseClass.clickOnElement(BaseClass.java:45) at com.StepDefinitionPkg.StepDefinitionClass.click_on_men(StepDefinitionClass.java:70) at ?.Click on Men(file:///E:/Muthukumar%20C/Storage-D/Java%20Code/IPTWorkSpace/CucumberScnd/src/test/java/com/FeaturePkg/Lime.feature:17) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Click on jeans option | SKIPPED | 0.000 s |
| 4 | And go to select particular jean department | SKIPPED | 0.001 s |
| 5 | And Select the pant | SKIPPED | 0.001 s |
| 6 | Then Click on cart | SKIPPED | 0.000 s |