

IUS
INSTITUT
UNIVERSITAIRE
DES SCIENCES

Faculté des sciences et technologies (FST)

TD1-Systemes

Nom : SPADY

Prénom : Jean-Wisly

Niveau : L3

Le 24/10/2026

Objectif du TD

Ce TD permet de comprendre les concepts de base de Git, d'apprendre à utiliser Git pour gérer un projet et découvrir GitHub pour héberger un dépôt et partager le travail. Le TD permet également de pratiquer les commandes utilisées pour ajouter des fichiers, enregistrer des commits et envoyer les changements sur GitHub.

La démarche suivie est :


- Vérification de l'installation
- Configuration de git
- Création et test d'un dépôt local
- Génération d'une clé SSH
- Création du dépôt public TD sur GitHub et clonage sur le bureau
- Création des dossiers
- Ajout du rapport PDF et des captures, création d'un commit et envoi sur GitHub

Premier patie


1) Installation de Git sur Windows




2) Vérification de la version de Git sur le PC




3) Connexion à mon compte GitHub




4) Configuration de Git



5) Vérification des données utilisateurs



6) Affichage de la liste des fichiers et dossiers avec la commande ls




7) Création d'un dossier dans Desktop

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cd Desktop

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ mkdir projet-git

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$
```



8) Entrée dans notre dossier “projet-git” crée

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cd Desktop

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ mkdir projet-git

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ cd projet-git

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git
$
```

9) Initialisation du dépôt git

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ cd projet-git

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git
$ git init
Initialized empty Git repository in C:/Users/Owner/Desktop/projet-git/.git/

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git (master)
$
```


10) Ouverture et écriture de mon projet dans le fichier README.md

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ cd projet-git


Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git
$ git init
Initialized empty Git repository in C:/Users/Owner/Desktop/projet-git/.git/

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git (master)
$ echo "Hello Git!" > README.md


Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/projet-git (master)
$
```



11) Ajout du dossier README.md dans Git et premier commit avec PowerShell



12) Affichage de l'historique des commits dans un dépôt Git



13) Génération d'une clé SSH

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ ssh-keygen -t ed25519 -C "jeanwislyspady3@"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/Owner/.ssh/id_ed25519):
Created directory '/c/Users/Owner/.ssh'.
Enter passphrase for "/c/Users/Owner/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Owner/.ssh/id_ed25519
Your public key has been saved in /c/Users/Owner/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:zfspdjhsSf8D3qMfFqjv27SJON1APtBQmXvF5oGkjE8 jeanwislyspady3@
The key's randomart image is:
+--[ED25519 256]--+
|            ooo+ |
|          o .+o.+|
|         . E. o+o|
|         oo  =. o|
|        S o.. =. |
|          .+.. = |
|         o+=.o= .|
|          O++*++ |
|         o =O=*o |
+----[SHA256]-----+

Owner@DESKTOP-AD4BJ5G UCRT64 ~
$
```

14) Affichage de la clé privée avec la commande cat

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cat ~/.ssh/id_ed25519
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAAAMwAAAAtzc2gtZW
QyNTUxOQAAACAyv7iwBSOAYclZ3mEVX+yNNqDyvPrhLuiAkJ4jgm9cRgAAAJgaORbZGjkW
2QAAAAtzc2gtZWQyNTUxOQAAACAyv7iwBSOAYclZ3mEVX+yNNqDyvPrhLuiAkJ4jgm9cRg
AAAEA9LhYO26OEqIB5aNNKXaqu77BfLSkPDET0Tyv+zHwjKDK/uLAFI4BhyVneYRVf7I02
oPK8+uEu6ICQniOCb1xGAAAAEGplYW53aXNseXNwYWR5M0ABAgMEBQ==
-----END OPENSSH PRIVATE KEY-----


Owner@DESKTOP-AD4BJ5G UCRT64 ~
$
```

15) Affichage de la clé publique


```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cat ~/.ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIDK/uLAFI4BhyVneYRVf7I02oPK8+uEu6ICQniOCb1xG jeanwislyspady3@

Owner@DESKTOP-AD4BJ5G UCRT64 ~
$
```


16) Ajout de la clé sur mon compte GitHub




17) Ajout réussi de la clé sur mon compte GitHub



18) Création du dépôt GitHub



19) Clonage du dépôt GitHub via la clé SSH



20) Clonage réussi

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cd Desktop

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ git clone git@github.com:skullivar509/mon-projet0.git
Cloning into 'mon-projet0'...
The authenticity of host 'github.com (140.82.114.3)' can't be established.
ED25519 key fingerprint is: SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$
```


```
wner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ ls
Appareils Apple.lnk*   'GitHub Desktop.lnk'*   'Videos - Shortcut.lnk'*   'WPS PDF.lnk'*   desktop.ini   mon-projet0/   'uTorrent Web.lnk'*
Facebook.lnk*           Instagram.lnk*          'WPS Office.lnk'*           WhatsApp.lnk*   iTunes.lnk*   projet-git/

wner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ cd mon-projet0

wner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$ echo "Systeme d'exploitation!" > Module.txt

wner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$ git add .
arning: in the working copy of 'Module.txt', LF will be replaced by CRLF the next time Git touches it


wner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$
```




```
Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$ git commit -m "Ajout Module"
[main 5b7f719] Ajout Module
 1 file changed, 1 insertion(+)
 create mode 100644 Module.txt


Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$ git branch -M main

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$
```




```
Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 347 bytes | 347.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:skullivar509/mon-projet0.git
   ef37972..5b7f719  main -> main
branch 'main' set up to track 'origin/main'.

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/mon-projet0 (main)
$
```




Deuxième partie

➢ Création d'un dépôt GitHub nommé TD



- Clonage du dosier TD sur mon bureau



- Clonage du dosier TD sur mon bureau réussi

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~
$ cd Desktop

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ git clone git@github.com:skullivar509/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$
```

- Création des dossiers : systeme, image, projet et presentation dans le dossier principal
TD

```
Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ git clone git@github.com:skullivar509/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop
$ cd TD

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD (main)
$ mkdir systeme

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD (main)
$ cd systeme


Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD/systeme (main)
$ mkdir image

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD/systeme (main)
$ mkdir projet

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD/systeme (main)
$ mkdir presentation

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD/systeme (main)
$ cd ..

Owner@DESKTOP-AD4BJ5G UCRT64 ~/Desktop/TD (main)
$
```



Conclusion

Ce TD m'as permis de comprendre et pratiquer les commandes de base de Git et de découvrir l'utilisation de GitHub pour héberger un projet.

La difficulté rencontrée était l'impossiblité d'ajouter la clé SSH privée sur GitHub. Pour résoudre ce problème, j'ai utilisé la clé publique SSH à la place de la clé privée.