

List all KPI Definitions

KPI Management GUI

S

Tenant1

KPI Definitions

KPI Streams

Q

Search

X

Create

KPI Definitions

Traffic by Application	Traffic Summary of top critical applications in my network
Traffic by Source	Traffic Summary by Device Source IP
Traffic by Destination	Traffic Summary by Device Destination IP
WAN Total Traffic	WAN Interface Traffic
Datacenter Traffic	Datacenter Traffic
Datacenter Health Score	Overall Health by Datacenter

Previous 1 2 3 4 5 Next

Configure Utilization KPI Definition Properties

KPI DefinitionSTenant1

Name

Edge Router Traffic by Location

Description

KPI to track Utilization of critical Interface of edge router in branch locations

Window Type

Type

Sliding

Tumbling

Time Policy

Event Time

Processing Time

Period (ms)

10000

Size (ms)

10000

Data Source

NetFlow

sFlow

SNMP

Group By

location

Search

IN_BYTES

IN_PKTS

LOCATION

PROTOCOL

IPV4_SRC_ADDR

IPV4_DST_ADDR

Filters

'router_type' == 'edge' (auto-complete)

Search router

router

router_type

KPI Definition Calculation:

1. Type of input source (e.g. Netflow, sFlow)

2. Metric and Tags (i.e. static or reference data) as Input for calculation

3. Filtering of input data

4. Multiple calculation expression based on Metrics and Tags

5. Grouping of calculated KPI's

Calculations

Calculation Name

Utilization_IN

Metrics

Search

IN_BYTES

IN_PKTS

SPEED_IN

PROTOCOL

IPV4_SRC_ADDR

Tags

Search

INTERFACE_SPEED

LOCATION

Functions

Search

SUM

AVG

MEAN

PERCENTAGE

DIV

Expression

PERCENTAGE(DIV(AVG(SPEED_IN), INTERFACE_SPEED)))

Create New Calculation

Exported from Pencil - Thu May 10 2018 07:26:41 GMT-0400 (EDT) - Page 2 of 8

Utilization KPI Definition Created

KPI Management GUISTenant1

KPI DefinitionsKPI Streams

SearchCreate

KPI Definitions

Traffic by Application	Traffic Summary of top critical applications in my network
Traffic by Source	Traffic Summary by Device Source IP
Traffic by Destination	Traffic Summary by Device Destination IP
WAN Total Traffic	WAN Interface Traffic
Datacenter Traffic	Datacenter Traffic
Datacenter Health Score	Overall Health by Datacenter
Edge Router Traffic by Location (New)	KPI to track Utilization of critical Interface of edge router in branch locations

Previous12345Next

Wire KAFKA input endpoint

KPI Stream

S

Tenant1

KPI Stream Designer

Input

Kafka

Output

Kafka

MongoDB

HDFS

KPI Definitions

WAN Total Traffic

Traffic by Application

Edge Router Traffic

Deploy

Kafka

Configure KAFKA input endpoint properties

Tenant1

Source

kafka

Service ID

my-kafka-1

Attributes

Group ID

ngx

Bootstrap Servers

10.10.1.2

Topic


netflow-topic

Formatter


Netflow Formatter

sFlow Formatter

Wire Mutiple KPI's for same input endpoint



Wire KAFKA and HDFS as output endpoint



Configure KAFKA output endpoint Properties

Destination

kafka

Attributes

Group ID

ngx

Bootstrap Servers

10.10.1.2

Topic

traffic-kpi-topic

Output Format

Type

JSON Formatter

AVRO Formatter