

Spring 2018 MAE3134: Final Exam

10 May 2018

Resources allowed: 2 sided note sheet, calculator, ruler. No computers or mobile devices.

Name: _____

GWID:_____


Prob. 1	Prob. 2	Prob. 3	Prob. 4	Prob. 5	Total
20	10	30	20	20	100

Problem 1 Elon Musk, CEO of SpaceX and Tesla Motors, has a background in physics but unfortunately has never passed a Linear Dynamics course. His newest space vehicle must satisfy the following second order time response specifications for a unit step input:

- Percent Overshoot must be less than 5%,
- Peak time less than 1 s,
- Settling Time less than 5 s.

Elon needs your help to choose a set of poles which will satisfy the specifications and save humanity from impending disaster.

1. On the s-plane, or complex plane, map out the acceptable regions where you could locate poles and meet the requirements.
2. Label the specifications lines and show your work.
3. Choose a set of poles that will meet the requirements.
4. Write the transfer function relating the input $C(s)$ to the output $R(s)$ for this system.
5. Draw an electrical circuit which will physically represent your system.



Problem 2 The frequency response of two systems are shown in Fig. 1. Using the plots, circle the correct descriptions:





Figure 1: Frequency Response

1. Which of the following statements are true about the damping ratios of the two systems?
 - (a) The damping coefficients are the same.
 - (b) The damping coefficient of G_1 is greater than the damping coefficient of G_2 .
 - (c) The damping coefficient of G_2 is greater than the damping coefficient of G_1 .
 - (d) Not enough information to make any statements about the damping ratio.
2. Which of the following statements are true about the general form of G_1 ?
 - (a) It is a first order system.
 - (b) It must have two free s terms in the denominator since the phase ends at 180° .
 - (c) It must have two free s terms in the numerator since the final magnitude slope is 40 dB per decade.
 - (d) None of the above.

Problem 3 A transfer function is defined as

$$G(s) = \frac{(s + 100)(s + 20)}{20s(s^2 + 8s + 25)}.$$

1. Draw the asymptotic Bode plots for this system.
2. What is the steady state output for an input of $u = 5 \sin 25t$?



Problem 4 Consider a linear system

$$\dot{\mathbf{x}} = \mathbf{A}\mathbf{x}$$

with \mathbf{A} defined as

$$\mathbf{A} = \begin{bmatrix} 1 & 1 \\ 0 & -1 \end{bmatrix}.$$

1. Find the state transition matrix for this system.
2. Find $\mathbf{x}(t)$ for $\mathbf{x}(0) = \begin{bmatrix} 1 & 2 \end{bmatrix}^T$.

Problem 5 Consider the translational mechanical system defined by the following differential equation

$$\ddot{y} + 3\dot{y} + 2y = \dot{u} - u.$$

1. Draw a mechanical model of this system.
2. Determine a state space representation for this system.
3. Is there a nonzero input u which does not decay to zero but, for all initial conditions on y and \dot{y} , results in an output which decays to zero? If the answer is yes, then give an example of such an input.

LAPLACE TRANSFORM TABLE

Time Function	LaPlace Transform
$\delta(t)$	1
$u(t)$	$\frac{1}{s}$
t	$\frac{1}{s^2}$
$\frac{t^2}{2}$	$\frac{1}{s^3}$
t^{k-1}	$\frac{(k-1)!}{s^k}$
e^{-at}	$\frac{1}{s+a}$
te^{-at}	$\frac{1}{(s+a)^2}$
$t^{k-1}e^{-at}$	$\frac{(k-1)!}{(s+a)^k}$
$1-e^{-at}$	$\frac{a}{s(s+a)}$
$t - \frac{1-e^{-at}}{a}$	$\frac{a}{s^2(s+a)}$
$1 - (1+at)e^{-at}$	$\frac{a^2}{s(s+a)^2}$
$e^{-at} - e^{-bt}$	$\frac{b-a}{(s+a)(s+b)}$
$\sin bt$	$\frac{b}{s^2+b^2}$
$\cos bt$	$\frac{s}{s^2+b^2}$
$t \sin bt$	$\frac{2bs}{(s^2+b^2)^2}$
$t \cos bt$	$\frac{s^2-b^2}{(s^2+b^2)^2}$
$e^{-at} \sin bt$	$\frac{b}{(s+a)^2+b^2}$
$e^{-at} \cos bt$	$\frac{s+a}{(s+a)^2+b^2}$