

The following table describes the cookies used in Kentico and lists the [level](#) of each cookie:

Cookie name	Level	Expiration	Description
CMSCookieLevel	System	1 year	Specifies which cookies are allowed by the visitor.
ASP.NET_SessionId	System	session end	Keeps the user session ID for security reasons.
CMSCsrfCookie	System	session end	Store's a security token that the system uses to validate all form data submitted via POST requests. Helps protect against Cross site request forgery .
CMSPreferredCulture	Essential	1 year	Stores the visitor's preferred content culture .
CMSMobileRedirected	Essential	session end	Indicates if the visitor has been redirected to the mobile version of the website by the Mobile device redirection web part.
CMSCurrentTheme	Essential	1 day	Stores the name of the current visual theme to provide proper design to the dialog windows.
Webauthtoken	Essential	3rd party cookie	Live ID authentication cookie.
CMSForumPostAnswer	Essential	1 month	Keeps a list of Question-Answer forum posts in which the user voted for an answer to prevent repeated votes.
CMSVotedPolls	Essential	1 year	Keeps a list of polls where the user voted to prevent repeated votes.
CMSRatedDocuments	Essential	1 year	Keeps a list of pages that the user rated to prevent repeated votes.
CMSShowDesktopVersion	Essential	1 year	Indicates that the visitor has switched to the desktop (default) version of the website from a specific device profile.
CMSWindowsUser	Essential	session end	Stores information for users who were imported from an Active Directory domain during authentication.
.ASPXFORMSAUTH	Essential	set in web. config	Stores the user's encrypted authentication ticket when using forms authentication.
CMSPreferredUILanguage	Editor	1 year	Stores the preferred UI culture of the user.
CMSViewMode	Editor	1 day	Stores the user's current view mode (Edit, Preview, Design, etc.).
CMSImpersonation	Editor	session end	Stores user information when impersonating a different user in the administration interface.
CMSUserWords	Editor	1 month	User's custom word dictionary kept by the spell checker.
DisplayContentInDesignMode	Editor	session end	Remembers the user's setting of the <i>Web part content</i> checkbox on the Design tab (for example in the Pages application).
DisplayContentInUIElementDesignMode	Editor	session end	Remembers the user's setting of the <i>Web part content</i> check box on the Design tab of UI elements .
CMSMacroDesignerTab	Editor	1 day	Remembers the last active tab of the Edit macro condition dialog .
CMSSplitMode	Editor	session end	Remembers the state of the language version split-view mode when editing multilingual websites.



CMSPreviewState	Editor	1 year	Stores the user's latest page design preview preferences.
CMSPropertyTab	Editor	1 day	Remembers the last active tab of the Properties section in the Pages application.
CMSViewTab	Editor	1 day	Remembers the last active tab of the View section in the Preview mode of the Pages application.
CMSValidationTab	Editor	1 day	Remembers the last active tab of the Validation section in the Preview mode of the Pages application.
CMSEdABSelectorState<ABtest name>	Editor	2 months	Stores the state of the selectors on the A/B test overview page.
CMSEdVariantSliderPositions<templateid>	Editor	7 days	Remembers the position of the variant slider when defining variants for MVT or Content personalization .
CMSEdNoTestMVT<templateid>	Editor	1 month	Stores the currently selected MVT combination for editors in the administration interface.
CMSEd<GUID>Current	Editor	1 day	Stores the current step of Wizard layout web parts in the administration interface.
CMSWebPartToolbarCategory	Editor	1 month	Stores the selected web part category on the web part toolbar .
CMSWebPartToolbarCategoryUI	Editor	1 month	Stores the selected web part category in the web part toolbar when editing UI templates.
CMSWebPartToolbarMinimized	Editor	1 month	Remembers if the user minimized the web part toolbar on the Design tab.
CMSCurrentDeviceProfileName	Editor	1 year	Stores the selected device profile when editing pages.
CMSCurrentDeviceProfileRotate	Editor	session end	Remembers whether the device preview uses the landscape or portrait view.
CMSUniGraph	Editor	1 year	Stores the user's <i>Snap to grid</i> preference in the advanced workflow and marketing automation designer.
CMSSessionToken	Editor	1 year	Stores the token used by the web service that provides the advanced workflow and marketing automation designer.
VisitorStatus	Visitor	20 years	Indicates if the visitor is new or returning. Used for tracking the <i>visitors</i> statistic in Web analytics .
Source	Visitor	50 years	Stores the channel from which the visitor arrived as part of a campaign (e.g., email, Facebook, Twitter, etc.). Based on the <i>utm_source</i> query string parameter.
Campaign	Visitor	50 years	Stores the name of the campaign assigned to the visitor.
Content	Visitor	50 years	Stores the specific content item through which the visitor arrived as part of a campaign . Based on the <i>utm_content</i> query string parameter.
TrackedCampaigns	Visitor	20 minutes	Stores all the campaigns , which should be tracked within a JavaScript snippet.
UrlReferrer	Visitor	1 day	Stores the URL referrer from which the user arrives on the website.
CurrentContact	Visitor	50 years	Stores the GUID of the contact related to the current site visitor. Used to track activities on the website.

CMSAB<ABtest name>	Visitor	2 months	Used to track conversions for the test and maintain consistent page content for the visitor. Stores the name of the page variant assigned to the visitor, the list of performed conversions and information whether visitor is included in A/B testing specified by an A/B test .
CMSMVT<mvtest name>	Visitor	1 month	Stores the combination of variants assigned to the visitor by an MVT test . Used to track conversions for the test and maintain consistent page content for the visitor.
CMSShoppingCart	Visitor	1 year	Stores a GUID reference to the user's shopping cart. Allows the system to recover the shopping cart for unregistered customers, even after it is cleared from the cache (for example after an application restart).
CMSBodyClass	Visitor	50 years	Body element class to provide accessibility standards.
CMSUserPage	Visitor	20 minutes	Stores the IDs (DocumentID, NodeID) of the last visited page. Used for logging landing and exit page web analytics and activities .
ChatLoggedInToken	Visitor	session end	Stores the login state for the Chat application (indicates if the user is in the online state).
ChatSupportLoggedInToken	Visitor	session end	Indicates if the user is logged in to the support chat.
<Window name>_<Group ID>_roomId	Visitor	4 days	Stores bindings between groups of chat web parts and chat rooms (for a specific window or tab).
chat_autoinitchat_displayed_<GUID>	Visitor	1 hour	Remembers if the <i>Automatically initiated chat</i> web part was shown to the user (prevents multiple chat initiation messages).
chat_kick_room_mid_<room ID>	Visitor	Kick lasting time (seconds) setting	Indicates that the user was kicked from the specified chat room (and is not allowed to return).
StrandsSBS_*	Visitor	20 minutes	Used by the Strands Recommender solely for its own purposes. The cookies are managed on the Strands side.
CMSStrandsTrackEvent_*	Visitor	20 minutes	Stores persistent HTTP context after a page is reloaded. Used for tracking of shopping cart events.
__openid_selector_*	Visitor	1 year	Stores OpenId user identification for authentication purposes.
CMSLandingPageLoaded	Visitor	20 minutes	Indicates that the landing page has already been visited and the <i>Landing page</i> activity is not logged again for the current visitor. Expires after 20 minutes and the expiration period of the key is renewed every time the website is accessed again.

Third party cookies

Third party	Cookie level	Notes
-------------	--------------	-------



YouTu be	All (by default)	<p>The YouTube video web part and widget use corresponding YouTube cookies.</p> <p>If your site has its default cookie level configured to a lower value than <i>All</i> (1000), YouTube videos will not be displayed for visitors until they increase their allowed cookie level. To enable YouTube videos for lower cookie levels, set a corresponding cookie level value using the <i>CMSSocialMediaCookieLevel</i> web.config key:</p> <div><p>Example - Setting the Essential level for YouTube cookies</p><pre><add key="CMSSocialMediaCookieLevel" value="0" /></pre></div>
CKEdit or	-	CKEditor cookies may be stored for users working with the WYSIWYG editor .

Related pages

- [Adding cookie law consent to web pages](#)
- [Cookie levels](#)