


Once your Kentico is [installed](#) and you plan to use the Kentico E-commerce Solution, it is a good idea to get familiar with the parts of the system. This is suitable for both an administrator, who is about to [configure](#) the system, and a store manager, who is ready to [manage the on-line store](#) on a daily basis. Get familiar with the user interface of the e-commerce features or used terms in the documentation:

- [Getting familiar with e-commerce applications](#)
- [Getting familiar with e-commerce settings](#)
- [Getting familiar with terms used in the E-commerce Solution](#)

✓ You can find additional information about the user interface in [Using the Kentico interface](#) page, which covers the general use of all Kentico parts. This page targets solely the E-commerce Solution.

## Getting familiar with e-commerce applications

[Open the application list](#) on the left. In the *E-commerce* section, you can find the Kentico E-commerce Solution features.




i Based on your user's permissions, you may not see all of the applications.

✓ If you use some of the applications frequently, you can [add them to your application dashboard](#) and you do not need to open the application list every time.


Most of the e-commerce applications are suitable for managing your on-line store:

- [Products](#)  
Products are the most important objects that make up your on-line store. The **Products** application is where you can find and manage all of your products. See [Products](#) for more details.



Product name or SKU	Price	Stock	Status	Taxable
Adidas Originals	\$120.00	0	Yes	
Adidas Adizero Regular	\$100.00	97	Yes	
Adidas Climacool Selection	\$107.00	13	Featured	Yes
Adidas Firebird Track Pants	\$85.00	20	Sale	Yes
Adidas Originals AR 2.0	\$104.00	19	Yes	
Adidas Trail Ten	\$75.00	Tracked by variants	New	Yes
Adidas Zero Core	\$100.00	9	New	Yes
Apple iPad 16GB	\$409.00	123	Yes	
Apple iPhone 4S	\$100.00	28	Yes	
Apple iPod shuffle 2GB	\$49.00	22	Yes	
Apple iPod touch 16GB	\$299.00	3	Yes	
Apple Mac Pro 12-Core	\$1099.00	2	Yes	
Apple MacBook Pro 13.3"	\$1499.00	14	Yes	
Apple MacBook Pro 13.3" + iPod touch 16GB	\$1599.00	3	Featured	Yes
ASUS Eee PC 1000	\$149.00	12	Yes	
Bit Games (E-books)	\$15.00	Tracking disabled	Yes	
BlackBerry Storm 9630	\$149.00	18	Yes	

You can also edit products in the **Pages** application in a corresponding section. The product-related properties are on the **SKU** tab when you edit a page of a product.



- [Brands](#)
- [Collections](#)
- [Product options](#)
- [Manufacturers](#)
- [Suppliers](#)
- [Customers](#)
- 
- [Orders](#)
- 
- Store statistics
  - [Store overview](#)
  - [Store reports](#)
- 
- Store promotions – discounts and other special offers
  - [Buy X Get Y discounts](#)
  - [Catalog discounts](#)
  - [Free shipping offers](#)
  - [Gift cards](#)
  - [Order discounts](#)
  - [Product coupons](#)




See a general definition of the discounts in [the term list below](#).

## Getting familiar with e-commerce settings


The e-commerce settings are used mostly by Kentico administrators, who take care of the actual running of the system. With the settings, you can configure the Kentico E-commerce Solution to determine the behavior and functionality of your on-line store. The settings are available from three applications:

- **Store configuration**
- **Multistore configuration**

- **Settings** (in the **E-commerce** setting category)



Every application contains slightly different settings. You can find the logical differences in [Choosing site or global e-commerce configuration](#) and the specific differences (regarding specific settings) in [Settings - E-commerce](#).

 Based on your user's permissions, you may not see the configuration applications.

## Getting familiar with terms used in the E-commerce Solution

See the table below to understand terms that are used in Kentico (and also in the Kentico source code if you plan to customize it). You do not need to know the terms by heart exactly as they are written here but it is good to know them when they appear in front of you.

**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**

Used term	Basic meaning	Details (usually for administrators and developers)
<b>Abandoned shopping cart</b>	<p>Abandoned shopping cart is a <a href="#">shopping cart</a> that the <a href="#">customer</a> did not use for making a <a href="#">purchase</a>. For example, a visitor browses through your on-line store, puts some <a href="#">products</a> in their shopping cart, but then changes their mind and leaves without buying anything. The visitor's shopping cart is then considered as abandoned.</p> <p>You can then use abandoned carts to reach out to the visitors. For example, you can send them an email to remind them that they want to buy something.</p>	<p>Abandoned shopping cart is not any specific object or type of <a href="#">shopping carts</a> in the database. You can set a <a href="#">scheduled task</a> that creates an <a href="#">activity</a> for every abandoned shopping cart. When you then set a <a href="#">marketing automation</a> process that uses the created activity, you can send them an email.</p> <p>Learn more in <a href="#">Walkthrough - Sending an automated reminder of an abandoned shopping cart</a>. You can also customize the way the system recognizes abandoned shopping carts, see <a href="#">Customizing marking shopping carts as abandoned</a>.</p>
<b>Anonymous customers</b>	<p><a href="#">Customers</a> who have purchased something, but have not <a href="#">registered</a> in the store.</p> <p>Learn more in <a href="#">Customers</a>.</p>	<p>Anonymous <a href="#">customers</a> are stored (as well as <a href="#">registered customers</a>) in the <code>COM_Customer</code> database table. However, they do not have assigned any <a href="#">user</a> (in the <code>CustomerUserID</code> column), the value is <code>NULL</code>.</p>
<b>Billing address</b>	<p>Billing and <a href="#">shipping addresses</a> are addresses used for <a href="#">orders</a>. The billing address is an address that sets the payer of the order.</p> <p>Based on billing and shipping addresses, you can then set shipping prices or further alter <a href="#">orders</a>. Customers can select their address in the <b>Customer address</b> web</p>	<p>Billing addresses are (as well as <a href="#">shipping addresses</a>) stored in the <code>COM_Address</code> database table. Technically, the billing and shipping addresses are the same and are interchangeable. If the address has already been used in an order, you can find the address also in the <code>COM_OrderAddress</code> table.</p>



	<p>part. Learn more in <a href="#">Reference - Checkout process web parts</a>.</p>	<p>The potential "duplication" of information is to prevent retroactive changes of orders. Customers are enabled to change their saved addresses (in <i>COM_Address</i>). If orders had used the same table and customers had changed their address, the order's address would also change. Therefore, orders use their own address table (<i>COM_OrderAddress</i>), which can be changed only through the administration interface while editing an order.</p>
Brands	<p>Brands are labels that can be assigned to <a href="#">products</a>. When adding or editing a product, you can set the product's brand.</p> <p>Brands can help manage and organize products in the <a href="#">product listing</a>, and can also be used to filter products when configuring certain types of <a href="#">discounts</a>.</p> <p>Learn more in <a href="#">Managing brands and manufacturers</a>.</p>	<p>Brands are stored in the <i>COM_Brand</i> database table. Every product has a brand ID value (in the <i>SKUBrandID</i> column in the <i>COM_SKU</i> table). If a product does not have a brand assigned, the value in the column is <i>NULL</i>.</p>
Bundles	<p>A special type of <a href="#">products</a>. Bundles are basically packs of multiple products.</p> <p>For example, when you want to sell a complete package for making coffee, you can sell a grinder, a brewer and coffee itself and sell it as one bundle. Alternatively, when you want to sell a special edition of <i>Lord of the Rings</i> movies, you can add Blu-rays of all movies, a map of <i>Middle-earth</i> and a <i>One Ring</i> replica to one bundle.</p> <p>Learn more in <a href="#">Managing Bundles</a>.</p>	<p>One of the <a href="#">product representations</a> in Kentico. Bundles are stored in the <i>COM_SKU</i> database tables as well as other types of <a href="#">products</a>. Besides that, IDs of products offered in the bundle are connected to the bundle's ID in the <i>COM_Bundle</i> database table.</p>
Buy X Get Y discounts	<p>A type of <a href="#">discounts</a>. Buy X Get Y discounts have a wide range of uses. You can use them when you want to add a gift to specific products or offer discounts like 2+1 free. You can manage all Buy X Get Y discounts in the <b>Buy X Get Y discounts</b> application.</p> <p>Learn more in <a href="#">Working with Buy X Get Y discounts</a>.</p>	<p>Buy X Get Y discounts use multiple database tables:</p> <ul style="list-style-type: none"> <li>• <i>COM_MultiBuyDiscount</i> – with core properties of the discount and the "Get" properties</li> <li>• <i>COM_MultiBuyDiscountSKU</i> – the "Buy" properties if the discount is applied to specific products</li> <li>• <i>COM_MultiBuyDiscountDepartment</i> – the "Buy" properties if the discount is applied to whole departments</li> <li>• <i>COM_MultiBuyDiscountBrand</i> – the "Buy" properties if the discount uses included or excluded brands</li> <li>• <i>COM_MultiBuyDiscountCollection</i> – the "Buy" properties if the discount uses included or excluded collections</li> <li>• <i>COM_MultiBuyDiscountTree</i> – the "Buy" properties if the discount uses included or excluded product sections</li> <li>• <i>COM_MultiBuyCouponCode</i> – <a href="#">coupon codes</a> of Buy X Get Y discounts that are applied only after entering a coupon</li> </ul> <p>Buy X Get Y discounts share their database tables with <a href="#">product coupons</a>. Buy X Get Y records can be recognized in the <i>COM_MultiBuyDiscount</i> table by having the <i>MultiBuyDiscountIsProductCoupon</i> column set to 0 (false).</p> <p>See <a href="#">Customizing discounts</a> to learn how to customize Buy X Get Y discounts to support other scenarios.</p>

Catalog discounts	<p>A type of <a href="#">discounts</a>. Catalog discounts cheapen selected <a href="#">products</a> to all <a href="#">customers</a>, <a href="#">registered customers</a> or registered customers in selected <a href="#">roles</a>. You can manage them through the <b>Catalog discounts</b> application.</p> <p>For example, with catalog discounts, you can create loyalty bonuses, flat discounts for partners, set price levels, etc.</p> <p>Learn more in <a href="#">Working with catalog discounts</a>.</p>	<p>To create catalog discounts, you need to create <a href="#">a discount rule</a> based on which the discount is applied.</p> <p>Catalog discounts are stored in the <i>COM_Discount</i> database table along with <a href="#">order discounts</a> and <a href="#">free shipping offers</a>. Catalog discounts are recognizable by having <i>Products</i> in the <i>DiscountApplyTo</i> column.</p>
Checkout process	<p>Checkout process is a <a href="#">customer's</a> journey that starts with putting a <a href="#">product</a> to the <a href="#">shopping cart</a> and ends with creating an <a href="#">order</a>.</p>	<p>Checkout process is a set of <a href="#">pages</a> where <a href="#">customers</a> prepare their <a href="#">order</a> – the <a href="#">shopping cart</a>, billing and shipping information, <a href="#">payment method</a> selection, etc. Checkout process ends right before creating an order object and saving it to the database. From this time, it is referred to as an order.</p> <p>Customers cannot pay while they still go through the checkout process. Customers pay for their orders after an order is created.</p>
Collections	<p>When adding or editing <a href="#">products</a>, you can assign each product to a collection.</p> <p>Collections can help manage and organize products in the <a href="#">product listing</a>, and can also be used to filter products when configuring certain types of <a href="#">discounts</a>.</p> <p>Learn more in <a href="#">Managing product collections</a>.</p>	<p>Collections are stored in the <i>COM_Collection</i> database table. Every product has a collection ID value (in the <i>SKUcollectionID</i> column in the <i>COM_SKU</i> table). If a product does not have a collection assigned, the value in the column is <i>NULL</i>.</p>
Coupon codes	<p>Coupon codes are text expressions that customers need to type during the <a href="#">checkout process</a> to obtain a <a href="#">discount</a> or redeem a <a href="#">gift card</a>. You can use coupon codes with:</p> <ul style="list-style-type: none"> <li>• <a href="#">Product coupons</a> (coupon code required)</li> <li>• <a href="#">Gift cards</a> (coupon code required)</li> <li>• <a href="#">Buy X Get Y discounts</a></li> <li>• <a href="#">Free shipping offers</a></li> <li>• <a href="#">Order discounts</a></li> </ul>	<p>Coupon codes are stored based on the <a href="#">discount</a> to which they are related:</p> <ul style="list-style-type: none"> <li>• <a href="#">Buy X Get Y discounts</a> and <a href="#">Product coupons</a> use the <i>COM_MultiBuyCouponCode</i> database table</li> <li>• Other discounts store related coupon codes in the <i>COM_CouponCode</i> table</li> <li>• Gift cards store their coupon codes in the <i>COM_GiftCardCouponCode</i> table</li> </ul>
Currencies	<p>With money of a specific currency, you can pay for <a href="#">products</a> in your <a href="#">order</a>. You can create an on-line store with multiple currencies or have <a href="#">multiple sites</a> with different sets of currencies. Every site has then its <a href="#">main currency</a> in which store administrators type prices in the administration interface.</p> <p>You can change currencies in the <b>Store configuration</b> or <b>Multistore configuration</b> application on the <b>Currencies</b> tab. Learn more in <a href="#">Configuring currencies</a>.</p>	<p>Currencies are stored in the <i>COM_Currency</i> database table. Since they can be both <a href="#">global</a> and <a href="#">site</a>, you can see <i>NULL</i> or the site ID respectively in the <i>CurrencySiteID</i> column.</p> <p>Relationships among currencies are expressed with <a href="#">exchange rates</a>. Exchange rates ensure the ratio when recalculating an amount of money from one currency to another.</p>
Customer credit	<p>A <a href="#">payment method</a>. You can enable <a href="#">registered customers</a> to have their credit and then pay with the credit for their <a href="#">orders</a>. You can modify customers' credits in the <b>Customers</b> application on the <b>Credit</b> tab (available only for registered users).</p>	<p>All customer credit transactions are stored in the <i>COM_CustomerCreditHistory</i> database table. The credit is connected to the <a href="#">customer</a> via the <i>EventCustomerID</i> column with the customer's ID. If the credit is connected to a specific site, the <i>EventSiteID</i> column contains the <a href="#">site's</a></p>



	<p>You can configure customer credit as a payment method in the <b>Store configuration</b> or <b>Multistore configuration</b> application on the <b>Payment methods</b> tab. Learn more in <a href="#">Configuring customer credit</a>.</p>	<p>ID. If the credit is <a href="#">global</a>, the <i>EventSiteID</i> column contains <i>NULL</i>.</p> <p>Customers cannot pay for an <a href="#">order</a> partly with their credit and partly with another <a href="#">payment method</a>.</p>
Customer details	<p>Customer details are information about a <a href="#">customer</a> like their name, phone number, email address, etc.</p> <p>You can edit customers' details in the administration interface in the <b>Customers</b> application.</p>	<p>You can let <a href="#">customers</a> change their own details on the live site. Place either the <b>My profile</b> or <b>Customer detail</b> web part on a page. The <b>My profile</b> web part is suitable for a <i>My profile</i> section where customers—<a href="#">users</a> can modify their details, see their <a href="#">orders</a>, etc. The <b>Customer detail</b> web part is on the other hand more suitable for the <a href="#">checkout process</a>.</p>
Customers	<p>Customer is a person or a company that has <a href="#">purchased</a> something in the past in your on-line store. Customers can be either <a href="#">registered</a> or <a href="#">anonymous</a>.</p> <p>Learn more in <a href="#">Customers</a>.</p>	<p>All customers are stored in the <i>COM_Customer</i> database table.</p> <p>If the customer is registered, the customer's properties are synchronized with their user account. Learn more in <a href="#">Synchronizing customer and user properties</a>.</p>
Departments	<p>Departments are one of the possibilities when <a href="#">categorizing products</a>. Departments are only logical categorization (departments provide no display differences if not configured otherwise).</p> <p>With departments, you can automatically assign <a href="#">taxes</a> to new <a href="#">products</a> created in a specific department.</p>	<p>Departments are stored in the <i>COM_Department</i> database table.</p>
Discount rules	<p>Discount rules are rules that need to be fulfilled in order to apply discounts or special offers. For example, when you want to discount <a href="#">orders</a> which are sent to the USA.</p> <p>You can configure conditions based on rules when creating or modifying <a href="#">discounts</a>. Discount rules are used for <a href="#">order discounts</a>, <a href="#">catalog discounts</a>, <a href="#">free shipping offers</a> and <a href="#">gift cards</a>.</p>	<p>Discount rules are customizable via the administration interface. You can add or remove them in the <b>Store configuration</b> or <b>Multistore configuration</b> application. See <a href="#">Configuring discount rules</a> to learn more.</p>
Discounts	<p>Discounts are a way to promote your store and your <a href="#">products</a>. Discounts cheapen your products or shipping, which you can use to encourage your potential customers to buy something. Kentico offers several types of discounts:</p> <ul style="list-style-type: none"> <li>• <a href="#">Buy X Get Y discounts</a></li> <li>• <a href="#">Catalog discounts</a></li> <li>• <a href="#">Free shipping offers</a></li> <li>• <a href="#">Gift cards</a></li> <li>• <a href="#">Order discounts</a></li> <li>• <a href="#">Product coupons</a></li> <li>• <a href="#">Volume discounts</a></li> </ul> <p>Learn more in <a href="#">Discounts</a>.</p>	<p>Discounts in Kentico are a decentralized system. Therefore, you can find discounts in several database tables.</p> <p>See a specific discount type to find out more details about the discount.</p>
E-products	<p>A special type of <a href="#">products</a>. E-products are like <a href="#">standard products</a> but they are electronic (intangible) and downloadable. E-products are therefore suitable for e-books, files (images, audio, video), apps, etc.</p>	<p>One of the <a href="#">product representations</a> in Kentico. E-products are basically <a href="#">standard products</a> in the <i>COM_SKU</i> database table but have <i>EPRODUCT</i> in the <i>SKUProductType</i> column.</p>



	<p>Learn more in <a href="#">Managing E-products</a>.</p>	<p>They also have linked their downloadable files in the <i>COM_SKUFile</i> table. In the <i>FileSKUID</i> column, there are the files' product IDs.</p> <p>You can find links to the e-products already bought in <a href="#">orders</a> in the <i>COM_OrderItemSKUFile</i> table.</p>
Exchange rates	<p>Exchange rates express the ratio for recalculating an amount of money from one <a href="#">currency</a> to another currency. For this recalculating, Kentico uses exchange tables with all required rates in the tables. You can edit the exchange tables in the <b>Store configuration</b> or <b>Multistore configuration</b> applications on the <b>Exchange rates</b> tab.</p> <p>Learn more in <a href="#">Configuring exchange rates</a>.</p>	<p>Exchange tables are stored in the <i>COM_ExchangeTable</i> database table. You can see whether a specific exchange table is <a href="#">global</a> or <a href="#">site</a> by checking the value in the <i>ExchangeTableSiteID</i> column. Global exchange tables have <i>NULL</i> in the column; site exchange tables have the table's site ID.</p> <p>A table's exchange rates are then stored in the <i>COM_CurrencyExchangeRate</i> table. They are connected to the table ID with the <i>ExchangeTableID</i> column.</p>
Formatted price	<p>Formatted price contains not only the nominal amount but also a <a href="#">currency</a> code or other text and styling configured in the settings.</p>	<p>Formatted price is suitable for any page where <a href="#">customers</a> can see the price. Customers are not therefore confused about the <a href="#">currency</a>. See <a href="#">Configuring currencies</a> to learn more about configuring currencies and the <b>Currency formatting string</b> currency property.</p>
Formatted weight	<p>Formatted weight contains not only the nominal amount but also a weight unit or other text and styling configured in the settings.</p>	<p>Weight is used mainly for <a href="#">products</a> and <a href="#">shipping option</a> price levels. See <a href="#">Configuring products</a> to learn more about configuring products or see directly <a href="#">Settings - E-commerce</a> to set the <b>Mass format string</b> setting.</p>
Free shipping offers	<p>A type of <a href="#">discounts</a>. Free shipping offers enable <a href="#">customers</a> to have free shipping for their <a href="#">purchase</a>. You can manage them through the <b>Free shipping offers</b> application.</p> <p>You can limit a free shipping offer based on orders' properties (<a href="#">prices</a>, <a href="#">currencies</a>, <a href="#">billing</a> or <a href="#">shipping addresses</a>, <a href="#">shipping</a>, weight, etc.) or type of customers, duration, or enable the offer only when the customer types a <a href="#">coupon code</a>.</p> <p>Learn more in <a href="#">Working with free shipping offers</a>.</p>	<p>To create free shipping offers, you need to use <a href="#">a discount rule</a> based on which the free shipping offer is applied. If your desired rule is not predefined, you can create your own, see <a href="#">Configuring discount rules</a>. Free shipping offers, order discounts and gift cards use the same set of discount rules.</p> <p>Free shipping offers are stored in the <i>COM_Discount</i> database table along with <a href="#">catalog discounts</a> and <a href="#">order discounts</a>. Free shipping offers are recognizable by having <i>Shipping</i> in the <i>DiscountApplyTo</i> column.</p>
Gift cards	<p>Gift cards allow customers to reduce the final price of their <a href="#">orders</a>. When a customer enters a gift card's <a href="#">coupon code</a> during checkout, the system subtracts the gift card value from the total price (after calculating all other discounts, shipping costs and taxes). If the gift card value is greater than the order's price, the remaining amount is saved for the given coupon code and can be redeemed in future orders.</p> <p>You can manage gift cards in the <b>Gift cards</b> application.</p> <p>You can restrict application of gift cards based on order properties (<a href="#">prices</a>, <a href="#">currencies</a>, <a href="#">billing</a> or <a href="#">shipping addresses</a>, <a href="#">shipping</a>, weight, etc.), the current date, or the type of the customer.</p> <p>Learn more in <a href="#">Working with gift cards</a>.</p>	<p>Gift cards are stored in the <i>COM_GiftCard</i> database table. The <a href="#">coupon codes</a> used by gift cards are stored in the <i>COM_GiftCardCouponCode</i> table.</p>



Global objects	<p>Global e-commerce objects are those e-commerce entities that are set for <a href="#">all sites</a>. For example, <a href="#">products</a>, <a href="#">product options</a>, <a href="#">manufacturers</a>, <a href="#">payment methods</a>, <a href="#">tax classes</a>, or <a href="#">currencies</a>. Some of them can be used along with <a href="#">site objects</a>, some of them replace the site objects.</p> <p>Learn more in <a href="#">Choosing site or global e-commerce configuration</a>.</p>	Global objects have typically <i>NULL</i> in the database where the site ID usually is, or a specific database column is used to label objects as global.
Global settings	<p>Global e-commerce settings are settings related to the E-commerce Solution and are used for <a href="#">all sites</a>. You can find settings under the <b>Store settings</b> tab in the <b>Multistore configuration</b> application. They serve as setting simplification for multisite stores.</p> <p>Learn more in <a href="#">Choosing site or global e-commerce configuration</a>.</p>	Settings are stored in the <i>CMS_SettingsKey</i> database table. Global settings have <i>NULL</i> in the <i>SiteID</i> column, where the site ID usually is.
Invoices	<p>Invoice is a confirmation of a purchased order. The invoice appearance is editable in the <b>Store configuration</b> or <b>Multistore configuration</b> applications.</p> <p>Learn more in <a href="#">Configuring invoices</a>.</p>	Invoices are printable confirmations that you can browse in the system. If you want to send invoices by email, you need to specify it in the specific email notification. Learn more about e-commerce email notifications in <a href="#">Configuring e-commerce email notifications</a> .
Main currency	<p>Main currency is a <a href="#">currency</a> used by store administrators to type <a href="#">prices</a> in the administration interface. Each <a href="#">site</a> has its own main currency or a site can use a global main currency if the site uses <a href="#">global</a> currencies.</p>	Main currencies are distinguishable from other currencies by the <i>CurrencyIsMain</i> column in the <i>COM_Currency</i> database table, where all currencies are stored.
Manual payment methods	<p>A type of <a href="#">payment methods</a>. Manual payment methods are basically only labels used as payment methods. All logic is manual and up to a store administrator. This type of payment methods is typically suitable for payment on delivery, i.e. when a salesperson or a shop assistant marks the order as <a href="#">paid</a>.</p> <p>Learn more in <a href="#">Configuring payment methods</a>.</p>	From the technical point of view, manual payment methods are <a href="#">payment methods</a> that do not have any payment gateway URL and payment gateway provider class.
Manufacturer's recommended retail price	See <a href="#">product list prices</a> .	See <a href="#">product list prices</a> .
Manufacturers	<p>Manufacturers are "makers" of <a href="#">products</a>. When adding or editing a product, you can set the product's manufacturer.</p> <p>They can serve either for further sorting in the <a href="#">product listing</a> or for easier product management.</p> <p>Learn more in <a href="#">Managing brands and manufacturers</a>.</p>	Manufacturers are stored in the <i>COM_Manufacturer</i> database table. Every product has then a manufacturer's ID assigned (in the <i>SKUManufacturerID</i> column in the <i>COM_SKU</i> table). If the product does not have a manufacturer assigned, the value in the column is <i>NULL</i> .





Memb erships	<p>A special type of <a href="#">products</a>. Memberships are suitable when you offer your <a href="#">customers</a> to be members in a paid club. You can also link together customers' memberships to a membership section on your site, which only members can access.</p> <p>For example, you want to provide some exclusive materials or stuff for your paid members. You create a membership and customers who purchase the membership will be able to access a restricted section on the site. In the restricted section, you publish the exclusive materials.</p> <p>Learn more in <a href="#">Managing E-commerce memberships</a>.</p>	<p>One of the <a href="#">product representations</a> in Kentico. Memberships are basically <a href="#">standard products</a> in the <i>COM_SKU</i> database table but have <i>MEMBERSHIP</i> in the <i>SKUProductType</i> column.</p>
Multisi te store	<p>Multisite store is basically a Kentico instance that runs more on-line stores.</p>	<p>When running a multi-site store, You can take advantage of division settings and objects to <a href="#">global</a> and <a href="#">site</a>.</p> <p>See <a href="#">Choosing site or global e-commerce configuration</a>.</p>
Notific ation emails	<p>Notification emails are emails that the system sends when some event happens. You can configure which events trigger sending a notification email.</p> <p>Learn more in <a href="#">Configuring e-commerce email notifications</a>.</p>	<p>E-commerce notification emails can be sent to the <a href="#">customer</a> who caused the event (created an <a href="#">order</a>, paid an order, etc.) or to the administrator.</p> <p>You can set the appearance of the notification emails.</p>
Option catego ries	<p>Option categories are logical categories of <a href="#">product options</a>. When you want a product to have some product options, you need to assign the product an option category that contains the desired product options.</p> <p>This is particularly useful when you want to use the same set of product options for more products. Typically, it can be sizes of T-shirts. You define one option category with the sizes and then assign it to all T-shirts.</p> <p>You can manage option categories in the <b>Product options</b> application.</p> <p>Learn more in <a href="#">Working with product options</a>.</p>	<p>Option categories are stored in the <i>COM_OptionCategory</i> database table.</p> <p>The relationships between products and option categories are stored in the <i>COM_SKUOptionCategory</i> table.</p>
Order discou nts	<p>A type of <a href="#">discounts</a>. Order discounts reduce the price of entire orders. You can manage them in the <b>Order discounts</b> application.</p> <p>You can limit application of order discounts based on order properties (<a href="#">prices</a>, <a href="#">currencies</a>, <a href="#">billing</a> or <a href="#">shipping addresses</a>, <a href="#">shipping</a>, weight, etc.), the current date, the type of the customer, or enable the offer only for customers who enter a <a href="#">coupon code</a> during checkout.</p> <p>Learn more in <a href="#">Working with order discounts</a>.</p>	<p>Order discounts are stored in the <i>COM_Discount</i> database table along with <a href="#">catalog discounts</a> and <a href="#">free shipping offers</a>. Order discounts are recognizable by having <i>Order</i> in the <i>DiscountApplyTo</i> column.</p> <p>For advanced order discounts, you need to use <a href="#">discount rules</a> based on which the order discount is applied. If your desired rule is not predefined, you can create your own. See <a href="#">Configuring discount rules</a>. Order discounts, free shipping offers and gift cards use the same set of discount rules.</p>
Order status es	<p>Order statuses label <a href="#">orders</a> to describe in which phase the orders are. For example, you can assign new</p>	<p>Orders statuses are stored in the <i>COM_OrderStatus</i> database table. You can see whether a specific order status is global or site by checking the value in the <i>StatusSiteID</i> column. Global order statuses have <i>NULL</i> in the</p>



	<p>orders to the <i>New order</i> status, <a href="#">paid orders</a> to the <i>Paid</i> order status or delivered orders to the <i>Finished</i> order status.</p> <p>With order statuses, you can also automatically mark orders as paid.</p> <p>You can edit order statuses in the <b>Store configuration</b> or <b>Multistore configuration</b> applications.</p> <p>Learn more in <a href="#">Order statuses</a>.</p>	<p>column whereas site order statuses have the status's site ID in the column.</p> <p>You can also see the history of order status changes in the <i>COM_OrderStatusUser</i> table.</p>
Orders	<p>When <a href="#">customers</a> want to <a href="#">purchase products</a> in your on-line store, they need to create an order, which you can then process and deliver the products to the customer.</p> <p>An order is created when the customer adds products to their shopping cart, goes through the <a href="#">checkout process</a> and clicks the final button that creates an order (such as <i>Make an order</i>, <i>Finish the order</i> or <i>Submit</i> ).</p> <p>Learn more in <a href="#">Orders</a>.</p>	<p>Torsos of orders are stored in the <i>COM_Order</i> database table. In the <i>COM_OrderAddress</i> table, you can see addresses used in orders. In the <i>COM_OrderItem</i> table, you can see every <a href="#">product</a> item bought with the order (items that were in the <a href="#">shopping cart</a> before creating an order). Finally, you can see links to the bought <a href="#">e-products</a> in the <i>COM_OrderItemSKUFile</i> table.</p>
Original price	<p>The highest <a href="#">price</a> of a <a href="#">product</a>. The original price is suitable for showing visitors of your store, how much money they can save in your store.</p>	<p>Original prices can be either <a href="#">product list prices</a> or <a href="#">product prices</a> before applying <a href="#">discounts</a> depending on which is a bigger number.</p>
Paid orders	<p>Paid orders are <a href="#">orders</a> that are marked as paid. You can mark an order as paid either one by one manually when editing an order or automatically by creating an <a href="#">order status</a>, which marks orders as paid for you.</p> <p>Learn more in <a href="#">Orders</a>.</p>	<p>Paid orders are stored in the <i>COM_Order</i> database table as well as not paid orders. You can find out whether an order is paid by looking at the <i>OrderIsPaid</i> column. Unpaid orders have <i>NULL</i> as the column's value whereas paid orders have <i>1</i> as the value.</p>
Payment forms	<p>Payment forms are <a href="#">web parts</a> that enable customers to pay for their orders. The <b>Payment form</b> web part either processes the payment itself or redirects the visitor to the payment gateway (a website that was set to process the payment).</p> <p>Payment forms appear after creating an <a href="#">order</a>, see <a href="#">Configuring steps of the checkout process</a> to learn more.</p>	<p><a href="#">Manual payment methods</a> do not need any payment forms.</p>
Payment methods	<p>Payment methods are options of how <a href="#">customers</a> can pay for their <a href="#">orders</a>. You can use either <a href="#">site</a> or <a href="#">global</a> payment methods. Therefore, you can edit payment methods in the <b>Store configuration</b> or <b>Multistore configuration</b> applications.</p> <p>Learn more in <a href="#">Configuring payment methods</a>.</p>	<p>Payment methods are stored in the <i>COM_PaymentOption</i> database table. You can see whether a specific payment method is <a href="#">global</a> or <a href="#">site</a> by checking the value in the <i>PaymentOptionSiteID</i> column. Global payment methods have <i>NULL</i> in the column whereas site payment methods have the method's site ID in the column.</p>
Permissions	<p>By configuring permissions, you can limit access or ability to modify specific content of your on-line store. For example, you can enable specific users to create products but disable the users to delete products.</p>	<p>You can set different permissions to different <a href="#">roles</a>, not just for purposes of store managers.</p>



	See <a href="#">Configuring permissions</a> to learn more about permissions in Kentico generally, or see <a href="#">Configuring e-commerce permissions</a> to learn more about permissions in the E-commerce Solution.	
Prices	Prices in Kentico express the amount of money for which <a href="#">customers</a> can buy a product, order a shipping, etc.	There are several types of prices: <ul style="list-style-type: none"> <li>• <a href="#">Product prices</a></li> <li>• <a href="#">Product list prices</a></li> <li>• <a href="#">Original prices</a></li> </ul>
Product coupons	A type of <a href="#">discount</a> . Product coupons reduce the price of <a href="#">products</a> after customers enter a <a href="#">coupon code</a> . You can manage product coupons in the <b>Product coupons</b> application.  Learn more in <a href="#">Working with product coupons</a> .	Product coupons are stored in the same database tables as <a href="#">Buy X Get Y discounts</a> : <ul style="list-style-type: none"> <li>• <i>COM_MultiBuyDiscount</i> – the main records representing product coupon discounts and their core properties</li> <li>• <i>COM_MultiBuyDiscountSKU</i> – the bindings to assigned products (if the coupon applies to specific products)</li> <li>• <i>COM_MultiBuyDiscountDepartment</i> – the bindings to assigned departments (if the coupon applies to whole departments)</li> <li>• <i>COM_MultiBuyDiscountBrand</i> – the bindings to assigned brands (if the coupon applies to brands or has excluded brands)</li> <li>• <i>COM_MultiBuyDiscountCollection</i> – the bindings to assigned product collections (if the coupon applies to collections or has excluded collections)</li> <li>• <i>COM_MultiBuyDiscountTree</i> – the bindings to assigned sections within the Product structure (if the coupon applies to product sections or has excluded sections)</li> <li>• <i>COM_MultiBuyCouponCode</i> – the <a href="#">coupon codes</a> of product coupon discounts</li> </ul> Product coupon records can be recognized in the <i>COM_MultiBuyDiscount</i> table by having the <i>MultiBuyDiscountIsProductCoupon</i> column set to 1 (true).
Product detail pages	See <a href="#">Product details</a> .	See <a href="#">Product details</a> .
Product details	Product details are <a href="#">pages</a> that display a specific <a href="#">product</a> 's properties (details). It is typically the page where you get when you click on a product in the <a href="#">product listing</a> .	Product details are usual <a href="#">pages</a> with <a href="#">web parts</a> , <a href="#">transformations</a> , etc.  Learn more in <a href="#">Configuring product pages</a> .
Product list prices	The <a href="#">price</a> specified in the <b>List price</b> field when editing a <a href="#">product</a> . Often abbreviated as a "list price". In other systems, you can find list prices also as retail prices, recommended retail prices or even manufacturer's recommended retail prices.  With list prices and <a href="#">transformations</a> or <a href="#">macros</a> , you can show visitors of your store, how much money they can save by <a href="#">purchasing</a> the <a href="#">product</a> in your store.	List prices are stored in the <i>COM_SKU</i> database table in the <i>SKURetailPrice</i> column.

Product listing pages	See <a href="#">Product listings</a> .	See <a href="#">Product listings</a> .
Product listings	Product listings are <a href="#">pages</a> that display a list of <a href="#">products</a> (all of them or a part of them). It is typically a <a href="#">department's</a> page with department's products. After clicking on a product, you usually get to the <a href="#">product detail</a> of the clicked product.	Product listings are usual <a href="#">pages</a> with <a href="#">web parts</a> , <a href="#">transformations</a> , etc.  Learn more in <a href="#">Configuring product pages</a> .
Product options	Product options are selectable parts of products. For example, T-shirts can have different sizes or cups can have inscriptions. They are divided into three types: <ul style="list-style-type: none"> <li>• Attribute (e.g., <i>Color of clothing</i>)</li> <li>• Products (e.g., <i>Portable PC accessories, Configurable PC – Operating system</i>)</li> <li>• Text (e.g., <i>Book – Inscription</i>)</li> </ul> Learn more in <a href="#">Working with product options</a> .	Product options of all types are stored in the <i>COM_SKU</i> database table among <a href="#">products</a> . In the <i>SKUOptionCategoryId</i> column, they have the ID of their <a href="#">option category</a> . Every product option category is then saved in the <i>COM_OptionCategory</i> table.  Unlike product options of the attribute and products type, product options of the text type have by default one option in the <i>COM_SKU</i> table.
Product prices	The <a href="#">price</a> specified in the <b>Price</b> field when editing a <a href="#">product</a> . It is the price from which <a href="#">taxes</a> , <a href="#">discounts</a> , etc. are calculated.	Product prices are stored in the <i>COM_SKU</i> database table in the <i>SKUPrice</i> column.
Product representations	Product representations are basically different types of <a href="#">products</a> . For example, some products are classic tangible items (food, computers, etc.), some of them are electronic or some of them are special, like memberships, bundles, etc. Kentico divides product representations into: <ul style="list-style-type: none"> <li>• <a href="#">Standard products</a></li> <li>• <a href="#">E-products</a></li> <li>• <a href="#">Memberships</a></li> <li>• <a href="#">Bundles</a></li> </ul> Learn more in <a href="#">Managing product representations</a> .	Product representations in Kentico are a partially centralized system. Some of the representations are right in the <i>COM_SKU</i> database table with <a href="#">products</a> and some of them are stored in another table.  See the specific product representations to find out more details about each representation.
Product structure	<a href="#">Products</a> can be organized within a so called product tree. The tree contains a hierarchy of sections, and individual products. The <b>Products</b> application and also the product part of the <b>Pages</b> application reflect the product structure.  Learn more in <a href="#">Configuring product structure</a> .	The system also provides additional ways of dividing products based on other factors (see <a href="#">Categorizing products</a> ).
Product tree structure	See <a href="#">Product structure</a> .	See <a href="#">Product structure</a> .
Product trees	See <a href="#">Product structure</a> .	See <a href="#">Product structure</a> .
Product types	Product types are <a href="#">page types</a> for <a href="#">products</a> .  Learn more in <a href="#">Configuring product page types</a> .	Apart from product page types, there are also <a href="#">product section types</a> . They work the same way as <a href="#">the Page (menu item) section type</a> when creating a new page.



Product variants	<p>Product variants are basically <a href="#">products</a> with preselected <a href="#">product options</a> of the attribute type. You can assign all properties to product variants as if the variants were products.</p> <p>Learn more in <a href="#">Working with product variants</a>.</p>	<p>Product variants are stored among other products in the <i>COM_SKU</i> database table. The <i>SKUParentSKUID</i> column contains the parent product from which the product variants were created. Product variants are also connected with the preselected product options in the <i>COM_VariantOption</i> table.</p>
Products	<p>Products are items (stuff) which your <a href="#">customers</a> can buy. For example, you can offer books, food, computers, audio, video, etc. You can find your products in the <b>Products</b> application.</p> <p>Products can be divided based on several points of view, for example:</p> <ul style="list-style-type: none"> <li>Based on their <a href="#">product representation</a></li> <li>Whether they are created as an SKU object with an assigned page (a standard way) or as <a href="#">an SKU-only product</a></li> </ul> <p>Learn more in <a href="#">Products</a>.</p>	<p>Products are stored in the <i>COM_SKU</i> database table where SKU (stock keeping unit) objects are kept. By default, the SKU is created along with a <a href="#">page</a> (in the <i>CMS_Document</i> table) to embrace also page properties and their advantages.</p> <p>However, it is possible to create products just as <a href="#">stand-alone SKUs</a>. It speeds up the system when you have many products but you cannot, for example, <a href="#">categorize products</a> with categories or tags.</p> <p>Based on every product's <a href="#">product representation</a>, more database tables can be used (for example, <i>COM_Bundle</i> or <i>COM_SKUFile</i>). Similarly, to get all information regarding <a href="#">product options</a> or <a href="#">variants</a>, you also need to see more database tables.</p> <p>Learn more in <a href="#">Configuring products</a>.</p>
Purchase	<p>To purchase something is actually to buy something in the on-line store. When a <a href="#">customer</a> puts <a href="#">products</a> to their <a href="#">shopping cart</a>, goes through the <a href="#">checkout process</a> to the state when they finally make an <a href="#">order</a>, it is considered as a purchase.</p>	<p>Purchasing something does not mean any special system entity or object. It is just a state where an <a href="#">order</a> is created.</p>
Recommended retail prices	<p>See <a href="#">product list prices</a>.</p>	<p>See <a href="#">product list prices</a>.</p>
Retail prices	<p>See <a href="#">product list prices</a>.</p>	<p>See <a href="#">product list prices</a>.</p>
Registered customers	<p><a href="#">Customers</a> who have purchased something and have registered in the store.</p> <p>Learn more in <a href="#">Customers</a>.</p>	<p>Registered <a href="#">customers</a> are stored (as well as <a href="#">anonymous customers</a>) in the <i>COM_Customer</i> database table. In the <i>CustomerUserID</i> column, they have their <a href="#">user</a>'s ID.</p> <p>Customers' properties are synchronized with their user accounts. Learn more in <a href="#">Synchronizing customer and user properties</a>.</p>
Sample sites	<p>Sample sites are websites that you can add during or after the installation of Kentico. On those sites, you can see implementation of different parts of typical websites, and therefore the sample sites can serve as inspiration for your own desired website.</p> <p>Learn more in <a href="#">Installing the e-commerce sample sites</a>.</p>	<p>Regarding the E-commerce Solution, the relevant sample sites are <i>Dancing Goat</i>, an example of a modern responsive website with an on-line store using the most used e-commerce features, and <i>E-commerce Site</i>, a more conservative site/on-line store where most of e-commerce features are implemented and ready to see.</p>
Shipping address	<p>Shipping and <a href="#">billing addresses</a> are addresses used for <a href="#">orders</a>. The shipping address is an address that sets where the order is shipped after the <a href="#">purchase</a>. The</p>	<p>Shipping addresses are (as well as <a href="#">billing addresses</a>) stored in the <i>COM_Address</i> database table. Technically, the shipping and billing addresses are the same and are</p>



	<p>shipping address is used only when at least one <a href="#">product</a> of the order needs shipping.</p> <p>Based on the shipping and billing addresses, you can set shipping prices or further alter <a href="#">orders</a>. Customers can select their address in the <b>Customer address</b> web part. Learn more in <a href="#">Reference - Checkout process web parts</a>.</p>	<p>interchangeable. If the address has already been used in an order, you can find the address also in the <i>COM_OrderAddress</i> table.</p> <p>The potential "duplication" of information is to prevent retroactive changes of orders. Customers are enabled to change their saved addresses (in <i>COM_Address</i>). If orders had used the same table and customers had changed their address, the order's address would also change. Therefore, orders use their own address table (<i>COM_OrderAddress</i>), which can be changed only through the administration interface while editing an order.</p>
Shipping carriers	<p>Shipping carriers contain the functionality of <a href="#">shipping options</a>. To enable any shipping option for your customers, you need to install shipping carriers to your system first.</p> <p>Learn more in <a href="#">Configuring shipping carriers</a>.</p>	<p>Shipping carriers are installed in the system through shipping carrier providers, a source code that provides running of its shipping carriers (and in the end their shipping options).</p> <p>Learn more in <a href="#">Implementing custom shipping carrier providers</a>.</p>
Shipping options	<p><a href="#">Customers</a> can choose from shipping options, you offer in your store, to choose how you send the <a href="#">order</a> to the customer. You can edit shipping options in the <b>Store configuration</b> application.</p> <p>Learn more in <a href="#">Configuring shipping options</a>.</p>	<p>Shipping options are directly dependent on <a href="#">shipping carriers</a> and basically connect shipping option's settings with shipping carrier's functionality. They are stored in the <i>COM_ShippingOption</i> database table.</p> <p>Shipping options can be only <a href="#">site objects</a>.</p>
Shopping cart	<p>Shopping cart is a <a href="#">page</a> on which your customers see all <a href="#">shopping cart items</a> and can continue with the <a href="#">checkout process</a> and make an <a href="#">order</a>.</p> <p>Learn more in <a href="#">Configuring steps of the checkout process</a>.</p>	<p>Shopping cart is a page in the <a href="#">checkout process</a>. Typically, you can have a one-step checkout process or a multi-step checkout process. Therefore, the shopping cart can continue with other steps of the checkout process.</p> <p>Shopping carts are stored in the <i>COM_ShoppingCart</i> database table.</p>
Shopping cart item	<p>Shopping cart item is one <a href="#">product</a> in a <a href="#">shopping cart</a>.</p>	<p>Shopping cart items of each saved shopping carts are stored in the visitor's session and in the <i>COM_ShoppingCartSKU</i> database table.</p>
Shopping cart preview	<p>Shopping cart preview is a part of <a href="#">pages</a> that displays how many <a href="#">products</a> are in the <a href="#">shopping cart</a>, what is the shopping cart's total price, or any other desired information. Clicking the shopping cart preview usually leads to the shopping cart.</p>	<p>You can create shopping cart previews via <a href="#">transformations</a>. Learn more in <a href="#">Displaying the shopping cart preview on pages</a>.</p>
Site objects	<p>Site e-commerce objects are those e-commerce entities that are set for one site only. For example, <a href="#">products</a>, <a href="#">product options</a>, <a href="#">brands</a>, <a href="#">collections</a>, <a href="#">payment methods</a>, <a href="#">tax classes</a>, or <a href="#">currencies</a>. Some of them can be used along with the <a href="#">global objects</a>, some of them can be used only without global objects.</p> <p>Learn more in <a href="#">Choosing site or global e-commerce configuration</a>.</p>	<p>Site objects have typically their site's ID in their database record (opposed to global objects' <i>NULL</i>), or a specific database column is used to label the object as site-related.</p>
Site settings		<p>Settings are stored in the <i>CMS_SettingsKey</i> database table. Site settings have site's ID in the <i>SiteID</i> column.</p>



	<p>Site e-commerce settings are settings related to the E-commerce Solution and are used for one site only. You can find settings under the <b>Store settings</b> tab in the <b>Store configuration</b> application.</p> <p>Learn more in <a href="#">Choosing site or global e-commerce configuration</a>.</p>	
SKU-only products	<p><a href="#">Products</a> consist by default of an SKU object and a page. SKU-only products are products that do not have any bound page.</p> <p>Such products therefore cannot use some advantages of pages.</p> <p>Learn more in <a href="#">Managing stand-alone SKUs</a>.</p>	<p>SKU-only products are stored in the <i>COM_SKU</i> database table as well as default products. SKU-only products speed up the system when you have many products, but you cannot, for example, <a href="#">categorize products</a> in categories or tags.</p> <p>Based on every product's <a href="#">product representation</a>, more database tables can be used (for example, <i>COM_Bundle</i> or <i>COM_SKUFile</i>). Similarly, to get all information regarding <a href="#">product options</a> or <a href="#">variants</a>, you also need to see more database tables.</p> <p>Learn more in <a href="#">Configuring products</a>.</p>
Standard products	<p>A standard type of <a href="#">products</a>. Standard products represent usual tangible products, such as books, computers, food, cars, etc. On the other hand, standard products are not suitable for electronic files – <a href="#">e-products</a> (e-books, audio, video, etc.) or other intangible "products" (like <a href="#">memberships</a>).</p> <p>Learn more in <a href="#">Managing Standard products</a>.</p>	<p>One of the <a href="#">product representations</a> in Kentico. Standard products are stored along with other <a href="#">products</a> in the <i>COM_SKU</i> database table and have <i>PRODUCT</i> in the <i>SKUProduct Type</i> column. Other product representations are derived from standard products.</p>
Suppliers	<p>Suppliers are "providers" of <a href="#">products</a>, they typically bring the products to the store (or its stock). When adding or editing a product, you can set the product's supplier. They can serve for easier product management when tracking which supplier takes care of which products.</p> <p>Learn more in <a href="#">Managing suppliers</a>.</p>	<p>Suppliers are stored in the <i>COM_Supplier</i> database table. Every product has a supplier ID assigned (in the <i>SKUSupplierID</i> column in the <i>COM_SKU</i> table). If the product does not have a supplier assigned, the value in the column is <i>NULL</i>.</p>
Tax classes	<p>Kentico uses tax classes to express tax properties for products and other entities (e.g. shipping options). You can use either <a href="#">site</a> or <a href="#">global</a> tax classes. You can edit tax classes in the <b>Store configuration</b> or <b>Multistore configuration</b> applications.</p> <p>Learn more in <a href="#">Configuring taxes</a>.</p>	<p>Tax classes are stored in the <i>COM_TaxClass</i> database table. You can see whether a specific tax class is global or site by checking the value in the <i>TaxClassSiteID</i> column. Global tax classes have <i>NULL</i> in the column whereas site tax classes have the class's site ID in the column.</p> <p>Specific tax amounts are different for <a href="#">countries and states</a>, they are stored in the <i>COM_TaxClassCountry</i> and <i>COM_TaxClassState</i> tables.</p>
Users	<p>Users are those visitors of your website that have a user account.</p> <p>Learn more in <a href="#">Configuring user registration in stores</a>.</p>	<p>Users are not an e-commerce functionality and are therefore stored in the <i>CMS_User</i> database table (the table does not have the <i>COM</i> prefix).</p> <p>Users have a <a href="#">contact</a> assigned for the on-line marketing purposes (as well as a visitor without a user account) and users can also have a <a href="#">customer</a>. They have a customer when they have already made an <a href="#">order</a>.</p>



Volum e discou nts	<p>A type of <a href="#">discounts</a>. Volume discounts cheapen products based on the number of purchased items. You can manage volume discounts through the <b>Products</b> application. Edit a product and switch to the <b>Advanced -&gt; Volume discounts</b> tab.</p> <p>Learn more in <a href="#">Working with volume discounts</a>.</p>	<p>Volume discounts are stored in the <i>COM_VolumeDiscount</i> database table. They are bound to their <a href="#">products</a> with the product's ID.</p>
-----------------------------	---	---