
 This page is a part of a tutorial, which you should follow sequentially, from the beginning to the end. [Go to the first page: Getting started with Kentico.](#)


When you want to begin developing a website in Kentico, we recommend installing a blank new site. You could also use one of our sample sites, for example the Dancing Goat site, but then you should make sure to delete all the sample objects you do not need. See [Creating new sites from templates](#) for instructions on how to install a sample site.

For the purpose of this tutorial, install a blank new site:

1. In the Kentico administration interface, open the **Sites** application.



2. Click **New site wizard**.



3. Select **Create a new site using a wizard** and click **Next**.
4. Type the details for the new website:
  - **Site display name:** MEDIO clinic
  - **Domain name:** *do not change the value in this field*
  - **Site culture:** (default)

**Step 2 of 6**
**Enter new site settings**

Enter the display name and code name of the website. The Domain field must contain the domain that you will use to access the website during development (you may change it when the site goes live). The default culture is the main language of the website.

Site display name\*: MEDIO clinic

Site code name: (automatic) ?

Domain name\*: localhost

Site culture: (default) v

Previous Next

5. Click **Next**.
6. In Step 3, do not change anything and click **Next**.
  - This step allows you to select the objects which the system imports to the new site.

**Step 3 of 6**
**Objects selection**

Please select objects which should be imported.

All objects
 Website
 Content management
 Configuration
 Global objects
 On-line marketing
 Social & Community
 Development
 Configuration

**Please note:** The import process may overwrite your existing objects. The existing objects are marked with a warning. Please select the object type from the tree if you wish to change the default selection. Click **Next** to start the import of selected objects.

**Global object selection**

Load default selection Select all Select only new Deselect all

**Import settings**

☒ Assign all objects to the imported site (recommended)

☒ Run the site after import

☐ Delete incomplete site when import fails

☐ Do not import objects where parent object is missing


☒ Import tasks (recommended)

☐ Log staging synchronization tasks


☐ Log integration tasks

Previous Next

7. If you encounter the following warning, click **Next**.
  - Warning: Failed to start site 'MEDIO clinic', there is already a site running under this domain alias. You first need to stop the existing site and then start the new site manually.*
  - Two sites cannot run under one domain simultaneously. For the purpose of this tutorial, we will stop the previously installed site (usually Dancing Goat site) after the site creation is finished.



8. In Step 5, select **Blank master page**.
  - This is the master page template for the website.
  - You can change it later at any time.





9. Click **Next**.
10. Click **Finish**.

The system creates the new blank website and displays it in the **Sites** application.



If you have previously installed a different site, stop it now, so that you can run the new one:

1. **Stop** (■) the website which is running on the domain that you want to use (localhost in our case).
2. **Run** (▶) the MEDIO clinic website.



Dancing Goat ▾

Sites
















New site wizard

Import site or objects

Export

View export history

 Actions	Site name ▴	Status	Main domain	Pages	Content only	Default culture
    	Dancing Goat	Stopped	localhost	100	No	 English - United States
    	MEDIO clinic	Running	localhost	1	No	 English - United States

Items per page 

25 ▾

### Running more websites simultaneously

If you want to run more websites simultaneously, you need to set different domain names for them. See [Setting up multiple websites](#) for more information.

### Adding license keys

For instructions on how to add license keys to Kentico, see [Managing site licenses](#).



**Previous page:** [Portal Engine development](#) — **Next page:** [Adding styles to the website](#)

**Completed pages:** 2 of 8