Xshell连接虚拟机

1、打开虚拟机终端，输入下面命令，找到ens33对应的IP地址

```
ifconfig
```



2、打开Xshell，打开文件-->新建



3、填写名称，主机这里填入刚才的IP，点击连接



4、输入登录的用户名，点击确定

5、输入密码，点击确定



6、连接成功，可以开始使用


Centos 7 - sky@localhost:~ - Xshell 6 (Free for Home/School)
文件(F) 编辑(E) 查看(V) 工具(T) 选项卡(B) 窗口(W) 帮助(H)
ssh://sky@192.168.140.129:22
要添加当前会话，点击左侧的箭头按钮。
会话管理器
所有会话
Centos 7
阿里云
名称 Centos 7
主机 192.168.1...
端口 22
协议 SSH
用户名 sky
说明
1 Centos 7
Xshell 6 (Build 0175)
Copyright (c) 2002 NetSarang Computer, Inc. All rights reserved.
Type `help' to learn how to use Xshell prompt.
[D:\~]$
Connecting to 192.168.140.129:22...
Connection established.
To escape to local shell, press 'Ctrl+Alt+]'.
Server closed connection. Please close dialog to finalize this session.
Connection closing...Socket close.
Connection closed by foreign host.
Disconnected from remote host(Centos 7) at 17:53:25.
Type `help' to learn how to use Xshell prompt.
[D:\~]$
Connecting to 192.168.140.129:22...
Connection established.
To escape to local shell, press 'Ctrl+Alt+]'.
Last login: Sun Jun 28 01:35:02 2020
/usr/bin/xauth: file /home/sky/.Xauthority does not exist
[sky@localhost ~]$
ssh://sky@192.168.140.129:22
SSH2 xterm 87x27 26,20 1 会话 CAP NUM