



Sky: LZ Gov DVN Deploy

Security Review

Cantina Managed review by:

Christoph Michel, Lead Security Researcher

M4rio.eth, Lead Security Researcher

June 24, 2026

Contents

1	Introduction	2
1.1	About Cantina	2
1.2	Disclaimer	2
1.3	Risk assessment	2
1.3.1	Severity Classification	2
2	Security Review Summary	3
3	Findings	4
3.1	Informational	4
3.1.1	Existing-EID CCIP rewiring can falsely succeed while keeping the old remote adapter .	4
3.1.2	Set Worker default multiplier to 10,000 bps during deployment	4
3.1.3	Minor issues, Typos & Documentation	4

1 Introduction

1.1 About Cantina

Cantina is a security services marketplace that connects top security researchers and solutions with clients. Learn more at cantina.xyz

1.2 Disclaimer

Cantina Managed provides a detailed evaluation of the security posture of the code at a particular moment based on the information available at the time of the review. While Cantina Managed endeavors to identify and disclose all potential security issues, it cannot guarantee that every vulnerability will be detected or that the code will be entirely secure against all possible attacks. The assessment is conducted based on the specific commit and version of the code provided. Any subsequent modifications to the code may introduce new vulnerabilities that were absent during the initial review. Therefore, any changes made to the code require a new security review to ensure that the code remains secure. Please be advised that the Cantina Managed security review is not a replacement for continuous security measures such as penetration testing, vulnerability scanning, and regular code reviews.

1.3 Risk assessment

Severity level	Impact: High	Impact: Medium	Impact: Low
Likelihood: high	Critical	High	Medium
Likelihood: medium	High	Medium	Low
Likelihood: low	Medium	Low	Low

1.3.1 Severity Classification

The severity of security issues found during the security review is categorized based on the above table. Critical findings have a high likelihood of being exploited and must be addressed immediately. High findings are almost certain to occur, easy to perform, or not easy but highly incentivized thus must be fixed as soon as possible.

Medium findings are conditionally possible or incentivized but are still relatively likely to occur and should be addressed. Low findings are a rare combination of circumstances to exploit, or offer little to no incentive to exploit but are recommended to be addressed.

Lastly, some findings might represent objective improvements that should be addressed but do not impact the project's overall security (Gas and Informational findings).

2 Security Review Summary

Sky Protocol is a decentralised protocol developed around the USDS stablecoin.

From Jun 19th to Jun 22nd the Cantina team conducted a review of [lz-gov-dvns-deploy](#) on commit hash [5729b9a1](#). The team identified a total of **3** issues:

Issues Found

Severity	Count	Fixed	Acknowledged
Critical Risk	0	0	0
High Risk	0	0	0
Medium Risk	0	0	0
Low Risk	0	0	0
Gas Optimizations	0	0	0
Informational	3	3	0
Total	3	3	0

The Cantina Managed team reviewed Sky's [lz-gov-dvns-deploy](#) holistically on commit hash [c72a2b3e](#) and concluded that all findings were addressed and no new vulnerabilities were identified.

3 Findings

3.1 Informational

3.1.1 Existing-EID CCIP rewiring can falsely succeed while keeping the old remote adapter

Severity: Informational

Context: LZDVNInit.sol#L48-L65DVNAdapterBase.sol#L55-L59

Description: LZDVNInit.wireCCIPDVN() configures both the destination CCIP route and the receive-lib target for a remote EID. However, upstream CCIPDVNAdapter.setDstConfig() only writes chainSelector, peer, and reverse srcConfig the first time an EID bucket is initialized:

```
if (dstConfig[eid].chainSelector == 0) {
    dstConfig[eid].chainSelector = param.chainSelector;
    dstConfig[eid].peer = param.peer;
    srcConfig[param.chainSelector].eid = eid;
    srcConfig[param.chainSelector].peer = param.peer;
}
```

A later spell for the same EID can therefore appear to succeed while silently keeping the old dstConfig[eid].peer. At the same time, setReceiveLibs() still overwrites receiveLibs[sendLib][dstEid], so the source adapter can encode payloads for a new remote broadcaster while CCIP still sends the message to the old remote adapter.

This means a remote-side-only redeployment is not enough if the L2 CCIP adapter has to be replaced. Wiring the existing L1 adapter to the new L2 adapter will not actually update the CCIP peer; recovery requires redeploying the L1 CCIP adapter as well, or adding an upstream route-update mechanism.

Recommendation: Document that replacing a remote CCIP adapter currently requires a full source-side CCIP adapter redeployment.

Sky: Warning added in commit c72a2b3e

Cantina Managed: Fix verified.

3.1.2 Set Worker default multiplier to 10,000 bps during deployment

Severity: Informational

Context: SendSideDeployer.sol#L52

Description: The worker defaultMultiplier is currently left at 12_000 (120%), while LZDVNInit can set the multiplier to 0 to use the default. It was mentioned that the desired multiplier is 10_000 to run the CCIPDVNAdapter at no additional profit. Currently, this requires the SKY_PAUSE_PROXY to update the default later.

Recommendation: Consider calling CCIPDVNAdapter/Worker.setDefaultMultiplierBps(1e4) during deployment to set the default multiplier to 100%.

Sky: Changed in commit c72a2b3e.

Cantina Managed: Fix verified.

3.1.3 Minor issues, Typos & Documentation

Severity: Informational

Context: (See each case below)

Description:

1. LZDVNInit.sol#L30: The remoteChainSelector variable is CCIP-specific but is not named consistently with other CCIP-related variables. Consider renaming it to remoteCcipChainSelector.

Recommendation: Consider addressing the issues mentioned above.

Sky: Changed in commit [c72a2b3e](#).

Cantina Managed: Fix verified.