

BA Vulnerabilities Export

Top 150 honeypot-requested TCP/UDP ports from the current firewall stats feed, sorted lowest to highest. ICMP port 0 is intentionally excluded.

Generated: 2026-08-08 08:31 NZST

Primary source: https://raw.githubusercontent.com/sky-poppy/fwfeed/refs/heads/main/blocklist_honeypot_firewall_stats.txt

Fallback reference: https://raw.githubusercontent.com/sky-poppy/fwfeed/main/blocklist_honeypot_firewall_stats.txt

Port 21 - FTP

- Observed request share in the current feed: 0.12%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_21.txt.
- FTP-family services are targeted for cleartext credentials, anonymous login, brute force, and vulnerable server builds.
- Prefer SFTP/SSH, disable anonymous access, enforce TLS where retained, and restrict writable directories.
- Known CVE examples for common products on this port: CVE-2011-2523, CVE-2015-3306. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 22 - SSH

- Observed request share in the current feed: 1.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_22.txt.
- SSH is commonly attacked through password spraying, stolen keys, exposed legacy ciphers, and vulnerable appliances.
- Require MFA or key-only login, disable root/password access, rate-limit attempts, and restrict source networks.
- Known CVE examples for common products on this port: CVE-2024-6387, CVE-2023-48795. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 23 - Telnet

- Observed request share in the current feed: 4.50%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_23.txt.
- Cleartext remote login is frequently targeted for default credentials and botnet recruitment.
- Disable Telnet on Internet-facing systems; use SSH with key-based access through a restricted management path.
- Known CVE examples for common products on this port: CVE-2017-17215, CVE-2021-35394. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 25 - SMTP

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_25.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 53 - DNS

- Observed request share in the current feed: 0.38%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_53.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples for common products on this port: CVE-2023-50387, CVE-2020-8617. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 68 - DHCP client

- Observed request share in the current feed: 0.48%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_68.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 80 - HTTP

- Observed request share in the current feed: 1.03%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_80.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 81 - alternate HTTP

- Observed request share in the current feed: 0.15%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_81.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 82 - alternate HTTP

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_82.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 83 - alternate HTTP

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_83.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 84 - unassigned or product-specific service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_84.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 85 - alternate HTTP

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_85.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 88 - Kerberos

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_88.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2022-37966, CVE-2021-42278. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 90 - unassigned or product-specific service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_90.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 110 - POP3

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_110.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 111 - rpcbind

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_111.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2017-8779. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 123 - NTP

- Observed request share in the current feed: 0.32%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_123.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples for common products on this port: CVE-2014-9295, CVE-2015-7704. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 135 - MS RPC endpoint mapper

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_135.txt.
- Windows remote access surfaces are heavily scanned for weak credentials, lateral-movement services, and historical RCE classes.
- Keep off the public Internet where possible; require VPN, NLA/MFA, current patches, and strict firewall source controls.
- Known CVE examples for common products on this port: CVE-2019-0708, CVE-2020-0796. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 137 - NetBIOS name service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_137.txt.
- Windows remote access surfaces are heavily scanned for weak credentials, lateral-movement services, and historical RCE classes.
- Keep off the public Internet where possible; require VPN, NLA/MFA, current patches, and strict firewall source controls.
- Known CVE examples for common products on this port: CVE-2017-0144, CVE-2020-0796. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 139 - NetBIOS session service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_139.txt.
- Windows remote access surfaces are heavily scanned for weak credentials, lateral-movement services, and historical RCE classes.
- Keep off the public Internet where possible; require VPN, NLA/MFA, current patches, and strict firewall source controls.
- Known CVE examples for common products on this port: CVE-2017-0144, CVE-2020-0796. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 143 - IMAP

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_143.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 161 - SNMP

- Observed request share in the current feed: 0.20%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_161.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples for common products on this port: CVE-2017-6736, CVE-2022-24805. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 389 - LDAP

- Observed request share in the current feed: 0.11%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_389.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2020-25692, CVE-2021-42278. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 427 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_427.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 443 - HTTPS

- Observed request share in the current feed: 0.90%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 444 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_444.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 445 - SMB

- Observed request share in the current feed: 0.18%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_445.txt.
- Windows remote access surfaces are heavily scanned for weak credentials, lateral-movement services, and historical RCE classes.
- Keep off the public Internet where possible; require VPN, NLA/MFA, current patches, and strict firewall source controls.
- Known CVE examples for common products on this port: CVE-2017-0144, CVE-2020-0796. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 465 - SMTPS

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_465.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 500 - IKE/IPsec

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_500.txt.
- VPN endpoints are targeted for credential attacks, weak legacy protocols, exposed portals, and appliance CVEs.
- Use supported protocols, MFA, rapid patching, source-aware monitoring, and lock out repeated failures.
- Known CVE examples for common products on this port: CVE-2023-27997, CVE-2024-21762, CVE-2024-3400. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 502 - Modbus/TCP

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_502.txt.
- Industrial, router, and IoT management services often expose unauthenticated commands, default passwords, and old firmware.
- Do not expose directly; segment networks, update firmware, disable unused management APIs, and allowlist operators.
- Known CVE examples for common products on this port: CVE-2021-30186, CVE-2022-22515. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 541 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_541.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 554 - RTSP

- Observed request share in the current feed: 0.12%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_554.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2021-35394, CVE-2020-15893. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 587 - SMTP submission

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_587.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 636 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_636.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 888 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_888.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 990 - FTPS

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_990.txt.
- FTP-family services are targeted for cleartext credentials, anonymous login, brute force, and vulnerable server builds.
- Prefer SFTP/SSH, disable anonymous access, enforce TLS where retained, and restrict writable directories.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 993 - IMAPS

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_993.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 995 - POP3S

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_995.txt.
- Mail services are probed for open relay, credential stuffing, mailbox exposure, and outdated TLS or server software.
- Enforce modern TLS, strong auth, relay restrictions, rate limits, and mailbox anomaly monitoring.
- Known CVE examples for common products on this port: CVE-2019-15846, CVE-2023-42115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1024 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1024.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1080 - SOCKS proxy

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1080.txt.
- Open proxies are abused for anonymized attacks, relay traffic, credential capture, and access to internal resources.
- Require authentication, block public relay behavior, and verify proxy rules cannot reach private admin networks.
- Known CVE examples for common products on this port: CVE-2021-28651, CVE-2023-46847. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 1194 - OpenVPN

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1194.txt.
- VPN endpoints are targeted for credential attacks, weak legacy protocols, exposed portals, and appliance CVEs.
- Use supported protocols, MFA, rapid patching, source-aware monitoring, and lock out repeated failures.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1337 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1337.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1433 - Microsoft SQL Server

- Observed request share in the current feed: 0.15%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1433.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples for common products on this port: CVE-2020-0618. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1434 - SQL Server browser

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1434.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1521 - Oracle database listener

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1521.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1723 - PPTP VPN

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1723.txt.
- VPN endpoints are targeted for credential attacks, weak legacy protocols, exposed portals, and appliance CVEs.
- Use supported protocols, MFA, rapid patching, source-aware monitoring, and lock out repeated failures.
- Known CVE examples for common products on this port: CVE-2023-27997, CVE-2024-21762. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 1900 - SSDP/UPnP

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_1900.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2000 - Cisco SCCP or remote admin

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 2082 - cPanel

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2082.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2083 - unassigned or product-specific service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2083.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2086 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2086.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2087 - WHM/cPanel

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2087.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2095 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2095.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2096 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2096.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2222 - alternate SSH / admin panel

- Observed request share in the current feed: 0.22%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2222.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 2323 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2323.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 2375 - Docker API

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_2375.txt.
- Container orchestration APIs can expose secrets, workloads, host mounts, and cluster control if misconfigured.
- Require mutual TLS or strong auth, private network binding, RBAC review, and audit logging for administrative calls.
- Known CVE examples for common products on this port: CVE-2019-5736, CVE-2024-21626. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 3000 - development web service

- Observed request share in the current feed: 0.12%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 3001 - development web service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3001.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 3128 - HTTP proxy

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3128.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 3306 - MySQL/MariaDB

- Observed request share in the current feed: 0.17%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3306.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples for common products on this port: CVE-2012-2122, CVE-2021-2307. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 3389 - Remote Desktop Protocol

- Observed request share in the current feed: 0.45%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3389.txt.
- Windows remote access surfaces are heavily scanned for weak credentials, lateral-movement services, and historical RCE classes.
- Keep off the public Internet where possible; require VPN, NLA/MFA, current patches, and strict firewall source controls.
- Known CVE examples for common products on this port: CVE-2019-0708, CVE-2019-1181. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 3478 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3478.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 3702 - WS-Discovery

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_3702.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 4000 - application service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_4000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 4433 - alternate HTTPS

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_4433.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 4443 - alternate HTTPS

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_4443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 4444 - remote shell/admin service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_4444.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 5000 - HTTP/API service

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 5001 - HTTP/API service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5001.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 5021 - FTP/control variant

- Observed request share in the current feed: 0.12%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5021.txt.
- FTP-family services are targeted for cleartext credentials, anonymous login, brute force, and vulnerable server builds.
- Prefer SFTP/SSH, disable anonymous access, enforce TLS where retained, and restrict writable directories.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5060 - SIP

- Observed request share in the current feed: 0.22%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5060.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2021-32558, CVE-2023-37457. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5122 - application service

- Observed request share in the current feed: 0.31%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5122.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5353 - mDNS

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5353.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5432 - PostgreSQL

- Observed request share in the current feed: 0.13%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5432.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples for common products on this port: CVE-2018-1058, CVE-2024-4317. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5555 - Android Debug Bridge / remote admin

- Observed request share in the current feed: 0.16%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5555.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 5683 - CoAP

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5683.txt.
- UDP-oriented services can leak information or be abused for reflection, amplification, and device discovery.
- Disable public recursion/discovery, restrict management communities, patch firmware, and filter unsolicited traffic.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5900 - VNC

- Observed request share in the current feed: 27.81%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5900.txt.
- VNC commonly suffers from weak passwords, no MFA, and exposed graphical sessions that enable direct host takeover.
- Block public access, tunnel through VPN/SSH, enforce strong authentication, and verify encryption is enabled.
- Known CVE examples for common products on this port: CVE-2019-15681, CVE-2020-14405. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5901 - VNC

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5901.txt.
- VNC commonly suffers from weak passwords, no MFA, and exposed graphical sessions that enable direct host takeover.
- Block public access, tunnel through VPN/SSH, enforce strong authentication, and verify encryption is enabled.
- Known CVE examples for common products on this port: CVE-2019-15681, CVE-2020-14405. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5984 - CouchDB

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5984.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2017-12635, CVE-2022-24706. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 5985 - WinRM HTTP

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5985.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2021-31166, CVE-2020-0618. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 5986 - WinRM HTTPS

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_5986.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2021-31166, CVE-2020-0618. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 6000 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6001 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6001.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6021 - FTP/control variant

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6021.txt.
- FTP-family services are targeted for cleartext credentials, anonymous login, brute force, and vulnerable server builds.
- Prefer SFTP/SSH, disable anonymous access, enforce TLS where retained, and restrict writable directories.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6036 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6036.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6080 - web console/proxy

- Observed request share in the current feed: 0.15%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6080.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 6379 - Redis

- Observed request share in the current feed: 0.18%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6379.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples for common products on this port: CVE-2022-0543, CVE-2023-28856. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6443 - Kubernetes API

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6443.txt.
- Container orchestration APIs can expose secrets, workloads, host mounts, and cluster control if misconfigured.
- Require mutual TLS or strong auth, private network binding, RBAC review, and audit logging for administrative calls.
- Known CVE examples for common products on this port: CVE-2018-1002105, CVE-2020-8554. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 6502 - application service

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6502.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6590 - application service

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6590.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 6881 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_6881.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 7000 - web/API service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_7000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 7001 - Oracle WebLogic

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_7001.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2020-14882, CVE-2019-2725. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 7443 - alternate HTTPS/admin

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_7443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 7547 - TR-069/CWMP

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_7547.txt.
- Industrial, router, and IoT management services often expose unauthenticated commands, default passwords, and old firmware.
- Do not expose directly; segment networks, update firmware, disable unused management APIs, and allowlist operators.
- Known CVE examples for common products on this port: CVE-2017-17215, CVE-2014-9222. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 7777 - application/game/admin service

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_7777.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8000 - HTTP alternate

- Observed request share in the current feed: 0.13%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8001 - HTTP alternate

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8001.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8008 - HTTP alternate

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8008.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8020 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8020.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 8080 - HTTP proxy/web admin

- Observed request share in the current feed: 0.62%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8080.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8081 - HTTP alternate

- Observed request share in the current feed: 0.21%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8081.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8082 - HTTP alternate

- Observed request share in the current feed: 0.12%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8082.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8083 - HTTP alternate

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8083.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8084 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8084.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 8085 - HTTP alternate

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8085.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8087 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8087.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 8088 - HTTP alternate

- Observed request share in the current feed: 0.11%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8088.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8089 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8089.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 8090 - HTTP alternate

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8090.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8181 - HTTP alternate

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8181.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8443 - HTTPS alternate/admin

- Observed request share in the current feed: 0.29%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8728 - MikroTik API

- Observed request share in the current feed: 0.49%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8728.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2018-14847, CVE-2023-30799. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8800 - web/admin service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8800.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8880 - HTTP alternate

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8880.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8888 - HTTP alternate/proxy

- Observed request share in the current feed: 0.13%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8888.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 8900 - web/admin service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_8900.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9000 - web/API or admin console

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9001 - web/API or Tor ORPort

- Observed request share in the current feed: 0.06%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9001.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9002 - web/API service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9002.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9080 - HTTP alternate

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9080.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9090 - web admin/Prometheus

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9090.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9200 - Elasticsearch

- Observed request share in the current feed: 0.13%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9200.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2015-1427, CVE-2021-22145. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 9443 - HTTPS alternate/admin

- Observed request share in the current feed: 0.18%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 9999 - web/admin service

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_9999.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 10000 - Webmin

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_10000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2019-15107, CVE-2022-0824. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 10001 - Ubiquiti discovery/IoT admin

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_10001.txt.
- Industrial, router, and IoT management services often expose unauthenticated commands, default passwords, and old firmware.
- Do not expose directly; segment networks, update firmware, disable unused management APIs, and allowlist operators.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 10443 - HTTPS alternate/admin

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_10443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 11211 - Memcached

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_11211.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2018-1000115. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 11434 - Ollama API

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_11434.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2024-37032. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 17000 - application service

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_17000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 18789 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_18789.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 20000 - web/admin service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_20000.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 20256 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_20256.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 22222 - alternate SSH/admin

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_22222.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 25565 - Minecraft server

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_25565.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 27015 - game server

- Observed request share in the current feed: 0.08%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_27015.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 27017 - MongoDB

- Observed request share in the current feed: 0.10%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_27017.txt.
- Databases exposed to the Internet risk credential attacks, unauthenticated access, data theft, ransomware, and destructive writes.
- Bind to private interfaces, require strong authentication and TLS, patch engines, and monitor for unexpected queries or dumps.
- Known CVE examples for common products on this port: CVE-2019-2391, CVE-2021-20329. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 44423 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_44423.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 44818 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_44818.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 50000 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_50000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 53443 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_53443.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 54321 - IoT/admin service

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_54321.txt.
- Industrial, router, and IoT management services often expose unauthenticated commands, default passwords, and old firmware.
- Do not expose directly; segment networks, update firmware, disable unused management APIs, and allowlist operators.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 54322 - IoT/admin service

- Observed request share in the current feed: 0.07%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_54322.txt.
- Industrial, router, and IoT management services often expose unauthenticated commands, default passwords, and old firmware.
- Do not expose directly; segment networks, update firmware, disable unused management APIs, and allowlist operators.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 54443 - HTTPS alternate/admin

- Observed request share in the current feed: 0.09%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_54443.txt.
- Web and admin interfaces are common paths for authentication bypass, RCE, file upload, SSRF, and exposed panels.
- Patch frameworks and appliances, remove default credentials, enforce TLS and MFA, and place admin paths behind VPN or allowlists.
- Known CVE examples for common products on this port: CVE-2025-24813, CVE-2024-3400, CVE-2023-3519, CVE-2021-41773. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search; OWASP web risk categories.

Port 60000 - unassigned or product-specific service

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_60000.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 60001 - unassigned or product-specific service

- Observed request share in the current feed: 0.04%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_60001.txt.
- Observed scanning suggests attackers are testing for exposed services, product-specific backdoors, weak credentials, or stale software.
- Identify the listener, confirm business need, patch the owning system, and restrict public access with deny-by-default rules.
- Known CVE examples: no reliable generic CVE mapping for this port alone; use the NVD and CISA lookups below with the confirmed product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

Port 61616 - Apache ActiveMQ

- Observed request share in the current feed: 0.05%.
- Source feed context: https://github.com/sky-poppy/fwfeed/blob/main/ASN_BA_EXPORTS/asn_ba_port_61616.txt.
- Message brokers are targeted for anonymous access, weak credentials, unsafe deserialization, and data exfiltration.
- Disable anonymous clients, require TLS and auth, patch broker software, and restrict management consoles.
- Known CVE examples for common products on this port: CVE-2023-46604, CVE-2016-3088. Validate against the actual product and version.
- External vulnerability sources: NVD CVE lookup; CISA KEV exploited-CVE catalog; Exploit-DB public exploit search.

External Vulnerability Sources

The per-port links are service-oriented lookups, not claims that every CVE returned by a search applies to the listener in your environment. Known CVE examples are representative historical or recent issues for common products on the port; use them to validate the exact product, version, configuration, and exposure before taking remediation action.

- NIST National Vulnerability Database: official U.S. government vulnerability search for CVE records, severity, affected products, and references.
- CISA Known Exploited Vulnerabilities Catalog: exploited-in-the-wild CVEs prioritized for remediation.
- CVE Program: canonical CVE identifiers and assignment records.
- OWASP Top 10:2025: application-security risk categories used for web, API, proxy, and admin-interface exposures.
- Exploit-DB: public exploit and proof-of-concept search used as an additional triage signal.