

Crop Health Report

Moderate**Crop:** Corn (maize) **Condition:** Cercospora Leaf Spot Gray Leaf Spot **Scanned:** 29 Mar 2026

Disease detected. See treatment recommendations below.

Overview

Gray leaf spot is a major corn disease caused by *Cercospora zeae-maydis*. It can cause significant yield loss, especially in humid regions. The AI model detected this with 8.3% confidence.



Symptoms

Rectangular, gray to tan lesions between leaf veins. Lesions are sharply defined by veins. Lower leaves affected first. In severe cases, entire leaf may be killed.



Causes

Caused by *Cercospora zeae-maydis* fungus. Survives in infected corn residue. Spreads by wind-borne spores. Favored by extended periods of high humidity and moderate temperatures.



Recommended Treatment

1. Apply foliar fungicide (azoxystrobin or pyraclostrobin) at first sign. 2. Apply before or at tasseling for best results. 3. Consider economic threshold before treating.



Prevention Measures

Plant resistant hybrids. Rotate with non-host crops (soybeans). Tillage to bury infected residue. Avoid continuous corn planting. Manage irrigation to reduce leaf wetness.



Recommended Products

Azoxystrobin (Quadris), Pyraclostrobin (Headline), Triazole fungicides, Resistant corn hybrids