



ULTRA AVIATION SERVICES, INC.

Emergency Response

SECTION D

**EMERGENCY
RESPONSE
PLAN (ERP)**



Section: D

Emergency Response

Revision: 6

Date: 10/01/2021

Table of Contents

	Page
D.1 Introduction and Purpose	D-1
D.2 Before Emergency - Command Post	D-2
D.3 During Emergency	D-2
D.3.2 Classification of Emergency	D-3
D.3.2.1 Aircraft Accident	D-3
D.3.2.2 Possible Accident	D-4
D.3.2.3 Weather Accident	D-4
D.3.2.4 Social Threat	D-5
D.4 After Emergency	D-5
D.5 ERP Training	D-6
D.6 Flow Chart to Activate	D-6
D.8 Assignment During the Emergency	D-7
D.9 Stations where we Provide Passenger Services	D-8
D.10 Spills	D-9
D.11 Fire in Ramp	D-13
D.12 Security	D-14



ULTRA AVIATION SERVICES, INC.

General Operations Manual

Section: D

Emergency Response

Revision: 6

Date: 10/01/2021

Intentionally Left Blank



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.1 Introduction

Documents used within Ultra Aviation departments are subject to manage and control. The primary purpose of document control is to ensure necessary, accurate and up-to-date documents are available to those personnel required to use them, to include employees of external service providers. This information is in accordance with the airport ERP and requirements of customer airlines.

D.1.1 Accordingly

This manual defines the procedures and controls that have been designed to ensure that safe operational practices and airworthy airplanes are produced under controlled conditions.

Ultra has introduced an Emergency Response Plan as a basis for continuing operations. All Managers and Supervisors are responsible for ensuring their team members are aware of and understand this plan. Every individual in the company is responsible for ensuring safety in their own activities.

This document shall apply to all work undertaken by Ultra Aviation in addition to Airline Specific Plans detailing specific requirements. It forms the company's response to the requirements of ISAGO. **ORM 1.3.1**

This manual includes processes that provide for on-going conformity with all IATA Standards and Recommended Practices, to include:

Auditing and evaluation of the management system, as well as operations and maintenance functions, against all IATA Standards and Recommended Practices during a period not to exceed 24 months;

The holder of this manual is responsible for keeping his copy updated by immediately inserting, deleting, or changing all revisions whenever issued.

D.1.2 Purpose

This Emergency Response Plan (E.R.P) has been developed to provide a common system in the management of emergencies.

The purpose of this manual is to present to the user an overview of emergency response actions at any of ULTRA AVIATION'S positions. It clearly defines departmental responsibilities & interaction between departments as well the coordination with agencies responding to emergencies at any station. The ERP will serve management, employees, airline customers, airport authorities, and subcontracted services.

Emergency Respond Planning is a process of preparing us to cope with an emergency occurring at the airport or in its vicinity. The object of the emergency planning is to minimize the effects of an emergency.



Section: D

Emergency response

Revision:

6

Date:

10/01/2021

The emergency plan sets for the procedures of coordinating the response of different airport agencies (or Services) and those agencies in the surrounding community that could be of assistance in responding to the emergency.

The airport emergency plan will be implemented similarly whether it is an on-airport aircraft accident/incident. It is only in jurisdiction that changes will be noted. In an on-airport aircraft accident/incident, the **airport authority will normally be in command**. In an off-airport accident/incident, the agency in command will be the agency agreed upon in the mutual aid emergency agreement pre-arranged with the surrounding community. When aircraft accident/incident occurs just outside the airport perimeter. The jurisdictional responsibility will be as agreed upon in the mutual aid emergency agreement pre-arranged with the surrounding community. This, however, should not affect the immediate response by airport personnel or by agencies having roles in the airport emergency plan.

The emergency response plan included a set of instructions to ensure prompt response of rescue and fire fighting. Law enforcement, police/security, medical services, other agencies on and off the airport and other competent personnel adequate to meet unusual conditions.

To be operationally sound, a comprehensive airport emergency plan must give consideration to:

- a)-Preplanning Before an Emergency:
- b)-Operation During the Emergency and;
- c)-Support and documentation After the Emergency.

Safety Manager and Quality Supervisor will maintain the currency of the information in this ERP.

D.2 Before the Emergency

Ultra's Command Post

Station	Coordination	Emergency Planning
MIA	Operations	Operations

Before the emergency consideration includes planning for the handling of all factors that could bear upon effective emergency response. Preplanning should define the organizational authority and the responsibilities for developing testing and implementing the emergency plan.

D.3 During the Emergency

"During the emergency" considerations depend on the stage, nature and location of the emergency. The situation may change as the rescue work progresses. (For example, while the airport fire chief or designee would normally be the first person in command of the emergency forces, this officer may thereafter becomes one of several staff officers during the emergency.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.3.1 Who Activates the Emergency Response Plan

When a possible emergency can be visualized or is already taking place the Operations Command Station will inform the Station Manager or will contact Director of Operations to activate the plan.

D.3.2 Classifications of the Emergency

If the emergency refers to an aircraft accident within the airport facilities, the coordination is done with the customer airline as support of the response team.

If the emergency refers to a possible accident before the aircraft reaches the airport, the coordination is done with the customer airline as support of the response team to facilitate or expedite the response within the scope of our services and equipment.

If the emergency refers to possible weather conditions that can be predicted and there is time to be prepared, the coordination is done internally and with the customer airlines and airport authorities.

If the emergency must be take place because of social, political, or shortage of energetic sources for the operation, the coordination is taking place with our headquarters and local activation.

When there is a country with a health emergency threat and there is a flight that originates on that country with communicable disease, emergency protection plan must be coordinated to protect our personnel with extreme measures of protection.

D.3.2.1 Aircraft Accident

If the emergency refers to an aircraft accident of a customer airline within the airport facilities, the coordination is done with the customer airline as support of the response team.

- Station manager or Airport Manager is the point of contact with the airlines customer
- Duty Manager or Station Supervisor ensures the regular operation continuity is run under the regular schedule of services.
- Immediate coordination take place with the emergency coordinator of the customer airline to ensure if there is any need that we can conformed the airline customers
- Any support to the customer, ensure is coordinated with the proper authorities.
- Follow all local authority requirements
- After determine with the airlines customer the needs, internal meeting should be carry with all managers and supervisors to coordinate proper support.
- Extra man power is needed; coordination is done by the Ramp Control Agent
- Define equipment needs for the assistance.
- Station manager or Airport Manager coordinates the instruction in accordance with the needs of the airline customer.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.3.2.2 Possible Accident

If the emergency refers to a possible accident before the aircraft reaches the airport, the coordination is done with the customer airline as support of the response team to facilitate or expedite the response within the scope of our services and equipment.

- Station manager or Airport Manager is the point of contact with the airlines customer.
- Duty Manager or Station Supervisor ensures the regular operation continuity is run under the regular schedule of services.
- Immediate coordination take place with the emergency coordinator of the customer airline to ensure if there is any need that we can conformed the airline customers.
- Ramp supervisor is assigned to the coordination needs of the ramp.
- Any support to the customer, ensure is coordinated with the proper authorities.
- Follow all local authority requirements
- After determine with the airlines customer the needs, internal meeting should be carry with all managers and supervisors to coordinate proper support.
- Extra man power is needed; coordination is done by Operations
- If materials will be needed such as plastic bags, gloves, face masks or others, coordination with the cabin cleaning department should be made.
- Station manager or Airport Manager coordinates the instruction in accordance with the needs of the airline customer.

D.3.2.3 Weather Threat

If the emergency refers to possible weathers conditions that can be predicted and there is time to be prepared, the coordination is done internally and with the customer airlines and airport authorities. The plan that provides for the protection for aircraft, passengers, operational personnel, baggage, cargo and equipment when conditions are a threat to operations

- Station manager or Airport Manager activates the alert and follows local emergency committee's preparedness.
- Duty Manager and/or Station Supervisor, ramp controls attend the call.
- Ramp control checks the update of employee contact list and produces a hard copy to all managers and duty managers.
- Coordination is done to refuel all equipment to max capacity.
- Ramp inspection and equipment protection must be taken into consideration during the process.
- Backup of operational files to a portable drive.
- Protect hard copy files.
- All possible equipment that can be protected under any structure on coordination with the authorities should be made.
- If weather conditions are related to rain or water, endure park equipment in the highest part of the airport area.
- Sets of equipment should be park separately as example do not park all loaders together, part set of equipment in different areas, if something happen you will have a set of equipment available to do the operation.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

- Protect the engines of the equipment parked front to front.
- Protect all electronics or electronic components of vehicles as much as possible.
- During the event, operate with minimum electronic equipment and protect others.
- Ensure radios fully charged, extra batteries, potable water reserves are available.
- Clean all lavatory and water trucks and maximize all potable water trucks.
- Protect all vehicles with tools and parked with easy access.
- If a heavy snow storm, protect the equipment under structure, keep vehicles under a facility and do not park all the equipment on the same place.
- Ensure potable jump starter are fully charge.
- Extra man power is needed; coordination is done by the Ramp Control Agent.
- If staff has to be on duty during the weather condition, plan food and drinks for the personnel at least 25% over the estimated time of condition is taking to change.
- Ensure extra physiological needs available as toilet paper, female pads, others.
- Station manager or Airport manager coordinate the instruction in accordance the needs of the airline customer.

D.3.2.4 Social Threat

If the emergency must be take place because of social, political, or shortage of energetic sources for the operation, the coordination is taking place with our headquarters and local activation.

When the above out of control conditions is a potential risk to fail; the services to the airline customer, Station manager or Airport Manager with the Operations manager must coordinate with local authorities and airline customer the following actions:

Call all managers to evaluate the risk:

- Check for employees security, employee vehicle security, and accessibility of roads
- Check that basic supplies are available
- Plan for a minimum crew in service for 24 hours
- Plan nearby airport hotel accommodations and transportation
- Ensure all personnel cellular telephones and any battery operated equipment are fully charged.
- Provide employees instruction with recommended basics needs such as extra clothes or other.
- Maintain close communication with customers airline.
- Issue a employees on duty control list and distribute to all and have emergency contact list on hand.
- Define the equipment to be use and parked as near of the jet bridge.
- Avoid transiting on service road near airport fence.
- Managers must resource some cash for any emergency.
- Have media information available to follow up the outcome.

D.4 After Emergency


Once the emergency has been declared under control by the airport command center, Ultra operations center will notify the station manager or director of operations to resume normal operations.



D.5 ERP Training

Director of Operations, Managers, Duty Managers, Ramp Supervisors, Ramp Control and Administrative must be trained and familiar with this plan to ensure proper execution of the plan at least once every 24 months.

D.6 Flow Chart to Activate Plan





Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

The following assignment responsibilities throughout the organization are to ensure coordination is execute on the Emergency Response Plane.

D.8 Assignment during the Emergency:**D.8.1 Operation Director**

- Maintains the communication with the company upper management level.
- Maintains the communication with the company station involved in the emergency
- Ensure the coordination of the out normal resources needed.
- Activate the Emergency Plan and defines the period of emergency.
- He will be available to the airline customer for any special requirements.
- He will make the conference with the station on regards to the actions taken.
- He will set the time of the up-date conferences inside the organization.
- He is the designate official to make any information available to the media.
- When the emergency is over he will call the operation back to normal.
- After the emergency, he will send thanks note to the Teams.

D.8.2 Station Manager/ Airport Manager

- Maintains the local communication with the authorities or/and the customer airline.
- With the local organization, maintain the communication and lead the emergency plan with the operation manager.
- Ensures local resources are available
- Maintain progress control of the activities before the emergency or during the preparation of the emergency.
- He is not allowed to do any declaration to the media
- Define the duty manager who will run the normal operation and a relief supervisor.
- He will make the conference with the station personnel on regards to the actions taken.
- He will set the time of the up-date conferences inside the organization.
- Make any need arranges for employees transportation or needs for the supporting emergency.

D.8.3 Duty Manager/Maintenance Tech.

- Assignee to the emergency will coordinate where the equipment is going to be needed and/or protected
- Coordinates all equipment is refueled to the maximum capacity
- Coordinates the place of the equipment protection.
- Ensures the electrical or electronics parts of the equipment are overprotected.
- Maintains communication with the customer airline on the activities on the ramp.
- Reports to the Operations manager or Airport Manage the progress on the emergency preparation or during the emergency.
- He will set the time of the up-date conferences inside the organization



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.8.4 Ramp Control/ Dispatch

- He will set the time of the up-date conferences inside the organization
- Contact and alerts all the ground crew shifts
- Make the shift crew corrections and ask for the operations manager/airport manager for approval.
- Defines the logistic needs of the ground crews during the assistance of the emergency.(Food, Rest, transportation, biological needs, equipment)
- Ensures crews for the normal operation are assigned as well.
- If local equipment protection is needed he will take action as protect, electronic equipment in the office.

- Provide un update list of contact to all managers
- Ensure every employee reports conditions after the emergency.
- Assist to coordinate employees need during the emergency.
- If there are injuries, coordinate the logistics.
- Advise Operations managers the injured personnel to inform their families.
- Always ensure there is an standby ground crew.

D.8.5 Weather Threats/ Administration

- Ensure all billing files are back-up
- Ensure all cabin files are protected with the employees records
- Ensures flight folder report are protected
- Protect all equipment offices , cover with plastic bags and raise higher
- Unplug any equipment that is not needed.
- If is possible and facility is going to be vacant during emergency, check circuits breakers box to disconnect all circuits not needed.
- Ensures any battery operated equipment if full charge for the time of the emergency.
- Keep informs managers of the progress of the preparedness.
- List of the special actions made.

D.9 Stations where we Provide Passenger Services**D.9.1 Operations Manager**

- Will coordinate with the Customer Airlines Manager and authorities about the emergency activities.
- Maintain the contact information with the Director of Operations.
- Will coordinate the passenger service personnel in accordance with the Customer airline's need for assistance.
- Review the basic needs of the personnel assigned to support the emergency.
- Ensures crews for normal operations are assigned.
- Ensures any of the Ultra personnel made any kind of declaration to the media.
- When Ultra passenger service personnel has been trained in the ERP of the customer airlines and needs are there, employee will assume the role in accordance with the ERP as trained.
- Passenger Service Manager can coordinate with the Director of Operations if there is any other assistance that we can provide to the customer airline.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.9.2 Safety and Compliance Manager

- Part of the emergency committee.
- Ensure all aspects of the emergency are covered.
- Maintains direct communication with the Station manager, Operations.
- Review the basic needs of the personnel assigned to support the emergency.
- Ensures documentation and communications are happening.
- Make an evaluation after the emergency.
- Review the ERP, and adjust Plan for continuous improvement.
- Has been delegated the authority by the Director of Operations to manage and be responsible for the development, implementations and maintenance of the ERP.

D.10 Spills**SPILL CLEAN UP PROCEDURES**

The following procedures are made to address the spillage of fluids and other materials in station airside areas of operations.

Emergencies can be a confusing time. So to make it easier for you, just remember the 3 C's of handling accidental spills.

These are Control, Contain, and Clean up. Controlling the situation is to stop the cause or source of the spill or slowing down the rate of release of spill. Containing the spill is minimizing the damage of the spill by preventing the spill from spreading to other areas. Clean up is the removal of the contaminants from the affected area. The proper disposal of the materials used in the removal of the contamination is the final step in any clean up.

To effectively deal with spill accidents in order to prevent the adverse effects on the environment and on the individuals cleaning up the contents of the oil spill.

Any spill of petroleum material or hazardous substances that have come into contact with the environment (soil or water) must be reported immediately.

WORKING AREAS - POTENTIAL ENVIRONMENTAL HAZARD**A. RAMP**

- Lavatory Truck (spill of international waste)

B. CABIN SERVICES

- Blood borne pathogens, spill of international garbage, Blood spill, spill of any cleaning product such as degreaser or a corrosive.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

C. JANITORIAL

- Blood born pathogens, blood spill, spill of any cleaning product such as degreaser or a corrosive.

D. MAINTENANCE

- Oil spill involving any equipment in our inventory.
- Used Oil storage from the maintenance department.

MATERIALS FOR SPILL CONTROL AND CONTAINMENT

LAVATORY TRUCK SPILL MATERIALS

- Bags of sand (10 bags in stock)
- Shovel and Broom
- Safety mask to protect nose
- containers with lids (identified as contaminated waste)
- Safety Gloves
- Immediately call the waste collection company.

OIL SPILL MATERIALS

- Stand by fire extinguishers
- Safety Gloves, Suit, Mask, Glasses
- Closed Footwear
- Oil spill containment booms or socks.
- Absorbent pads or rolls
- Immediately call the waste collection company. **MIAMI - (EMC Oil Corp) - 305-477-7497**

CABIN SERVICE MATERIALS

- Approved Disinfectant
- Shovel and Broom
- Safety mask to protect nose
- containers with lids (identified as contaminated waste)
- Safety Gloves
- Trash Bags - ml
- Dust Pan
- Immediately inform management. If possible, locate supervisor and ASK FOR HELP.

PROCEDURES FOR AN OIL SPILL CONTROL AND CONTAINMENT



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

1. OIL SPILL CONTROL

- a. Immediately take control of the situation.
- b. If possible, stop the source of the leakage by turning off a valve immediately or turning the container upright.
- c. Search for causes of ignition. Put out any flames or turn off any machines that are working.
- d. Wear proper safety gear. Fumes can be inhaled, so make sure that your whole body is well protected.

2. OIL SPILL CONTAINMENT

- a. If the oil or chemicals are near any type of drainage be sure to seal those first.
- b. Surround the oil spill with oil spill booms or socks. Enclose the area of contamination.
- c. Make sure that all exit points are secured.

3. OIL SPILL CLEAN UP

- a. Place absorbent pads or pillows or rolls directly on the liquid.
- b. Scatter the absorbent pads or rolls in additional areas to aid in the clean up.
- c. Continue replacing absorbent pads until all liquid is absorbed.
- d. Prepare plastic bags for used pads.
- e. Place all soiled pads, rolls or pillows inside plastic bags.
- f. Double bag soiled absorbents to prevent leakage.
- g. Once all absorbent pads are collected and bagged, place the absorbent booms or socks inside plastic bags.
- h. Once all absorbents are bagged, place the bags into a drum or single container.
- i. Label the container.
- j. Immediately contact the aviation department, and the waste disposal company.
- k. Complete an Incident Report.

PROCEDURES FOR A CABIN SPILL OR LEAK (INTERNATIONAL WASTE)

- a. Immediately take control of the situation.
- b. If possible, stop the source of the leakage by turning off a valve immediately or turning the container upright.
- c. Search for causes of ignition. Put out any flames or turn off any machines that are working.
- d. Wear proper safety gear. Fumes can be inhaled, so make sure that your whole body is well protected.
- e. Immediately inform management. If possible, locate supervisor and ASK FOR HELP.
- f. If the oil or chemicals are near any type of drainage be sure to seal those first.
- g. Surround the oil spill with oil spill booms or socks. Enclose the area of contamination.
- h. Make sure that all exit points of spillage are secured.
- i. Deposit the contents of the spill into a new bag, use a shovel and broom.
- j. Use the approved disinfectant with safety gloves to clean the affected area.
- k. Immediately Notify the U.S. Department of Agriculture (USDA) & complete incident report.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

PROCEDURES FOR A GROUND SERVICE EQUIPMENT (GSE) SPILL

- a. Use protective equipment
- b. Use Spill Materials to clean the area
- c. DO NOT CONTINUE operations until the area is clean and secure.
- d. Complete and Incident Report and Notify GSE maintenance.
- e. Notify supervisor that spill materials were used and require replenishment.

PROCEDURES FOR A FUEL SPILL

Take the following actions if an aircraft fuel spill has occurred.

- a. DO NOT drive any vehicle in the contaminated area.
- b. If a vehicle is ON and Running, do not turn the vehicle off.
- c. Close and Secure the contaminated area.
- d. Notify operations control and the customer airline representative.
- e. Maintain your personal safety.
- f. If possible, stop the source of the leakage by turning off a valve immediately or turning the container upright.
- g. DO NOT continue loading or offloading of aircraft until the area is clean.
Use fuel spill materials until as a contingency until the fuel spill clean up team arrives.
- h. Follow Airport regulations
- i. Complete an Incident Report.

DANGEROUS GOODS LEAKAGE

- a. Ramp supervisor ensures hold baggage, ULD's and/or equipment, prior to release for loading into the aircraft, are inspected for signs of substance leakage, and, if leakage of dangerous goods is found, such baggage and/or equipment is prevented from release for loading into the aircraft in accordance with requirements of the customer airline(s) and:
 - i) An evaluation is conducted to identify and prevent from transport any other baggage or equipment that has become contaminated by such leakage.
 - ii) A notification is made to applicable authority and customer airline(s).
- b. Ramp supervisor immediately notify the customer airlines representative and the local authority, provide the basic information as: baggage tag number and passenger name or ULD number, destination and position, or AWB number and where is located.
- c. Ramp personnel must ensure no leaking containers (ULD's) baggage; cargo or mail is loaded in to the aircraft cargo holds.
- d. Report form found in GOM Chapter 03.01.01 has to be filled. and copy is to be send to flight safety.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

- e. In accordance with the size of the leakage, local dangerous goods specialist must conduct the cleaning of the area.
- f. If leaking piece is found inside the aircraft, aircraft maintenance must be notified.

DANGEROUS GOODS LEAKAGING PACKAGE OR EQUIPMENT

Ramp supervisor ensures when a dangerous goods package or shipment that appears to be damaged or leaking in accordance with requirements of the customer airline(s), which ensure:

- a. Such package or shipment is prevented from being loaded into an aircraft;
- b. If already loaded, the package or shipment is removed from an aircraft;
- c. In the case of leakage, the conduct of an evaluation to identify and prevent from transport any other cargo, baggage or transport devices that have become contaminated by the leakage of dangerous goods;
- d. Immediate notification of the customer airline(s) and relevant authority
- e. Complete and Incident Report.

D.11 Fire in Ramp

Emergency procedures, including alerting personnel on board the aircraft;

- In case that an emergency present's fire in an aircraft in the process of loading fuel or any fire in the ramp, the captain or crew onboard is immediately advise and the firemen.
- Use the Emergency cut valve if comes from a fuel vehicle.
- The switches are located on the fuel truck and on the wall of the terminal adjacent to the bridge area in some airports as applicable.
- Never use water in these types of fires because it would spread the fire.
- The ground personnel will inform immediately the firemen personnel and maintenance technician when a fire is discovered or presented on the landing gear.
- No one without the proper capacitation must fight the fire, because he/she can use the wrong extinguisher. And this can produce the tires to explode.
- After the fire suffocation, for safety measures assure that the tires and assemble are cold, to carry out any type of inspection.

Procedures for controlling and reporting fires

If you are directly involved in a situation of a fire while you are part of that operation, after the emergency was under control and in the next 24 hours a report must be made with details information to the Ultra Ops who will meet with the Airlines Customer when is required or Airport authorities.



Section: D

Emergency Response

Revision:

6

Date:

10/01/2021

D.12 SECURITY**SECURITY INCIDENTS**

Any suspicious activity related to security in accordance with requirements of customer airline(s) and the civil aviation security program of states, where operations are conducted, that in case of security related incidents:

- i) Customer airline(s) and relevant authorities are notified;
- ii) When Ultra liaises on behalf of the customer airline(s), when so authorized by such customer airline(s).

PROCEDURE AND NOTIFICATION

If you consider this act is in process, call your supervisor and the police. If the unlawful or activity is against the customer airline, notify the airline representative.

Notify your immediate supervisor and fill the Incident Report (**FORM U-SMS-02**)

Ensure the report has at least the following information

- Your name and contact
- Where the issue happened, gate, aircraft, boarding gate, local office
- Date when the activity happened date and time
- Description of the activity detected.
- Describe what the target was (if applicable)
- Sign the report.
- Make yourself available for further interview.

SUPERVISOR

Evaluate the information and notify the upper management. Review information and official report have to be done to the local authorities. If the activity was against the customer airline, coordinate a consistent report. If further investigation is needed, employee must have the time to provide as much information.

REPORT

The report has to be on file in accordance to the record system chapter of this manual.

Note: Report Forms are available at Ramp Control Office or Dispatch Office.