



ULTRA AVIATION SERVICES, INC.

General Operations Manual

SECTION G

BAGGAGE HANDLING PROCEDURES



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

Table of Contents

Page

G.1	Cabin Baggage	G-1
G.1.1	General	G-1
G.1.1.1	Definition	G-1
G.1.1.2	Types of Cabin Baggage	G-1
G.1.2	Acceptance	G-1
G.1.2.1	Acceptance Policies	G-1
G.1.2.2	Procedure at Check-In	G-2
G.1.2.3	Procedure at Boarding	G-2
G.2	Checked Baggage	G-2
G.2.1	General	G-2
G.2.1.1	Definition and General Terms	G-2
G.2.1.2	Checked Baggage Allowance	G-3
G.2.2	Excess Baggage	G-3
G.2.3	Standard Baggage Check-In	G-3
G.2.4	Baggage Tags	G-3
G.2.5	Baggage Destination	G-4
G.3	Special Baggage	G-4
G.3.1	Bulky and Oversized Baggage	G-4
G.3.1.1	General	G-4
G.3.1.2	Maximum Single Item Weight	G-4
G.3.2	Cabin Seat Baggage (CBBG)	G-4
G.3.2.1	Definition	G-4
G.3.2.2	Loading and Lashing Cabin Seat Baggage	G-5
G.3.3	Crew Baggage	G-5
G.3.4	Delivery at Aircraft (DAA)	G-5
G.3.4.1	Applicability	G-5
G.3.4.2	Procedure at Boarding Gate	G-5
G.3.4.3	Procedure at Arrival	G-5
G.3.4.4	Security Procedure for Ad-Hoc Disembarking Passengers	G-5
G.3.5	Sporting Equipment	G-6
G.3.6	Wheelchairs and Mobility Aids	G-7
G.3.6.1	Handling Wheel Chairs/Mobility Aids	G-7
G.3.6.2	Wheelchairs or other Battery Operated Mobility Aids	G-7
G.3.6.3	Accepting Wheelchairs / Mobility Aids with Non-Spillable Batteries	G-8
G.3.6.4	Accepting Wheelchairs / Mobility Aids with Spillable Batteries	G-8
G.3.6.5	LITHIUM-ION BATTERY POWERED WHEELCHAIRS	G-9
G.3.6.6	LOADING OF BATTERY POWERED MOBILITY AIDS AND BATTERIES	G-9



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

Table of Contents (cont.)

	Page
G.3.7 Handling of Pets	G-10
G.3.7.1 General	G-10
G.3.7.2 Animals in Hold (AVIH)	G-10
G.3.7.3 AVIH Handling	G-11
G.4 Baggage Handling	G-11
G.4.1 Baggage Room Preparation	G-11
G.4.1.1 ULD Preparation	G-11
G.4.2 Baggage Tags	G-12
G.4.3 Baggage Cut-Off & ULD Load Verification Process	G-12
G.4.4 Removal of Checked Baggage	G-12
G.4.5 Transfer Baggage	G-13
G.4.5.1 Special Cases	G-13
G.4.6 Short Connection Baggage	G-13
G.4.6.1 Definition	G-13
G.4.6.2 Identification	G-13
G.4.6.3 Handling Short Connection Baggage	G-13
G.5 Baggage Security	G-14
G.5.1 General	G-14
G.5.2 Handling of Hold Baggage	G-14
G.5.3 Carriage of Weapons in Hold Baggage	G-15
G.5.4 Security Removed Items	G-16
G.5.5 Transfer and Connecting Baggage	G-16
G.5.6 Baggage Reconciliation	G-16
G.5.6.1 Originating Passengers	G-16
G.5.6.2 On-Line Transfer Passengers	G-16
G.5.6.3 Interline Passengers	G-16
G.5.6.4 Disembarking Transit Passengers	G-16
G.5.6.5 Manual Baggage Reconciliation at Originating Station	G-17
G.5.6.6 On-Line Transfer Checked Baggage Reconciliation	G-17
G.5.7 Dangerous Goods in Baggage	G-17
G.6 Mishandled Baggage	G-18
G.6.1 Storage and Handling Mishandled/Unidentified/Unclaimed Baggage	G-18
G.6.2 Mobility Aids	G-18
G.6.3 AVIH	G-18
G.6.4 Legal Time Limits for Reporting	G-18



Section: G

Baggage Handling Procedures

Revision:

6

Date:

10/01/2021

G.1 CABIN BAGGAGE**G.1.1 GENERAL****G.1.1.1 DEFINITION**

Cabin baggage is baggage that is carried and stowed in the cabin under the passengers control and custody. It is commonly referred to as carry-on baggage or unchecked baggage. Each operator sets their standards for size, weight and number of pieces permitted as baggage.

G.1.1.2 TYPES OF CABIN BAGGAGE

Cabin Baggage Includes:

- cabin baggage carried within the operator's free carry-on baggage allowance;
- free carry-on items permitted by the operator in addition to the standard (e.g. purse, laptop, duty free
- special items permitted by the operator that may require prior arrangement, notification and/or specialized screening requirements or additional charges (e.g. urns containing human remains, pets in
- items of dangerous goods permitted in passenger baggage that require prior approval by the operator, see IATA DGR.

G.1.2 ACCEPTANCE**G.1.2.1 ACCEPTANCE POLICIES****PAB 1.1.4**

- **Cabin Baggage** cannot be accepted if it is unsuitable for air carriage due to its weight, size or nature; cannot fit under the seat or be stowed in the overhead compartment; or is unsuitably packed;

Restrictions

- certain items, because of their weight, size or nature are only accepted with the consent of the operator
- for security reasons, many countries restrict the carriage of liquids, aerosols and gels in hand baggage;
- items refused by security screening must be hold-checked as per the operator's policy.

CAUTION: According to IATA DGR, certain items are prohibited in checked baggage, e.g. cigarette lighters, matches, spare lithium batteries.

- The following items should be loaded as **Checked Baggage**:
 - Items removed from the passenger by security personnel that are conditionally acceptable for carriage in the aircraft hold.
 - Heavy and overweight baggage / items.
 - Non-normal load items, and other items removed from passenger prior to boarding the aircraft.



Section: G

Baggage Handling Procedures

Revision: 6

Date: 10/01/2021

G.1.2.2 PROCEDURE AT CHECK-IN**PAB 1.2.4**

- Assess the size, weight and intended number of pieces of carry-on baggage to meet the operator's standard.
- Weigh carry-on bags if they appear to exceed the specified weight/size limit (weighing of all carry-on baggage may not be systematically required unless mandated by the operator).
- Refer the passenger to the baggage gauge, if available.
- Attached an "approved for carry-on" tag if applicable.
- If the carry-on baggage exceeds the free allowance size and/or weight, it must be hold-checked, and charged if applicable.
- Be aware of commonly carried dangerous goods items and ask the passenger when there is suspicion of these being carried.

G.1.2.3 PROCEDURE AT BOARDING

- Ensure that the cabin baggage complies with customer airlines policy and check for items that are unacceptable due to size or weight (oversize or overweight) or that exceeds the number of allowed carry-on items onboard. Use the cabin baggage gauge and the manual scale if applicable.
- Check with the passenger that the baggage contents are in compliance with the IATA DGR. Have the passenger remove any items specifically prohibited in hold baggage.
- Advise the passenger to remove any personal documents or medications.
- Collect any other cabin baggage that cannot be accommodated on board due to limited storage space.
- Tag bag to the final destination.
- Account for the baggage tag number(s) and weight into the DCS check-in record or manually.
- Inform the passenger of pick up at the baggage claim area or aircraft door (DAA) if applicable.
- Advise ramp staff and/or Load Control of the gate baggage to be loaded.

G.2 CHECKED BAGGAGE**G.2.1 GENERAL****G.2.1.1 DEFINITION AND GENERAL TERMS**

- Checked baggage is baggage for which the carrier takes custody and issues a baggage check.
- Checked baggage is carried in the hold of the aircraft on which the passenger is travelling.
- The operator may refuse to carry checked baggage which is inadequately packed or unsuitable for air carriage due to its weight, size or nature.
- Every piece of baggage must display the passenger's name.
- In case of code share flights, the operator's rules apply.

Note: Certain items, because of their weight, size or nature, are only accepted with consent of the operator.



Section: G

Baggage Handling Procedures

Revision: 6

Date: 10/01/2021

G.2.1.2 CHECKED BAGGAGE ALLOWANCE**PAB 1.2.3**

Passengers are entitled to a pre-determined checked baggage allowance set by the operator, which can vary based on the fare paid, passenger category, routing, group status or class. There are two standard checked baggage allowance concepts:

- Weight Concept: measured by the total weight of checked baggage (shown as weight amount on ticket e.g. 20 kg (45lb).
- Piece Concept: measured by the number of pieces of checked baggage (shown as PC on ticket).
- Communicate to Load Control

G.2.2 EXCESS BAGGAGE

Excess baggage fees per kilogram, pound, or piece or special item are generally applied at the time of checked baggage acceptance.

- Apply excess baggage fees as per operator's specifications.

G.2.3 STANDARD BAGGAGE CHECK-IN

- Accept checked baggage that is appropriately packaged and labeled with passenger identification.
- Ensure dangerous goods signage is on display.
- Review weight and pieces information for recording in the DCS and for applying appropriate fees.
- If applicable, ask the passenger any required security related questions.
- Agent should be aware of items due to their nature that might contain dangerous goods.

G.2.4 BAGGAGE TAGS**PAB 1.2.2**

- All old tags must be removed.
- Verify that all baggage has a passenger identity tag or label.
- Apply appropriate destination tag and handling tags.
- Place tags in an easily readable location, and where they will not easily be torn off.
- Follow tag instructions, and do not stick glue directly to passenger baggage.
- Use limited release tags as per operator policy.
- Follow operator procedure with respect to supplementary tags on baggage items, such as:
 - Priority tags—to identify Priority baggage to be offloaded first, and segregated as per carrier.
 - Limited Release Tags—used on fragile or unsuitably packaged items.
 - Fragile Sticker—requires extra care in handling.
 - Heavy Tag—placed on items over 23 kg (50 lbs.).
 - Connection tags—may require segregation on loading and offloading.
- If baggage is not suitable for secure carriage, then refuse the baggage.



Section: G

Baggage Handling Procedures

Revision: 6

Date: 10/01/2021

G.2.5 BAGGAGE DESTINATION

Through-label baggage to one of the following points, whichever occurs first:

- The first stopover point of the passenger.
- The point to which transportation has been confirmed (OK in ticket), requested (RQ in ticket) or listed (SA in ticket).
- The Connection tags—may require segregation on loading and offloading.
The final destination specified in the ticket, including:
 - any tickets issued in conjunction with this ticket,
 - any separately issued tickets with an interline agreement.
- Make sure that the Minimum Connecting Time (MCT) is respected.

G.3 SPECIAL BAGGAGE**G.3.1 BULKY AND OVERSIZED BAGGAGE****G.3.1.1 GENERAL**

Special Baggage is bulky/oversized as defined by the operator policy and/or its weight exceeds 32 kg (70 lbs).

G.3.1.2 MAXIMUM SINGLE ITEM WEIGHT

No single piece of checked baggage can be accepted over 32 kg (70 lbs). Airlines may also restrict the weight and/or total dimensions. If presented, the passenger must:

- Repack it into more pieces, each weighing less than 32 kg (70 lbs), or
- Send it as cargo.

Exception: Special equipment like AVIH (Live Animal), WCH, musical instruments and large sports equipment may be excluded from this rule with prior consent of the operator.

G.3.2 CABIN SEAT BAGGAGE (CBBG)**G.3.2.1 DEFINITION**

Cabin Seat Baggage is baggage not usually suitable for loading in the aircraft hold. Such baggage may include:

- musical instruments;
- diplomatic baggage;
- valuable baggage.
- works of art;
- electronic equipment;

Operator policy will dictate the acceptance of CBBG. If not accepted, it can travel as hold checked baggage providing packaging is appropriate.



Section: G

Baggage Handling Procedures

Revision: 6

Date: 10/01/2021

G.3.2.2 LOADING AND LASHING CABIN SEAT BAGGAGE

If applicable, staff approved by the operator are responsible for securing, loading and lashing of bulky, oversize, fragile or valuable baggage in the cabin.

G.3.3 CREW BAGGAGE

Crew baggage may be presented at check-in, or airside and should be clearly identified with a crew label as well as all flight details.

G.3.4 DELIVERY AT AIRCRAFT (DAA)**G.3.4.1 APPLICABILITY**

As per the operator policy, apply the “delivery at aircraft” procedure for:

- fully collapsible baby strollers and pushchairs; (larger baby carriages/prams must be checked-in).
- wheel chairs and mobility aids which are not needed during the flight and cannot be stored in the cabin.
- regular carry-on baggage on small aircraft with limited stowage space in the cabin.

Do not use the “delivery at aircraft” procedure for expensive items (e.g. laptop computers, large video cameras, etc.), valuable or important documents, etc., as such items should remain with the passenger.

G.3.4.2 PROCEDURE AT BOARDING GATE

Ensure DAA pieces and WCH and their loading position are noted on the Load Message under SI–Remark. If applicable, inform the flight deck crew of the number of DAA bags.

G.3.4.3 PROCEDURE AT ARRIVAL

Upon arrival:

- As per the LDM and/or crew request, unload the DAA items/baggage and delivery to the aircraft door.

G.3.4.4 SECURITY PROCEDURE FOR AD-HOC DISEMBARKING PASSENGERS

If a passenger disembarks, check if any DAA baggage has been loaded for the passenger.

- When in doubt, perform a full DAA baggage identification.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.5 SPORTING EQUIPMENT

Generally, sporting equipment will be presented as separate pieces of checked baggage. Accept sporting equipment as per operator procedure.

- Apply procedures for fees and charges, and special handling if required.
- Use limited release tag if applicable.
- Load as per operator instructions



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.6 HANDLING OF BATTERY OPERATED WHEELCHAIRS/MOBILITY AIDS AS CHECKED BAGGAGE

When accepting and handling battery-operated mobility aids for transport as checked baggage.

G.3.6.1 HANDLING WHEEL CHAIRS / MOBILITY AIDS

Apply the “delivery at aircraft” procedure when personal collapsible wheel chairs/mobility aid devices are taken to the gate. Verify with and advise the passenger accordingly. Ensure the wheel chair/mobility aid has a name label, DAA tag and destination tag on it.

- The person responsible for load supervision will verbally advise the pilot in command of the location of the wheelchair or mobility aid device.
- Stow and secure the wheel chair/mobility aid device to prevent unintentional operation, by removing the key and giving it to the passenger. If no key, disconnect the battery and insulate the terminals.
- Tie down the wheel chair/mobility aid to ensure it is protected from being damaged by the movement of baggage, mail or cargo.
- Inform the person responsible for load control of the location of the wheelchair so that it may be accounted for in the weight and balance process.

G.3.6.2 WHEELCHAIRS OR OTHER BATTERY OPERATED MOBILITY AIDS

Under normal circumstances the passenger will notify the customer airline that they will be traveling with a battery operated mobility aid, and the information will be attached to the reservation. When accepting a battery operated wheelchair or mobility aid, the passenger is responsible for providing the information necessary to handle the wheelchair or battery operated mobility aid.

Passenger Provided Information:

- The **Size & Weight** of the battery operated wheelchair or mobility aid. If the weight is not already attached to the reservation, then add it to the DCS so that it will be included in the load control process.
- The type of associated battery. (**Wet, Dry, Lithium Ion**)
- Instructions on **how to disconnect** the battery from the wheelchair (if necessary).
- When not provided at time of booking, details of the size, weight and battery type shall be validated at the time of the check-in to ensure the mobility device is accepted and loaded on the aircraft in accordance with IATA Dangerous Goods Regulations.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

Tags

- Apply the "delivery at aircraft" procedure when personal collapsible wheel chairs/mobility aid devices are taken to the gate. Verify with and advise the passenger accordingly. Ensure the wheel chair/mobility aid has a name label, DAA tag and destination tag on it.
- Apply a "HEAVY" tag to the wheelchair or battery operated mobility aid
- Apply a "WHEELCHAIR" tag if required by the customer airline.

Wheelchair preparation for loading;

An

Prior to loading, the operator must verify that the battery terminals are protected from short circuits. This does not necessarily mean removing the battery.

- If the battery is not enclosed within a compartment on the mobility aid then the battery is either:
 - Removed by the user, if the mobility aid is specifically designed to allow it to be; or
 - Securely attached to the mobility aid and the electrical circuits are isolated following the manufacturer's instructions or by using electrical tape or other insulating material.
- If the battery is lithium ion, then it should be removed by the passenger and travel with them in the passenger cabin.
- If the battery is spillable and the wheelchair cannot be loaded upright then the battery must be:
 - Removed from the chair and packed in a strong rigid package
 - Leak-Tight and impervious to battery fluid.
 - Surrounded by compatible absorbent material sufficient to absorb their total liquid contents.
 - Labeled as per customer airline requirements.

Batteries are classified as dangerous goods and must be handled according to Dangerous Goods Regulations and the customer airline's procedures. There are two main types of batteries used with wheel chairs or mobility aid devices:

Type of battery	Description	Load Location	Notification to PIC
Non-Spillable	• Dry battery (including integrated • Gel type battery • Wet (sealed) battery • Lithium-ion battery	HOLD ONLY	YES
	• Lithium-ion battery (removable)	CABIN ONLY	YES
Spillable battery	• "Wet" battery (check operator policy)	HOLD ONLY	YES

- **PIC Notification:** The person responsible for load supervision will verbally advise the pilot in command and the person responsible for load control of the location of the wheelchair or mobility aid device.
- **All such batteries must be hold-checked and accounted for in the load control process.**
- A message shall be sent to the destination or transfer station to ensure the availability of the wheelchair to the passenger as soon as possible, indicating the passenger's name and seat number, as well as the location of the wheelchair (and the battery, if separated from the wheelchair).



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.6.3 ACCEPTING WHEELCHAIRS/MOBILITY AIDS WITH NON-SPILLABLE BATTERIES

Pre-notification may be required and acceptance is subject to operator approval.

- The passenger has confirmed that the battery is a non-spillable wet battery or a nickel-metal hydride battery or dry battery;
- If disconnected, Battery terminals must be insulated to prevent accidental short circuits, e.g. by being enclosed within a battery container, electrical tape or other insulating material.
- Battery must be securely attached to the wheel chair or removed by the user if removable.
- The passenger may carry a maximum of one (1) spare battery and must be carried in strong, rigid packaging which must be carried in the cargo compartment
- The Pilot in command must be notified whenever a battery powered mobility aid is loaded on the aircraft. The person responsible for load supervision will verbally advise the pilot in command and the person responsible for load control of the location of the wheelchair or mobility aid device.

**G.3.6.4 ACCEPTING WHEEL CHAIRS/MOBILITY AIDS WITH SPILLABLE BATTERIES
(only if accepted by the operator)**

Pre-notification is required and acceptance is subject to operator approval.

- Packing rules:
 - Wheel chair must be loaded, stowed, secured and unloaded while maintaining an upright position.
 - If disconnected, Battery terminals must be insulated to prevent accidental short circuits, e.g. by being enclosed within a battery container, electrical tape or other insulating material.
 - Battery must be securely attached to the wheel chair.
 - The battery is fitted, where feasible, with spill-resistant vent caps
- If the wheelchair cannot remain upright while being loaded, stowed, secured and unloaded, then apply the following packing rules:
- Battery must be carried in strong, rigid packaging as follows:
 - The outside packaging must be leak-tight, impervious to battery fluid and protected against spilling by securing to pallets or by securing them in cargo compartments using appropriate
 - The battery terminals must be protected against short circuits.
 - The battery must be secured upright in the packaging and be surrounded by compatible absorbent material sufficient to absorb its total liquids.
 - The outside packaging must be marked "battery-wet-with wheel chair".
 - The outside packaging must be labeled with the "corrosive" label.
- Battery must not be loaded if not packaged appropriately.
- Packaging must be marked "BATTERY, WET, WITH WHEELCHAIR" or "BATTERY, WET, WITH MOBILITY AID" and be labelled with the "Corrosive label" and with the "Package Orientation" label.
- The Pilot in command must be notified whenever a battery powered mobility aid is loaded on the aircraft. The person responsible for load supervision will verbally advise the pilot in command and the person responsible for load control of the location of the wheelchair or mobility aid device.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.6.5 LITHIUM-ION BATTERY POWERED WHEELCHAIRS

Pre-notification is required and acceptance is subject to operator approval.

- Packing rules:
 - Batteries are classified as dangerous goods and must be handled according to Dangerous Goods Regulations and the customer airline's procedures.
 - The batteries must be of a type which meets the requirements of each test in the UN Manual of Tests and Criteria, Part III, subsection 38.3
 - Battery must be securely attached to the wheel chair.
 - The battery is fitted, where feasible, with spill-resistant vent caps
- A passenger may carry a maximum of one spare lithium-ion battery not exceeding 300 Wh or two spare batteries each not exceeding 160 Wh.
- Any battery removed from the wheelchair or mobility aid and any spare batteries are carried in the passenger cabin. The removed or spare batteries must be protected from damage (e.g. by placing

G.3.6.6 LOADING OF BATTERY POWERED MOBILITY AIDS AND BATTERIES

- If the wheelchair cannot remain upright while being loaded, stowed, secured and unloaded, then apply the following packing rules:
- Battery must be carried in strong, rigid packaging as follows:
 - The outside packaging must be leak-tight, impervious to battery fluid and protected against spilling by securing to pallets or by securing them in cargo compartments using appropriate
 - The battery terminals must be protected against short circuits by:
 - ◆ Securely attaching covers of sufficient strength to protect the terminal;
 - ◆ Placing the battery in a rigid plastic package.
 - ◆ Other methods may be used that protect the terminals from damage.
 - The battery must be secured upright in the packaging and be surrounded by compatible absorbent material sufficient to absorb its total liquids.
 - The outside packaging must be marked "battery-wet-with wheel chair".
 - The outside packaging must be labeled with the "corrosive" label.
- Battery must not be loaded if not packaged appropriately.
- The pilot-in-command must be informed of the location of mobility aids with installed batteries and removed batteries. The person responsible for load supervision will verbally advise the pilot in command and the person responsible for load control of the location of the wheelchair or mobility aid device.
- All such batteries must be hold-checked, except for removable lithium-ion batteries and accounted for in the load control process.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.7 HANDLING OF PETS**G.3.7.1 GENERAL**

Handling of pets, in accordance with operator policy. There are two methods of carriage:

- pets carried in the passenger cabin in an approved container (subject to operator acceptance policy);
- pets carried in the cargo compartment.

G.3.7.2 ANIMALS IN HOLD (AVIH)

Animals in Hold are transported as checked baggage in the aircraft hold.

- domestic animals such as dogs, cats, birds, etc.;
- other small warm-blooded animals, such as guinea pigs, hamsters, rabbits, etc.;
- Apply operator acceptance procedures with local customs requirements, animal age and health requirements.

Note: Domestic animals of unusual size or wild animals, reptiles and rodents must be transported as cargo.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.3.7.3 AVIH Handling

- Only rigid containers with a secure door are acceptable.
- A water container must be provided in each container.
- Only one animal per container, unless they are used to cohabiting.
- The container must be large enough to permit the animal to stand in a natural position, turn around and lie down.
- Animals should be loaded last and unloaded first.
- Minimize time on the ramp to protect animals from wind, rain, noise and extreme temperatures.
- Keep other luggage at least 150mm (6 inches) away from the container sides to maximize ventilation.
- Natural predators should not be positioned next to each other.
- Do not load animals in the same compartment with dry ice or radioactive materials.
- Exercise caution with containers that have wheels, ensuring the container cannot roll during loading.
- Containers must be securely attached to the compartment to prevent shifting, using tie down straps.
- Take the deplaning animals immediately to the terminal for claim by their owners.
- Never use the baggage chute to deliver an animal. If the animal cannot be immediately claimed, take the animal to a climate controlled waiting room.
- The flight crew and station should be informed of AVIH loading to ensure sufficient heat and airflow are maintained.

G.4 BAGGAGE HANDLING**G.4.1 BAGGAGE ROOM PREPARATION**

The baggage room must prepare a sufficient and pre-determined number of baggage carts and containers in accordance with the expected passenger load for a flight.

G.4.1.1 ULD PREPARATION

- Check that the ULD is in a serviceable condition before using. Use the ULD damage limitation sticker attached to the ULD as a guide.
- Each ULD should have a "Container Card" inside the pouch near the door and a "Bingo Sheet" attached to the outside of the ULD next to the pouch (for non automated loading).
- All curtains and doors on the ULDs must be properly closed and latched prior to dispatching the ULDs to the ramp for loading.
- Every item loaded into the container must be recorded on the Bingo Sheet or scanned for automated loading.
- As each bag is loaded into a ULD, the security sticker must be peeled off of its bag tag and placed on the bingo sheet and retained after departure with the flight documentation.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.4.2 BAGGAGE TAGS**PAB 2.5.2**

Apply sorting and loading procedures into containers and cards based on operator policy with respect to checked items tagged as:

- Priority baggage
- Heavy baggage
- Connection baggage
- Late baggage
- Fragile baggage
- Sporting equipment
- Mobility aids or devices
- Animals in hold
- Crew baggage
- Strollers
- Gate Delivery Items
- Items containing dangerous goods (i.e. Dry Ice)
- Standby baggage
- Items with limited release tag
- International to International Transfer (ITI)

Each originating hold baggage, prior to release for loading into an aircraft must be:

- Individually identified using a baggage tag and/or label as accompanied or unaccompanied baggage.
- and Subjected to appropriate security controls, including screening.

G.4.3 BAGGAGE CUT-OFF & ULD LOAD VERIFICATION PROCESS

Once a flight has been closed for check-in, the Baggage room lead or the Baggage supervisor will:

- review total pieces for each ULD;
- pass on all baggage ULD figures including baggage counts for each container number and ULD numbers so that the total load summary can be prepared;
- Conduct a baggage room sweep to ensure there are no left behind bags.

If baggage is left behind, report to Baggage Services. Appropriate messages must be sent to the down line station and arrangements made to expedite the return of the bag to the passenger.

G.4.4 REMOVAL OF CHECKED BAGGAGE

If instructed to remove hold checked baggage, obtain the name and security number and number of pieces of baggage requiring removal. Refer to electronic records or the bingo sheets to identify the ULD where the baggage is located in order to offload. The baggage is removed and must be pre-screened prior to returning it to passenger services for further handling, subject to local security procedures. In certain countries, higher baggage screening standards may apply and must therefore be followed. Always communicate with gate or operator staff with respect to the addition or removal of any checked baggage.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.4.5 TRANSFER BAGGAGE

Through-label transfer baggage provided the connection is scheduled:

- the same day or
- the next day within 24 hours
- No change of airport
- Subject to local requirements
- Do not through-label baggage—even at the passenger's request—in case of obvious undercutting of the Minimum Connecting Time (MCT).

An interline agreement must be in place with the connecting carrier.

G.4.5.1 SPECIAL CASES

Case	Through-Labeling	Remark
Customs clearance required at transfer point.	Yes	• Advise passenger to pick up baggage at transfer point. • Refer to TIM/TIMATIC for country rules.
The passenger specifically wants his baggage at a transfer point.	No	• Inform the passenger about the risk of missing the connecting flight.
Animals in Hold	Yes	• Only permitted if the continuing carrier has confirmed acceptance. • Within permissible MCT.

G.4.6 SHORT CONNECTION BAGGAGE**G.4.6.1 DEFINITION**

Short connection baggage is baggage of passengers having an onward connection out of a hub with a short scheduled connecting time.

G.4.6.2 IDENTIFICATION

Short connection baggage is identified by a remark on the baggage tag and/or by a separate short connection tag or sticker.

G.4.6.3 HANDLING SHORT CONNECTION BAGGAGE

Apply the following short connection baggage procedure at outstations.

- Identify all short connections out of the hub airport.
- Handle and prioritize as per operator procedure.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.5 BAGGAGE SECURITY**G.5.1 GENERAL*****PAB 1.4.1, 1.4.5***

All baggage must be screened. Refer to the customer airlines Approved TSA Security Program for guidance. Baggage must also be protected from unauthorized interference after screening until transfer or aircraft departure.

G.5.2 HANDLING OF HOLD BAGGAGE***PAB 1.4.6, 1.4.7***

- If passengers and crew members are required to personally identify their hold baggage before loading, do not load any baggage not identified.
- Ensure there is no opportunity for the exchange of cabin baggage for hold baggage which may contain items to be used in a planned act of unlawful interference.
- When screening of hold baggage gives rise to suspicion regarding the contents, the local screening authority will proceed as per local regulations.
- When applicable, will provide a record of hold baggage subject to and satisfied of specification in PAB.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.5.3 ACCEPTANCE OF WEAPONS**PAB 2.2.1, 2.2.2, 2.2.3, 2.2.4**

A. FIREARMS - Definition: *United States Code, Title 18, Part 1, Chapter 44, firearm definitions includes: any weapon (including a starter gun) which will, or is designed to, or may readily be converted to expel a projectile by the action of an explosive; the frame or receiver of any such weapon; any firearm muffler or firearm silencer; and any destructive device. As defined by 49 CFR 1540.5 a loaded firearm has a live round of ammunition, or any component thereof, in the chamber or cylinder or in a magazine inserted in the firearm.*

- When traveling, comply with the laws concerning possession of firearms as they vary by local, state and international governments.
- If the passenger is traveling internationally with a firearm in checked baggage, permits may be required from both the origination state and the destination state. Please check the U.S. Customs and Border Protection website for information and requirements prior to travel.
- A Declare Form for each firearm each time you present it for transport as checked baggage must be completed.
- Firearms must be unloaded and locked in a hard-sided container and transported as checked baggage only. As defined by 49 CFR 1540.5 a loaded firearm has a live round of ammunition, or any component thereof, in the chamber or cylinder or in a magazine inserted in the firearm. Only the passenger should retain the key or combination to the lock unless TSA personnel request the key to open the firearm container to ensure compliance with TSA regulations. You may use any brand or type of lock to secure your firearm case, including TSA-recognized locks.
- Bringing an unloaded firearm with accessible ammunition to the security checkpoint carries the same civil penalty/fine as bringing a loaded firearm to the checkpoint.
- Firearm parts, including magazines, clips, bolts and firing pins, are prohibited in carry-on baggage, but may be transported in checked baggage.
- Replica firearms, including firearm replicas that are toys, may be transported in checked baggage only.
- Rifle scopes are permitted in carry-on and checked baggage.

B. AMMUNITION

- Ammunition is prohibited in carry-on baggage, but may be transported in checked baggage.
- Firearm magazines and ammunition clips, whether loaded or empty, must be securely boxed or included within a hard-sided case containing an unloaded firearm.
- Small arms ammunition (up to .75 caliber and shotgun shells of any gauge) must be packaged in a fiber (such as cardboard), wood, plastic, or metal box specifically designed to carry ammunition and declared to your airline.
- Ammunition may be transported in the same hard-sided, locked case as a firearm if it has been packed as described above. You cannot use firearm magazines or clips for packing ammunition unless they completely enclose the ammunition.
- Please check with your airline for quantity limits for ammunition.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

C. LAW ENFORCEMENT - FLYING ARMED

To qualify to fly armed, unless otherwise authorized by TSA, federal regulation states that a law enforcement officer must meet all of the following requirements:

- Be a federal law enforcement officer or a full-time municipal, county, state, tribal or territorial law enforcement officer who is a direct government agency employee.
- Be sworn and commissioned to enforce criminal or immigration statutes.
- Be authorized by the employing agency to have the weapon in connection with assigned duties.
- Have completed the TSA Law Enforcement Officer Flying Armed Training Course.

In addition to the above requirements, municipal, county, state, tribal, or territorial officers must present an operational need to have the weapon accessible from the time he or she would otherwise check the weapon, until the time it would be claimed after deplaning. The need to have the weapon accessible aboard the aircraft must be determined by the employing agency and based on one of the following:

- Assigned to a protective duty as a principal or advance team, or on travel required to be prepared to engage in a protective function.
- Conducting a hazardous surveillance operation.
- On official travel with a requirement to report to another location armed and prepared for duty immediately upon landing.
- Control of a prisoner, or on a round trip ticket returning from escorting or traveling to pick up a prisoner.
- Employed as a federal law enforcement officer, whether or not on official travel, and traveling armed in accordance with the policies or directives of the employing agency.

Common examples of travel that does not meet the threshold for carriage of accessible weapons are:

- Individuals possessing the status of a retired, contract, reserve, auxiliary or annuitant law enforcement personnel.
- Law enforcement officers who have not been granted general arrest authority and/or are limited specifically to governmental facilities.
- Any law enforcement officer who is employed by a department, agency or service that is not fully taxpayer funded.
- Attendance of non-operational or enforcement related activities (e.g., training, conferences, police week, memorial services, personal travel, etc.).



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.5.3.1 CARRIAGE OF WEAPONS IN HOLD BAGGAGE**PAB 2.2.1, 2.2.2, 2.2.3, 2.2.4**

Apply operator handling and acceptance procedures. Weapons are to be kept secured at all times either by approved personnel or locked away in a secure location. Undeclared weapons must be reported. The PIC must be notified of weapons aboard as soon as feasible prior to flight departure in accordance with applicable laws.

- **LAW ENFORCEMENT OFFICER (ON DUTY)** - If the passenger is a law enforcement officer or other person
 - Verify written authorization of LEO.
 - Notify the customer airline representative and follow the carrier procedure for check-in.
 - Notify the PIC of the seat number(s) of these persons, if permitted by applicable laws and
- **WEAPON DECLARATION** - Prior to acceptance, the passenger must, by written declaration form, verify and attest that the weapon is not loaded. **(3 copies - PIC, Customer, Station)**

NOTE: USE CARRIER FORM AND FOLLOW CUSTOMER AIRLINE PROCEDURE

- **QUALIFIED PERSON:** In the United States, the passenger traveling with a weapon is deemed qualified to verify that their weapon is not loaded, and their signature on the declaration form is accepted as their confirmation.
- The weapon is transported in a sturdy container to prevent damage. Ammunition is securely boxed and carried separately from the weapon.
- Weapons and ammunition are stowed in an area that inhibits access by any unauthorized person during flight; such weapons could be in the flight deck or retained by a cockpit crewmember;
- **PIC NOTIFICATION** - Prior to the commencement of the flight, The PIC, transfer and transit stations are notified when weapons and ammunition are carried.

Where the weapon is stowed in a baggage compartment that is accessible to persons during flight:

- The compartment door(s) remain closed and monitored during the flight.
- The weapon is packed separately from any ammunition.
- The weapon is stowed in the compartment in a manner that obstructs access by other baggage.

NOTE: USE CARRIER FORM AND FOLLOW CUSTOMER AIRLINE PROCEDURE

- Any ammunition is carried as per dangerous goods regulations.
- The weapon is stowed in a place that is inaccessible to any unauthorized person during flight.
- Weapons are packaged and labeled as required;
- Declaration forms are completed as per customer airline requirements.
- Arrival security procedures may be required to return the weapon(s) and/or ammunition to the passenger.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.5.4 SECURITY REMOVED ITEMS

Items not permitted in hand baggage that are removed by security screening personnel may only be accepted in checked baggage, as per operator handling and acceptance procedures.

G.5.5 TRANSFER AND CONNECTING BAGGAGE

When passengers have to collect their hold baggage during the transfer process (because of immigration or security policies of a State), treat hold baggage as originating baggage.

- If baggage is collected landside, submit it to screening before loading on the aircraft.
- If the baggage is collected and transferred in the sterile area, re-screening may not be necessary.

Interline, transfer and connecting baggage must follow the reconciliation procedures as originating baggage, section G.5.6.

G.5.6 BAGGAGE RECONCILIATION**G.5.6.1 ORIGINATING PASSENGERS**

Maintain passenger/baggage reconciliation for all flights, including:

- standby passengers;
- off-airport and group check-in passengers;
- voluntary or involuntary deplaning.

G.5.6.2 ON-LINE TRANSFER PASSENGERS

- Baggage that is separated from the passenger must be subject to additional security controls.

G.5.6.3 INTERLINE PASSENGERS

- Do not load hold baggage of an interline passenger unless the passenger has a confirmed reservation for the onward flight and the baggage is matched by the onward operating
- In case of high-risk airlines or high-risk flights, interline passengers may be required to identify the baggage before it is transported.

G.5.6.4 DISEMBARKING TRANSIT PASSENGERS

- Offload the cabin and hold baggage of any passenger who disembarks earlier than the station of arrival.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.5.6.5 MANUAL BAGGAGE RECONCILIATION AT ORIGINATING STATION

- After acceptance, ensure checked baggage is kept in a secure area.
- Crew baggage should be individually identified and marked as crew.
- Secure the flight by matching the checked-in passengers to the boarded passengers. Confirm total boarded passenger count with crew. Confirm by head count if this is operator policy.
- If there are passenger discrepancies (minus or plus), they must be resolved prior to closing the aircraft door.
- Make every attempt to locate missing passengers and obtain visual proof of boarding and documents if they are located on the aircraft.
- As per operator procedures and government regulations, remove the checked baggage of passengers who check-in but fail to board.
- Notify crew of any last minute changes to passenger and/or baggage load.

G.5.6.6 ON-LINE TRANSFER CHECKED BAGGAGE RECONCILIATION

- Load transfer between two flights of the same Operator (on-line) if the inbound passenger transfer message contains the passenger names and baggage details for control.
- If the passenger fails to transfer for any reason, the passenger's checked baggage must be removed.

G.5.7 DANGEROUS GOODS IN BAGGAGE**PAB 1.3.2**

- Passengers and crew may carry commodities in their baggage which can be considered dangerous goods.
- Refer to the IATA Dangerous Goods Regulations for handling and acceptance procedures, and for a list of accepted dangerous goods for passenger use.
- Agents should be aware of commonly carried items and question passengers when there is suspicion of their carriage. (e.g. camping equipment, hunters).
- Should undeclared or mis-declared dangerous goods be discovered, this must be reported to the operator and Supervisor, State of Authority, and all items not be permitted to travel.



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

G.6 MISHANDLED BAGGAGE**G.6.1 STORAGE AND HANDLING MISHANDLED/UNIDENTIFIED/UNCLAIMED BAGGAGE**

1. Enter found baggage details into tracing system.
2. Hold such baggage in a safe and secure area where access is controlled.
3. Make sure such baggage is subject to additional security controls before being loaded into an aircraft. These controls could include a combination of:
 - Manual search;
 - X-ray;
 - Simulation chamber;
 - Vapor or trace analysis;
 - Delayed onward dispatch for 24 hours or more;
 - “RUSH” tag to be used;
 - Follow the security requirements of the forwarding carrier;
 - It is preferable to load unaccompanied baggage in the Aft Bulk hold of the aircraft;
 - The number of unaccompanied bags with a “RUSH” tag must be included in the total load summary.

G.6.2 MOBILITY AIDS

Damaged, delayed or missing mobility aids should be handled as priority:

- Provide a suitable equivalent loaned item or replacement as needed and as per operator policy.
- Arrange for the repair or replacement of the item immediately.

G.6.3 ANIMALS IN HOLD (AVIH)

Delay of or damage/injury to AVIH should be handled as priority

G.6.4 LEGAL TIME LIMITS FOR REPORTING

Loss, delay or damage to baggage must be reported immediately upon arrival, or within 7 days for damage, 21 days for delay, subject to operator procedures.

Follow customer airline standards and policies



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

Intentionally Left Blank



Section: G

Baggage Handling Procedures

Revision: 7

Date: 02/02/2022

Intentionally Left Blank