



ULTRA AVIATION SERVICES, INC.

General Operations Manual

SECTION I

AIRSIDE SUPERVISION & SAFETY



Section: I

AIRSIDE SUPERVISION & SAFETY

Revision: 6

Date: 10/01/2021

Table of Contents

	Page
I.0 Introduction	I-1
I.0.1 Operational Requirments	I-1
I.1 Supervision Scope	I-1
I.2 Ramp Supervision Requirements	I-1
I.3 Precision Time Schedule	I-3
I.4 Event Response and Reporting Process	I-3
I.4.1 Introduction	I-3
I.4.2 Response	I-3
I.4.3 Reportable Ground Incidents	I-4
I.4.4 Access to Restricted Areas	I-4



ULTRA AVIATION SERVICES, INC.

General Operations Manual

Section: I

AIRSIDE SUPERVISION & SAFETY

Revision: 6

Date: 10/01/2021

Intentionally Left Blank



Section: I

AIRSIDE SUPERVISION & SAFETY

Revision: 6

Date: 10/01/2021

I.0 INTRODUCTION**ORM-HS 2.7.1**

All station operational activities, including, if applicable, those outsourced to an external third-party ground service provider shall be conducted under the direct oversight of supervision personnel.

I.0.1 Operational Requirements

- Supervision personnel must be trained and qualified to perform the assigned functions.
- Assigned individuals will provide oversight of personnel conducting, airside operations.
- An assigned individual will oversee the aircraft turnaround during ramp/apron activities ensuring the aircraft is handled and serviced according to the Operator's specific GOM, these duties may be combined with another function/role.
- If applicable checklists are provided, they shall be completed as required by the individual assigned to provide oversight.
- Individuals assigned to oversee ground handling operations must have oversight on airside operations, ground safety and all operations relating to comfort and schedule.

I.1 SUPERVISION SCOPE

Oversight for an aircraft arrival/departure shall include, but is not limited to the following activities:

- Aircraft loading & unloading;
- Aircraft servicing (e.g. potable water, lavatory, cleaning, catering);
- Aircraft fuelling;
- Aircraft movement (arrival, departure & towing);
- Passenger embarkation/disembarkation;
- Excess cabin baggage handling;
- All personnel and GSE involved in the operation to ensure compliance with safety procedures.

I.2 RAMP SUPERVISION REQUIREMENTS

The table below defines sample elements that require supervision by individuals assigned to oversee ground handling operations. This table is to be utilized in conjunction with Chapter 4 of the IGOM.

	ACTION	X	REMARKS
1	Pre-flight brief conducted regarding flight requirement(s) and services as needed.		
2	Pre-arrival check parking position free of Foreign Object Damage (FOD), obstacles and/or spillage.		
3	Sufficient personnel with PPE and necessary ground support equipment available and ready.		



ULTRA AVIATION SERVICES, INC.

General Operations Manual

Section: I

AIRSIDE SUPERVISION & SAFETY

Revision:

6

Date:

10/01/2021

	ACTION	X	REMARKS
4	All GSE and personnel positioned outside the aircraft clearance line.		
5	Ensure manpower correctly positioned for arrival.		
6	Ensure guidance system is activated and marshaller(s) correctly positioned as applicable.		
7	Personnel clear of the aircraft, until anti-collision lights have been switched off.		
8	Ensure aircraft chocked and coned appropriately		
9	Ensure an arrival external check prior to approach of any ground support equipment.		
10	Ensure equipment properly positioned and operated (e.g. Guide rails).		
11	Ensure cargo holds are offloaded and commodities correctly handled as required.		
12	Ensure all cargo holds fully offloaded and inspected for damage		
13	Passenger Bridge and/or Steps set to correct height and all safety devices are installed before opening cabin access doors		
14	Aircraft cabin access door operation by authorized and qualified person.		
15	During passenger (dis)-embarkation, passenger movement protected and guided in walkways between the aircraft and bus or terminal		
16	Passenger walkways clean of obstacles and free of undesired contaminated substances		
17	Fuel truck properly positioned and escape route not obstructed		
18	Ensure FUEL SAFETY ZONES respected		
19	Ensure safety precautions for Re-fuelling with passengers adhered to if applicable.		
20	Ensure on-load started and Load Master in possession of Loading Instruction.		
21	Ensure condition of load inspected prior to loading		
22	Ensure baggage and cargo loaded and handled in accordance with the written Loading Instruction		
23	Ensure DG correctly handled, segregated, secured and stowed		
24	Ensure holds are checked to verify load and lock/nets configuration		
25	Ensure Load information is exchanged with all deviations noted		
26	Ensure final load information provided to Flight crew as required		



Section: I

AIRSIDE SUPERVISION & SAFETY

Revision: 6

Date: 10/01/2021

	ACTION	X	REMARKS
27	Ensure GSE removal procedures followed		
28	Ensure final ramp inspection and aircraft walk-around check performed.		
29	Ensure pre-departure preparations are conducted		
30	Chocks and cones removal procedures followed		
31	Ensure departure sequence conducted as required		
32	Ensure post departure activities conducted as required with appropriate document retention.		

I.3 PRECISION TIME SCHEDULE

A precision time schedule is a graphical display of all ground handling activities and duties to be conducted for an aircraft turnaround.

Refer to the operating airline Operations Manual for specific requirements per aircraft type.

I.4 EVENT RESPONSE AND REPORTING PROCESS**I.4.1 Introduction**

It is the responsibility of supervision to ensure that all safety related events are immediately reported to the operating airline, the flight crew and applicable authorities as per local requirements and operating airline's policy.

All records of such accidents and incidents must be retained as required by local and operating airline requirements.

I.4.2 Response

Individuals assigned to supervision shall coordinate an initial response for all accidents and/or incidents, including dangerous goods incidents.

Immediate action to be taken when an incident occurs:

- Do not put yourself or any others at further risk.
- Deal with any personal injuries and request appropriate assistance.
- Secure the scene to prevent movement of GSE and personnel if possible.
- Take suitable photographic evidence of the incident.

Individuals assigned to supervision shall have knowledge of their responsibilities within the local safety plan and emergency response plan for responding to accidents and/or incidents or other emergencies that may occur during aircraft ground handling operations in accordance with local applicable regulations and requirements of the operating airline.



Section: I

AIRSIDE SUPERVISION & SAFETY

Revision:

6

Date:

10/01/2021

I.4.3 Reportable Ground Incidents

Reportable incidents may include but are not limited to:

- An act of aggression (e.g. BOMB THREAT or HIJACKING).
- Injury to an employee, or employee of a contracted company conducting services for the ground service provider.
- Security procedures are breached.
- Damage to the aircraft.
- Undeclared Dangerous Goods are discovered.
- Emergency equipment is non-operational or not present.
- Unattended baggage is located within the secure airside perimeter.
- A terminal building is evacuated.
- There is a potential hazard which may cause injury to a passenger or ground personnel.
- Unsafe practices are noted.
- Airside ramp safety measures are not being followed by vehicular traffic.
- A flight is dispatched unsecure and does not meet applicable baggage security regulations.
- A stowaway is discovered.
- Any event where safety standards may have been compromised.
- An environmental incident (e.g. fuel spill etc.).
- Any other incident considered reportable by regulations and/or the operating airline.

I.4.4 ACCESS TO RESTRICTED AREAS**HDL 2.3.5**

Security in and around the aircraft during an operation is imperative in order to ensure there has been no interference in the safe operation of the aircraft and there have been no unauthorized item introduced to the aircraft.

When an aircraft has been designated for an operation aircraft access must be monitored and controlled. Security agents will be assigned to secure the aircraft door and the footprint of the aircraft in order to check the identification and log any person who approaches the aircraft.

In the event that there is an unauthorized presence in a security restricted area, first challenge the person to demonstrate their ID badge. If their presense is confirmed to be unauthorized, immediately report the situation to Ultra Operations, and the appropriate security authority (e.g. the police, TSA, CBP, the airport authority, etc.)