Medical Image Processing for Diagnostic Applications

3-D Data – Line-Integrals

Online Course – Unit 44 Andreas Maier, Joachim Hornegger, Markus Kowarschik, Frank Schebesch Pattern Recognition Lab (CS 5)













From 2-D to 3-D

Parallel Line-Integral Data

Orlov's Condition

Outline: Backprojection-then Filtering (BPF) Algorithm


Summary







From 2-D to 3-D






Figure 1: The fan beam geometry is a 2-D pattern (left), its corresponding 3-D structure is the cone beam (right).







From 2-D to 3-D

Parallel Line-Integral Data

Orlov's Condition

Outline: Backprojection-then Filtering (BPF) Algorithm

Summary







Parallel Line-Integral Data

- Problem: Line-integrals may be along rays that are not perpendicular to the axis of rotation.
- How does this affect our reconstruction?




Figure 2: Several parallel ray paths from source to detector (Zeng, 2009)







Central Slice Theorem for Line-Integral Data




Figure 3: The 2-D Fourier transform of a projection corresponds to a slice through the origin in the 3-D Fourier transform of the object (Zeng, 2009).







Parallel Line-Integral Data

Parallel projections on rays that are perpendicular to the rotation axis can fill the complete Fourier space:




Figure 4: Sampling the Fourier space with parallel line-integrals (Zeng, 2009)







Parallel Line-Integral Data




Figure 5: Several parallel ray paths from source to detector (Zeng, 2009)







From 2-D to 3-D

Parallel Line-Integral Data

Orlov's Condition

Outline: Backprojection-then Filtering (BPF) Algorithm

Summary







Condition for Data Completeness

Orlov's condition: A complete data set can be obtained if every great circle intersects the trajectory.




Figure 6: Diagram showing the definition of great circles (Zeng, 2009)







Examples of 3-D Trajectories




Figure 7: Several possible trajectories: which of these yield a complete data set (Zeng, 2009)?

Online Course

Medical Image Processing for Diagnostic Applications | Andreas Maier







Trajectories




Figure 8: Trajectory consisting of two circles (Zeng, 2009)







Trajectories




Figure 9: Trajectory containing every direction on the sphere (Zeng, 2009)







Trajectories




Figure 10: Trajectory consisting of a band segment of the unit circle (Zeng, 2009)







From 2-D to 3-D

Parallel Line-Integral Data

Orlov's Condition

Outline: Backprojection-then Filtering (BPF) Algorithm

Summary







BPF Algorithm for Parallel Line-Integral Data

• For the unit sphere the PSF can be shown to be

$$h(x,y,z)=\frac{1}{x^2+y^2+z^2}=\frac{1}{r^2}.$$

The back projection of the data is computed by

$$b = f * * * h,$$

$$B(\omega_X, \omega_y, \omega_z) = F(\omega_X, \omega_y, \omega_z) \cdot H(\omega_X, \omega_y, \omega_z),$$

where *** denotes the 3-D convolution, and

$$B = FT(b), F = FT(f), H = FT(h).$$




Figure 11: Trajectory containing every direction on the sphere (Zeng, 2009)







From 2-D to 3-D

Parallel Line-Integral Data

Orlov's Condition

Outline: Backprojection-then Filtering (BPF) Algorithm

Summary







Take Home Messages

- There is a central slice theorem for parallel line-integral data in 3-D.
- Data completeness depends on the used trajectory → Orlov's condition.







Further Readings

The best way to augment your knowledge of the shown concepts is to read the companion book of the current chapter:

Gengsheng Lawrence Zeng. *Medical Image Reconstruction – A Conceptual Tutorial*. Springer-Verlag Berlin Heidelberg, 2010. DOI: 10.1007/978-3-642-05368-9