



Moncton / Gander FIR

Airspace Manual

Version 2.0

Effective: 2025-xx-xx 0300Z

For Flight Simulation Use Only



1 Table of Contents

1	Table of Contents.....	1
1	Control Pages.....	2
1.1	Document Identification	2
1.2	Revision Records	2
2	Introduction.....	3
2.1	Scope and Applicability.....	3
2.2	Document Organisation.....	3
2.3	Copyright and Fair Dealing Notice	3
2.4	Amendments.....	3
3	Master Position and Frequency Table.....	4
4	Airspace Management	5
4.1	General	5
4.2	Classes of Airspace	6
5	Centre Positions (_CTR).....	7
5.1	High Level Airspace (FL290 - 600).....	7
5.2	Low Level Airspace (Surface to below FL290).....	9
6	Terminal Positions (_APP).....	12
6.1	Moncton FIR.....	12
6.2	Gander FIR	17
7	Tower Positions (_TWR)	18
7.1	Moncton FIR.....	18
7.2	Gander FIR	19



1 Control Pages

1.1 Document Identification

Document Identification	
Name	CZQM FIR Centre Airspace Manual
Identification	CZQM-AM
Type	Airspace Manual
Revision	2.0
Effective Date	2025-xx-xx 0400Z

1.2 Revision Records

Revision ID	Effective Date	Description of Change
2.0	2025-XX-XX 0400Z	Initial release



2 Introduction

2.1 Scope and Applicability

- 2.1.1 This document is intended to provide operational guidance to CZQM controllers providing services to virtual pilots. This document only reflects the virtual airspace limitations of the CZQM FIR a division of VATCAN on the VATSIM network. At no time shall this document be used for real-world navigation.
- 2.1.2 Our FIR's sectorization is inspired by the actual NAV CANADA airspace allocations. It has been adapted to suit our particular operational requirements. The airspace allocated to the Moncton and Gander FIRs is treated as one and is subdivided based on our needs and preferences.
- 2.1.3 This document reflects our day-to-day operation. During high volume events, such as Cross-the-Pond (CTP) the airspace will be further subdivided, and the details will be provided in a timely manner, as required.
- 2.1.4 Position versus Sector. A position is what is operated by an individual controller. A controller logs into a *position*. A sector is a volume of airspace for which a position is responsible. Such volumes vary based on which other positions are active.

2.2 Document Organisation

- 2.2.1 This document has been reorganised based on a high to low functional model. It will not focus on delegations and airspace arrangements but will indicate who controls what, when.

2.3 Copyright and Fair Dealing Notice

- 2.3.1 This material contains images from copyrighted works by AeroNav Association™, Navigraph™, NAV CANADA™, and His Majesty The King in Right of Canada, used solely for educational and illustrative purposes under the fair dealing provisions of the Canadian Copyright Act. All rights in the original works are retained by their respective copyright holders.

2.4 Amendments

- 2.4.1 Amendments to this document shall be reflected in the following manner:
- Amendments or additions to this document shall be shown **thusly**.
 - Deletions from this document shall be shown ~~thusly~~.

For VATSIM Simulation Purposes Only



3 Master Position and Frequency Table

The following table covers the normal CZQM / CZQX working positions and their parameters

Position Class	Login Profile	ID code	Frequency	Comment
Centre	CZQM_CTR	QM	132.2	
	CZQX_CTR	QX	132.1	
	CZQM_DG_CTR	DG	123.9	Digby
	CZQM_CB_CTR	CB	118.6	Cape Breton
Terminal	CYHZ_APP	HZA	119.2	
	CYHZ_FI_APP	HA2	128.55	Halifax arrival
	CYQM_APP	QMA	124.4	
	CYSJ_APP	SJA	124.3	
	CYZX_APP	ZXA	120.6	
	CZQM_L_APP	QML	124.4	Consolidated 'mega' terminals
	CYQX_APP	QXA	128.5	
	CYYR_APP	YRA	119.5	
	CYYT_APP	YTA	133.15	
	LFVP_APP	VA	118.5	
Tower	CYFC_TWR	FCT	119.0	
	CYHZ_TWR	HZT	118.4	
	CYQM_TWR	QMT	120.8	
	CYZX_TWR	ZXT	119.5	
	CYQX_TWR	QXT	118.1	
	CYYR_TWR	YRT	119.1	
	CYYT_TWR	YTT	120.6	
	LFVP_TWR	VT	119.1	
Ground	CYFC_GND	FCG	121.7	
	CYHZ_GND	HZG	121.9	
	CYQM_GND	QMG	121.8	
	CYZX_GND	ZXG	133.75	
	CYQX_GND	QXG	121.9	
	CYYR_GND	YRG	121.9	
	CYYT_GND	YTG	121.9	
DELIVERY	CYHZ_DEL	HZD	123.95	
	CYZX_DEL	ZXD	128.025	
	CYYR_DEL	YRD	118.1	

For VATSIM Simulation Purposes Only



ATIS frequencies are as per the vATIS profiles.

4 Airspace Management

4.1 General

We provide services within both the CZQM and CZQX FIRs, plus the airspace delegated to us by Gander Oceanic, New York Oceanic and Montreal.

In the Gulf of St-Lawrence / Lower Labrador area, the Montreal FIR has delegated its High-Level Airspace to us.

Controlled airspace within the Moncton and Gander FIRs begins at 2200 feet Above Sea Level (ASL), except in the vicinity of certain airports where it extends to the ground.

There is a significant volume of uncontrolled (Class G) airspace in Northern New Brunswick.

Control services only apply within controlled airspace.

We also have some Special Use Airspace (Class F) that require special treatment, including prohibited access.



4.2 Classes of Airspace

Class	General Applicability	Requirements	Services
A	FL180 and above	2-way comms - Transponder - ATC Clearance - No VFR	Separation provided between all aircraft
B	Above 12500 ASL – Below FL180	2-way comms - Transponder - ATC Clearance	Separation provided between all aircraft
C	Not applicable in our airspace	2-way comms - Transponder - ATC Clearance	- IFR-VFR Conflict Resolution - Traffic Information - IFR – IFR Separation - VFR-VFR conflict resolution upon request
D	Control zones, 7 NM radius unless otherwise indicated: CYZX, CYHZ, CYQM, CYQX, CYYR (10NM), CYYT, LFVP (5NM).	2-way comms - Transponder - VFR radio contact	- IFR-VFR Conflict Resolution, workload permitting - Traffic Information - IFR – IFR Separation - VFR-VFR conflict resolution upon request, workload permitting
E	Control zones, 5 NM radius unless otherwise indicated: CYYG, CYSJ, CYQY, CYQI, CYDF, CYAY, CYJT. Otherwise generally 2200' – Below FL180	- VFR No radio - VFR No clearance	- No IFR-VFR or VFR-VFR Conflict Resolution - Traffic Information, workload permitting - IFR – IFR Separation
F	As per DAH	As per DAH	- CYR: No one shall operate within - CYD: No one should operate within - CYA: As per Designated Airspace Handbook

5 Centre Positions (CTR)

Moncton Centre is the top-level position, as it is the Centre that is normally opened solo. It operates on a co-equal basis with CZQX Centre. When only one centre position is open, that centre is responsible for both FIRs.


Gander Centre is the co-equal Centre position. When only one centre position is open, that centre is responsible for both FIRs.

The sectors for which the positions are normally responsible are explained below.

5.1 High Level Airspace (FL290 - 600)

5.1.1 CZQM

This green area represents the Moncton Centre Area between FL290 and FL600. Note the Moncton-Gander boundary line that runs through western Newfoundland. This is different from the low-level FIR boundary that runs further west, between the land masses.




5.1.2 CZQX

This green area represents the Moncton Centre Area between FL290 and FL600. Note that CZEG owns the airspace to our North, Iceland (BIRD) is to our Northeast. Gander Oceanic to our East. New York Oceanic to our South.



Note that the CZQM-CZQX boundary FL290 and above is located further East than the Low-Level boundary.




5.2 Low Level Airspace (Surface to below FL290)

5.2.1 Centre Sectors


5.2.1.1 Moncton

This figure represents the Moncton area from the Surface to below FL290. It is further subdivided as shown in the following sections.



5.2.1.1.1 Digby Sector


The Digby sector's purpose is to sequence flights into Halifax from the West when required.



For VATSIM Simulation Purposes Only
version 2.0


5.2.1.1.2 Cape Breton Sector

The Cape Breton sector's purpose is to sequence flights into Halifax from the East when required.



5.2.1.1.3 Charlo area uncontrolled (Class G) airspace SFC-12500

The depicted area represents uncontrolled (Class G) airspace in Northern NB. As the name indicates, no control services are allowed within that area.



¹ Where Euroscope sector names and altitudes are shown in the figures, the altitudes show a buffer for technical reasons. They are not to be considered authoritative for control purposes.


5.2.1.1.4 The Rest of Moncton

The airspace, other than the en route airspace described above and the Terminal (_APP) areas described below, within the Moncton FIR is allocated to Moncton Centre (CZQM_CTR).

5.2.1.2 Gander Low


5.2.1.2.1 Surface to Below FL180

This figure represents the Gander Centre area below FL180. Note the carve-out for the North Shore of Quebec, belonging to Montreal CZUL FIR from Surface to below FL180



5.2.1.2.2 Flight Level 180 to Below FL290


Above FL180, the area is as shown. Note that the CZQM-CZQX boundary below FL190 is West of Newfoundland.



6 Terminal Positions (APP)

6.1 Moncton FIR

This diagram illustrates the Terminal Positions' cascading relationships.





6.1.1 Greenwood Terminal CYZX_APP (SFC-9000)





6.1.2 Halifax APP CYHZ_APP (SFC-BelowFL290)



In addition to CYHZ_APP, we also have the option of activating Halifax Arrival (CYHZ_FI_APP) in cases when there is heavy arrival demand to the degree that approach clearances are not issued via the published transitions and that extensive vectoring to final is required.



6.1.3 Saint-John CYSJ_APP (SFC-BelowFL290)




6.1.4 Moncton CYQM_APP (SFC-BelowFL290)




6.1.5 "Moncton Low"

This figure illustrates CYQM_APP when it absorbs CYSJ_APP, as is normally the case.



6.1.6 "Mega" Tri-Terminal CZQM_L_APP

The "mega" terminal position can be activated to manage all 4 terminals in the Moncton FIR.



6.2 Gander FIR

All Gander FIR Terminals operate Below FL290

6.2.1 St-John's CYYT_APP (SFC-BelowFL290)

As depicted in Euroscope.


6.2.2 Gander CYQX_APP (SFC-BelowFL290)

As depicted in Euroscope.

6.2.3 Goose Bay MTCA CYYR_APP (SFC – Below FL290)


Within 87 nautical miles of CYYR. The many CYR airspaces are “occasional by NOTAM” and are deemed to be cold for our purposes.

Note that the Labrador airspace beyond the 87 NM radius circle around CYYR and the airways YYR – DENSO and YYR – YWK is uncontrolled Class G.



6.2.4 Saint-Pierre LFVP_APP (SFC-BelowFL190)

French Airspace below FL190 delegated to Gander Centre.



7 Tower Positions (TWR)

7.1 Moncton FIR

7.1.1 Greenwood CYZX-TWR

Class D. The airspace to 5000' ASL within the area bounded by a circle of 7 miles radius centred on CYZX airport.


7.1.2 Halifax CYHZ_TWR

Class D. The airspace to 3500' ASL within the area bounded by a circle of 7 miles radius centred on CYHZ airport.

7.1.3 Fredericton CYFC_TWR

Class D. The airspace to 3500' ASL within the area bounded by a circle of 7 miles radius centred on CYFC airport, minus a carve-out around the Gagetown heliport. Note the presence of CYR724 SFC-

FL250 to the southeast.



7.1.4 Moncton CYQM_TWR

Class D. The airspace to 3500' ASL within the area bounded by a circle of 7 miles radius centred on CYQM airport.

7.2 Gander FIR

7.2.1 St-John's CYYT_TWR

Class D. The airspace to 3500' ASL within the area bounded by a circle of 7 miles radius centred on CYYT airport.

7.2.2 Gander CYQX_TWR

Class D. The airspace to 3500' ASL within the area bounded by a circle of 7 miles radius centred on CYQX airport.

7.2.3 Goose Bay CYYR_TWR

Class D. The airspace to 4000' ASL within the area bounded by a circle of 10 miles radius centred on CYYR airport. There are several restricted areas defined around CYYR but they are occasional by NOTAM and are therefore deemed to be cold.

7.2.4 St-Pierre LFVP_TWR

Class D. The airspace to 2000' ASL within the area bounded by a circle of 6 miles radius centred on LFVP airport.