NOKASH API_PAYIN

Documentation

NOKASH GLOBAL

June 2025

API Documentation
NOKASH Payment API

Version	Authors	Quality	Date	Comments
1	**FEUDJIO LIONEL**	**Team Dev NOKASH**	January 2023	initial Document
2	**FEUDJIO LIONEL**	**Team Dev NOKASH**	April 2023	update after api version 301 was ready
3	**FEUDJIO LIONEL**	**Team Dev NOKASH**	May 2023	adding callback url
4	**FEUDJIO LIONEL**	**Team Dev NOKASH**	July 2024	adding api payin v407
5	**FEUDJIO LIONEL**	**Team Dev NOKASH**	June 2025	update doc

NOKASH GLOBAL
June 2025

Table of contents:

I. Initiate the payment
II. response of initiate payment
III. check status

Process of collecting payments in NOKASH

Find the link of the postman collection file here: postman collection

I. Initiate the payment

Before any payin is initiated, have a look on these options for the country where payin is needed:

http method	GET
url	**https://api.nokash.app/lapas-on-trans/transaction-options/payin**
parameters	- **country**: the iso alpha code 2 of the country

example data responses:	{
	"country": "GA",
	"currencies": [
	"XAF"
	],
	"paymentMethods": [
	"MOOV",
	"AIRTEL_MONEY"
	],
	"paymentTypeEnums": [
	"GA_MOBILEMONEY"
	]
	}
	{
	"country": "CM",
	"currencies": [
	"XAF"
	],
	"paymentMethods": [
	"MTN_MOMO",
	"ORANGE_MONEY",
	"EUM"
	],
	"paymentTypeEnums": [
	"CM_MOBILEMONEY"
	]
	}



This is done via the api:

http method	POST
url	**https://api.nokash.app/lapas-on-trans/trans/api-payin-request/407**
header	- **content-Type:** application/json - hmac-signature: the string payload to be used in signature is: `orderId:amount:user_phone:app_space_key` use your i_space_key to generate the hmac; You can use these source code to generate it: here
parameters	
body	● **i_space_key**: the key of the integrator ● **app_space_key**: the key of the app. ● **payment_type**: the type of payment needed ● **country**: the iso alpha 2 of the country ● **payment_method**: the payment method to use for the payment; ● **order_id**: the unique id of the transaction in your system ● **amount**: the amount of the transaction ○ minimum XAF is: 200 ○ minimum for XOF is: 200 ○ minimum for NGN country is: 500 ● **callback_url** (optional and only for production keys): this is an endpoint you will open in your system to let us send you the status of the request when it is changed. It is a post request with this body data: id, status, amount, phone, orderId; ● **user_data**: the information of the payer which depend on the payment type: ○ for payment_type ended with **MOBILEMONEY**, set field: ■ **user_phone**: the user phone number ○ for payment_type ended with **BANKTRANSFER**, set fields: ■ **user_email**: the payer email address ■ **user_name**: the payer name

II. get the response of initiate payment

The structure of the response is:

- status: the status of your request.
  possible values are:
  - REQUEST_OK: process have been initiate
  - REQUEST_BAD_INFOS: you did not send an information
  - … others are unknown errors; you may report it to us please.
- message: the message of the server
- data: the data of the response;
  - when status is not REQUEST_OK, data is null
  - when it is REQUEST_OK, data is an object.

data object structure depend on **payment_type** used when initiating the payment:

- for payment_type **CM_MOBILEMONEY** :
  - **id**: the unique id of the payment in our system (you will use it to get the status of the payment)
  - **status**: current status of the payment; possible values are: PENDING, FAILED, CANCELED, TIMEOUT, SUCCESS
  - **amount**: the amount of the payment.
  - **orderId**: the id from your system
  - **phone**: the phone number of payer
- for payment_type **NG_BANKTRANSFER:**
  - **id**: the unique id of the payment in our system (you will use it to get the status of the payment)
  - **status**: current status of the payment; possible values are: PENDING, FAILED, CANCELED, TIMEOUT, SUCCESS
  - **amount**: the amount of the payment.
  - **orderId**: the id from your system
  - **va_bank_code**: the bank code of VA generated
  - **va_bank_name**: the bank name
  - **va_account_number**: the VA generated
  - **va_expiry_date_in_utc**: expiration data of the va in utc
  - **user_name**: the payer name
  - **user_email**: the payer email

III. check status

http method	POST
url	**https://api.nokash.app/lapas-on-trans/trans/310/status-request**
parameter	- **transaction_id**: the id of the transaction
response	● **status**: the status of your request. possible values are: ○ REQUEST_OK: your request was proceed. ○ REQUEST_BAD_INFOS: you did not send an information ○ … others are unknown errors; you may report it to us please. ● **message**: the message of the server ● **data**: data of the response; when the status is REQUEST_OK, data is an object which represent the transaction: ○ **amount** ○ **status**: status of the transaction; possible values are: PENDING, FAILED, CANCELED, TIMEOUT, SUCCESS ○ **statusReason**: a string, which is: ■ null when status is SUCCESS ■ have value when status is FAILED ○ **orderId**: the order id of the transaction ○ **id**: the id of the transaction ○ **phone**: the payer phone ○ **user_name** ○ **user_email** ○ **user_bank_code** ○ **user_bank_account**